

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-34838
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Stirling 7 C
8. Well Number #4
9. OGRID Number 372290
10. Pool name or Wildcat Red Lake
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3288'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Riley Permian Operating Company LLC

3. Address of Operator
29 E. Reno Avenue Suite 500, Oklahoma City, OK 73104

4. Well Location
Unit Letter **C** : **990** feet from the **N** line and **1650** feet from the **W** line
Section **7** Township **18S** Range **27E** NMPM County **EDDY**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ **P AND A** ☒
CASING/CEMENT JOB ☐ PNR
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

04/02/24 MIRU plugging equipment. Dug out cellar. NU BOP. RIH & tagged existing CIBP @ 2494'. **04/03/24** Spotted 25 sx class C cmt w/ 2% CACL @ 2490-2290'. WOC & tagged @ 2211'. Ran CBL. Pressure tested csg, held 500 PSI. Spotted 135 sx class C cmt @ 1170' & circulated to surface. WOC. Topped off well w/ 10 sx class C cmt. **04/05/24** Moved in backhoe and welder. Cut off well head & anchors. David Alvarado w/ OCD verified cmt @ surface via picture text message. Welded on "Above Ground Dry Hole Marker". Installed 2' concrete form w/ 6 sx cmt. Backfilled cellar, cut off deadmen, cleaned location, and moved off.

CBL is in files

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Spence Laird TITLE EHS&R Manager DATE 5/30/2024

Type or print name Spence Laird E-mail address: spencelaird@rileypermian.com PHONE: 1-405-543-1411

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/13/24

Conditions of Approval (if any):

**Stirling 7 C 4
P&A Report
API # 30-15-34838
990' FNL & 1650' FWL
7-18S-27E
Eddy County, New Mexico**


Work description:

04/02/24 MIRU plugging equipment. Dug out cellar. NU BOP. RIH & tagged existing CIBP @ 2494'.
04/03/24 Spotted 25 sx class C cmt w/ 2% CACL @ 2490-2290'. WOC & tagged @ 2211'. Ran CBL.
Pressure tested csg, held 500 PSI. Spotted 135 sx class C cmt @ 1170' & circulated to surface. WOC.
Topped off well w/ 10 sx class C cmt. 04/05/24 Moved in backhoe and welder. Cut off well head &
anchors. David Alvarado w/ OCD verified cmt @ surface via picture text message. Welded on "Above
Ground Dry Hole Marker". Installed 2' concrete form w/ 6 sx cmt. Backfilled cellar, cut off deadmen,
cleaned location, and moved off.

Riley Permian Operating Company		PLUGGED	
Author:	Abby @ BCM	Well No.	#4
Well Name	Stirling 7C	API #:	30-015-34838
Field/Pool	Red Lake	Location:	Sec 7, T18S, R27E
County	Eddy		990 FNL 1650 FWL
State	NM	GL:	3288
Spud Date	6/19/2006		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13 3/8	H40	48#	183	17 1/2	275	0
Inter Csg	8 5/8	J55	24#	1,050	12 1/4	795	0
Prod Csg	5 1/2	J55	15.5#	3,635	7 7/8	740	0

Formation	Top
San Andres	1116
Glorieta	2404
Yeso	2504



13 3/8 48# CSG @ 183

8 5/8 24# CSG @ 1,050

2. Spotted 135 sx class C cmt @ 1170' & circulated to surface. WOC. Topped off well w/ 10 sx class C cmt.

1. Tagged CIBP @ 2494'. Spotted 25 sx class C cmt w/ 2% CACL @ 2490-2290'. WOC & tagged @ 2211'. Ran CBL. Pressure tested csg, held 500 PSI.
Perfs @ 2538-2881'

Perfs @ 2962-3181'

5 1/2 15.5# CSG @ 3,635

TDPB @ 3591
TD @ 3635

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 349360

CONDITIONS

Operator: RILEY PERMIAN OPERATING COMPANY, LLC 29 E Reno Avenue, Suite 500 Oklahoma City, OK 73104	OGRID: 372290
	Action Number: 349360
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL is on file	8/13/2024