

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-29260
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name BRIDGES STATE
4. Well Location Unit Letter <u>M</u> : <u>284</u> feet from the <u>S</u> line and <u>1305</u> feet from the <u>W</u> line Section <u>13</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 502
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4050' GL		9. OGRID Number 298299
		10. Pool name or Wildcat VACUUM; GRAYBURG-SAN ANDRES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	PNR <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

05/14/2024 MIRU. POOH w/tbg.

Plug 1: Set CIBP @ 4500' and spotted 25 sx cmt, tagged TOC @ 4247'. Ran CBL. Perf'd squeeze holes @ 1750' - no injection.

Plug 2: Spotted 15 sx cmt @ 3900', tagged TOC @ 3749'.

Plug 3: Spotted 30 sx cmt @ 3000', tagged TOC @ 2718'. Re-attempted pump into perfs @ 1750' - no injection.

Plug 4: Spotted 45 sx cmt @ 1800', tagged TOC @ 1425'.

Plug 5: Spotted 35sx cmt from 275' to surface. Topped off w/ 10 sx cmt. Welded plate and dry hole marker.

05/18/2024 RDMO.

CBL is in File

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE REGULATORY ANALYST DATE 05/24/2024

Type or print name CONNIE BLAYLOCK E-mail address: cblaylock@mspartners.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/12/24

Conditions of Approval (if any):

Bridges State Unit #502
API 30-025-29260
Section 13-17S-34E
Lea County, NM

P&A – 05/18/2024

Spud Date- 6/19/85
Completion – 8/5/85

Elevation
KB- 4063'
GL- 4050'

SFC CSG: 8-5/8", 24#, K55 csg. Set
@ 1664' w/ 1250 Sx. Cl. C.Circ.

PLUG 5: Spot 35 sx Class C Cement
from 275' to surface. Top off w/ 10 sx
cmt.

PLUG 4: Perf Squeeze Holes @
1,750'. No Injection. Spot 45 sx cmt @
1,800'. Tag TOC @ 1,425'.

PLUG 3: Spot 30 sx cmt at 3,000' . Tag
TOC @ 2,718'

PLUG 2: Spot 15 sx cmt at 3,900'. Tag
TOC @ 3,749'

PLUG 1: Set CIBP @ 4,500' w/ 25
sx Cmt. Tag TOC @ 4,247'

San Andres Perfs:
4560-4596'- 28 holes
4636-4644'- 9 holes

PROD CSG: 5½", 14# K55 set @ 4800'.
Lynes ECP packer at 4,314'. Cmt on
bottom w/ 1200 sx. Cl. C. Circ. Pressure
up to set ECP. 100 sx. Thixotropic down
annulus.

TD @ 4800'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 348252

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 348252
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q o release CBL is on file	8/12/2024