

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-25409
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator CROSS TIMBERS ENERGY, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name STATE XX COM
4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>S</u> line and <u>660</u> feet from the <u>E</u> line Section <u>07</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4105' GL		9. OGRID Number 298299
		10. Pool name or Wildcat VACUUM; ATOKA-MORROW, NORTH

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐ PNR
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

05/18/2024 MIRU. Unable to release pkr.

Per OCD, ok to set CIBP above pkr. POOH w/tbg and set CIBP @ 12,970'. Dump bailed cmt on top of CIBP, tagged TOC @ 12,935'. (Plug 1) Ran CBL.

Plug 2: Spotted 30 sx cmt @ 11,000', tagged TOC @ 10,697'.

Plug 3: Spotted 35 sx cmt @ 7700', tagged TOC @ 7381'.

Plug 4: Spotted 25 sx cmt @ 6090' - 5890'.

Plug 5: Perf'd squeeze holes @ 4900'. Attempted injection - no pump in - held pressure. Spotted 65 sx cmt @ 4950', tagged TOC @ 4427'.

Plug 6: Spotted 40 sx cmt @ 2880' - 2780'.

Plug 7: Spotted 45 sx cmt @ 2000', tagged TOC @ 1843'.

Plug 8: Perf'd squeeze holes @ 400'. Pumped in but no circ. Squeezed 100 sx cmt, tagged TOC @ 271'.

Plug 9: Perf'd squeeze holes @ 200'. Pumped in, no circ. Squeezed 100 sx cmt to surface.

05/30/2024 Cut off wellhead; installed dryhole marker. RDMO.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE REGULATORY ANALYST DATE 06/13/2024

Type or print name CONNIE BLAYLOCK E-mail address: cblaylock@mspartners.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/21/24

Conditions of Approval (if any):

State XX Com #1

660' FEL & 1980' FSL of Sec 7-17S-35E

Lea County, NM

API: 30-025-25409

PLUGGED & ABANDONED**SFC CSG:**12-3/4" 40# CSG SET @ 350'.
CMT'D W/500 SX. CIRC.**TOL @ 4,463'****INT CSG:**8-5/8" 32# CSG SET @ 4850'.
CMT'D W/2200 SX. CIRC.

Plug 9: Perf'd squeeze holes @ 200'. Pumped in – no circ. Squeeze w/ 100 sx cmt to surface.

Plug 8: Perf'd squeeze holes @ 400'. Pumped in but no circ. Squeezed 100 sx cmt. Tagged TOC @ 271'.

Plug 7: Spotted 45 sx cmt @ 2,000'.
Tagged TOC @ 1,843'.

Plug 6: Spotted 40 sx cmt @ 2,880' – 2,780'

Plug 5: Perf'd squeeze holes @ 4,900'.
Attempted injection – no pump in – held pressure. Spotted 65 sx cmt @ 4,950'.
Tagged TOC @ 4,427'.

Plug 4: Spot 25 sx cmt @ 6,090' – 5,890'

Plug 3: Spot 35 sx cmt at 7,700'. Tagged TOC @ 7,381'.

Plug 2: Spot 30 sx Cmt @ 11,000'. Tagged TOC @ 10,697'.

Plug 1: CIBP @ 12,970' capped w/ cmt.
Tagged TOC @ 12,935'**MORROW PERFS**08/18/08: 13,152'-13,160' (8 HOLES), 13,174'-13,180' (6 HOLES),
13,192'-13,202' (10 HOLES) W/1 SPF (24', 24 HOLES).**CIBP @ 13,260'**04/04/77 -13,300-307, 354-361, 365-373' W/2 JSPF (50 HOLES)**LINER:**5-1/2" 17#, S-95 & N-80 LINER FR/ 4463'-13,467'.
SET W/BOT LH W/TIE-BACK SLEEVE 17# S-95
FR/10,516-13,467'. CMT W/1800 SX.PBTD: 13,422'
TD: 13,470'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 354017

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 354017
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL is on file	8/21/2024