
ceiyed by Ocp i 8/22/2014 2:18:07	State of	f New Mex	ico			Form 6-103
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July 18, 2013			
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			WELL API 30-025-045			
811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION			Type of Lease		
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STA		EE 🗌	
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505			6. State Oil	l & Gas Lease N	0.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A				7. Lease Name or Unit Agreement Name Graham Orcutt Gas Com		
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			8. Well Number			
1. Type of Well: Oil Well				3		
2. Name of Operator Empire Petroleum Corporation –	Now Movico			9. OGRID	Number 330679	
3. Address of Operator	INEW MEXICO			10. Pool na	ame or Wildcat	
2200 S. Utica Place Suite 150, Tu	ılsa, Oklahoma 74114				ates 7 Rivers – C	Queen (Gas)
4. Well Location				<u> </u>		
Unit Letter <u>J</u> _:_	feet from the	<u>South</u> 1	ine and <u>1980</u>	feet from	n the <u>East</u>	line
Section 6	Township 2	21S Ra	nge 36E	NMPM	County	Lea
	11. Elevation (Show v	whether DR, I	RKB, RT, GR, etc.,)		
PERFORM REMEDIAL WORK		_	REMEDIAL WOR		ALTERIN	
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we	CHANGE PLANS MULTIPLE COMPL Oleted operations. (Clearly	y state all pert	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and	LLING OPNS T JOB give pertinen	B. P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or comp	CHANGE PLANS MULTIPLE COMPL Output Deleted operations. (Clearly ork). SEE RULE 19.15.7	y state all pert	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com	LLING OPNS T JOB give pertinen	B. P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or recomposed. 1. MIRU P&A Rig 2. MIRU WLU and run Composed.	CHANGE PLANS MULTIPLE COMPL Oleted operations. (Clearly ork). SEE RULE 19.15.7 completion. CBL from CBL to surface.	y state all pert14 NMAC.	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com	LLING OPNS T JOB give pertinen pletions: Atta	B. P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or recomposed. 1. MIRU P&A Rig 2. MIRU WLU and run Composed sky class C cm 3. Spot 50 sks class C cm	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7 completion. CBL from CBL to surface. at @ 2580' (B/Salt est). W	y state all pert. 14 NMAC. 1	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'.	give pertinen pletions: Attains on file	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion or rec	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7. completion. CBL from CBL to surface. at @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8' class C cmt @ 100' - surface.	y state all pert. 14 NMAC. 1 . RDMO. OC & tagged shoe & T/Sa	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet	give pertinen pletions: Atta is on file PA completer – approved	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recomposed co	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7. completion. CBL from CBL to surface. at @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8' class C cmt @ 100' - surface.	y state all pert. 14 NMAC. 1 . RDMO. OC & tagged shoe & T/Sa	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet	give pertinen pletions: Atta is on file PA completer – approved	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or recompletion or recomposed completion or recompletion or recomposed completion	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7. completion. CBL from CBL to surface. at @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8' class C cmt @ 100' - surface.	y state all pert	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet ragged @ 11' fron	give pertinen pletions: Atta is on file PA completer – approved	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion or rec	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7 completion. CBL from CBL to surface. at @ 2580' (B/Salt est). Wass C cmt @ 1263' (7-5/8' lass C cmt @ 100' - surfa16/2024. Cad and cut. Welded DHM.	y state all pert. 14 NMAC. 1 . RDMO. VOC & tagged ace. WOC & t	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet tagged @ 11' from location.	give pertinen pletions: Atta is on file PA completer – approved	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compof starting any proposed we proposed completion or recomposed completion or reco	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7 completion. CBL from CBL to surface. at @ 2580' (B/Salt est). Wass C cmt @ 1263' (7-5/8' lass C cmt @ 100' - surfa16/2024. Cad and cut. Welded DHM.	y state all pert	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet tagged @ 11' from location.	give pertinen pletions: Atta is on file PA completer – approved	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or composed starting any proposed we proposed completion or recomposed completion or re	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7 completion. CBL from CBL to surface. at @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8' class C cmt @ 100' - surface. at and cut. Welded DHM. Rig F	y state all pert. 14 NMAC. 1 . RDMO. OC & tagged shoe & T/Sace. WOC & tagged and cleaned should be a selected and cleaned should be a selected should be a selected and cleaned should be a selected	COMMENCE DRI CASING/CEMENT OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet agged @ 11' from location.	give pertinen pletions: Atta is on file PA completer – approved a surface.	P AND A	PNR g estimated date
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion or rec	CHANGE PLANS MULTIPLE COMPL Deleted operations. (Clearly ork). SEE RULE 19.15.7. COMPLETION COMPLETION COMPLETION CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8' class C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. CEBL from CBL to surface. At @ 2580' (B/Salt est). We ass C cmt @ 100' - surfate. At @ 2580' (B/Salt est). At @ 2580' (B/Sa	y state all pert. 14 NMAC. 1 RDMO. 14 NMAC. 1 ROMO. 14 Respective to the best of the bes	COMMENCE DRI CASING/CEMEN' OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet agged @ 11' fron location.	give pertinen pletions: Atta is on file PA completer – approved a surface.	t dates, including ach wellbore dia ete 8/16/24 by NMOCD.	PNR g estimated date gram of
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or comp of starting any proposed we proposed completion or rec 1. MIRU P&A Rig 2. MIRU WLU and run O 3. Spot 50 sks class C cm 4. Perf & sqz'd 50 sks class C 5. Perf & sqz'd 100 sks class C 6. RDMO P&A rig on 8/ 7. Notified NMOCD. 8. Dug out around wellhed Spud Date:	CHANGE PLANS MULTIPLE COMPL Completed operations. (Clearly ork). SEE RULE 19.15.75 Completion. CBL from CBL to surface. It @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8) class C cmt @ 100' - surface. It will be added to the complete of the comple	y state all pert. 14 NMAC. 1 RDMO. 14 NMAC. 1 ROC & tagged are. WOC & tagged are.	COMMENCE DRI CASING/CEMEN' OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packe agged @ 11' fron location. of my knowledge on Engineer	give pertinent pletions: Attains on file PA completer – approved a surface.	t dates, including ach wellbore dia ete 8/16/24 by NMOCD.	PNR g estimated date gram of
TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE CLOSED-LOOP SYSTEM OTHER: 13. Describe proposed or compost starting any proposed we proposed completion or recomposed completion or rec	CHANGE PLANS MULTIPLE COMPL Completed operations. (Clearly ork). SEE RULE 19.15.75 Completion. CBL from CBL to surface. It @ 2580' (B/Salt est). We ass C cmt @ 1263' (7-5/8) class C cmt @ 100' - surface. It will be added to the complete of the comple	y state all pert. 14 NMAC. 1 RDMO. 14 NMAC. 1 ROC & tagged are. WOC & tagged are.	COMMENCE DRI CASING/CEMEN' OTHER: tinent details, and For Multiple Com CBL 1 @ 2055'. alt est). LIH packet agged @ 11' fron location.	give pertinent pletions: Attains on file PA completer – approved a surface.	t dates, including ach wellbore dia ete 8/16/24 by NMOCD.	PNR g estimated date gram of

Current WBD



16" CSG @ 31'
Perf & Sqz. 100 sks of class C cmt: 100' - surface. TOC @ 11'.

7-5/8" CSG @ 1213'

Perf & Sqz. 50 sks of class C cmt: 1213'. LIH - packer. Approved by NMOCD.

Spot 50 sks of class C cmt @ 2580'. WOC & tagged @ 2055'

TOC @ 3290' CIBP @ 3305'

Perfs: 3405' - 3515'

Perfs: 3550' - 3595'

CIBP @ 3650'

5-1/2" 17# CSG @ 3748'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 376643

CONDITIONS

Operator:	OGRID:
Empire New Mexico LLC	330679
2200 S. Utica Place	Action Number:
Tulsa, OK 74114	376643
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Need C103Q and marker photo to release CBL on file Marker in place 8/16/24	8/26/2024