•

Form 3160-5 UNITED STATES (August 2007) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		-	FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No.			
Do not use this	NOTICES AND REPORTS form for proposals to dri Use Form 3160-3 (APD) :	ll or to re-e	enter an	6	IMNM-17037 . If Indian, Allottee (or Tribe Name
	IT IN TRIPLICATE – Other instru	ctions on page	ə 2.		. If Unit of CA/Agre	eement, Name and/or No.
1. Type of Well	Well Other			8	. Well Name and No Grynberg 17 Feder). al Com #002
2. Name of Operator Jack J. Grynberg					. API Well No. 0-005-61743	
3a. Address 3773 Cherry Creek N. Dr., Denver, CO 80202	3b. Pl	hone No. <i>(inclu</i>	de area code	e) 1	0. Field and Pool or Pecos Slope, Abo	Exploratory Area
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) Sec 17 T6S R25E					 Country or Parish Chaves, New Mexic 	
12. CHE0	CK THE APPROPRIATE BOX(ES)	TO INDICAT	E NATURE	OF NOTICE	, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION			TYP	E OF ACTIC	N	
Notice of Intent	Acidize	Deepen Fracture Tre		Reclam		Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	New Constr			plete rarily Abandon	Other
Final Abandonment Notice	Convert to Injection	Plug Back			Disposal	
Attach the Bond under which the following completion of the invol	Abandonment Notices must be filed or final inspection.) disting 2-3/8" production tubing. (3 to 500 psi for 30 minutes. Good top of CIBP. Tagged TOC at 3, o establish injection. Pressured u 2,550'. Tagged TOC at 2,181'. (o establish injection. Pressured up 1,390'. Tagged TOC at 1,120'. (establish injection. Pressured up 1,007'. Tagged TOC at 748'. (4- and up 10-3/4" until good cement below ground. Marker, joint weldi	ne Bond No. on Its in a multiple I only after all r 3-30-2023) test. 260'. (4-3-202 up to 1,100 ps 4-3-2023) up to 1,000 ps 4-4-2023) to 1,300 psi f 4-2023) returns at sur ing on to 4' ab	 file with BL completion equirements, 3) i. Held for 3 i. Held for 5 min. or 5 min. U face. (4-4-2 ove ground 	M/BIA. Rec or recomplet including re 30 min. Uns Unsuccess Insuccessfu 2023) with approp	quired subsequent re tion in a new interva clamation, have bee successful. ful. I.	ports must be filed within 30 days Il, a Form 3160-4 must be filed once n completed and the operator has
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed	d)				
Adam Pfeifer		Title	Consultan	t Productior	n Engineer	
Signature adam P	leifn.	Date	04/11/202	23		
	THIS SPACE FOR	FEDERAL	OR STA	TE OFFI	CE USE	
Approved by			Detrol			04/40/0000
Conditions of approval, if any, are attached that the applicant holds legal or equitable entitle the applicant to conduct operations	title to those rights in the subject lease		^{Title} Petrol	eum Engine D		Date 04/12/2023
Title 18 U.S.C. Section 1001 and Title 43 fictitious or fraudulent statements or repr			nowingly and	d willfully to r	nake to any departme	ent or agency of the United States any false,

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240


Grynberg 17 Federal Com #002 API # 30-005-61743

Plugging Summary:

- Pulled and LD 117 joints of the existing 2-3/8" production tubing. (3-30-2023)
- Set CIBP at 3,560'. (3-31-2023)
- Loaded 4-1/2" casing will gel. PT to 500 psi for 30 minutes. Good test.
- Spotted 25 sack balanced plug on top of CIBP. Tagged TOC at 3,260'. (4-3-2023)
- Perforated at 2,500'. Attempted to establish injection. Pressured up to 1,100 psi. Held for 30 min. Unsuccessful.
- Spotted 25 sack balanced plug at 2,550'. Tagged TOC at 2,181'. (4-3-2023)
- Perforated at 1,340'. Attempted to establish injection. Pressured up to 1,000 psi for 5 min. Unsuccessful.
- Spotted 25 sack balanced plug at 1,390'. Tagged TOC at 1,120'. (4-4-2023)
- Perforated at 955'. Attempted to establish injection. Pressured up to 1,300 psi for 5 min. Unsuccessful.
- Spotted 25 sack balanced plug at 1,007'. Tagged TOC at 748'. (4-4-2023)
- Perforated at 60'.
- Circulated 50 sacks down 4-1/2" and up 10-3/4" until good cement returns at surface. (4-4-2023)
- Well plugged. Wellhead cut off 4' below ground. Marker joint welding on to 4' above ground with appropriate well information. (4-4-2023)

Casing Left in the Well:

- 4-1/2" 10.5# production casing from 4,234' to surface.
- 10-3/4" 32.75# surface casing from 898' to surface.



District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Operator:	OGRID:
JACK J. GRYNBERG	11492
C/O 3773 Cherry Creek N. Drive	Action Number:
Denver, CO 80202	365803
	Action Type:
	[C-103] Sub. Plugging (C-103P)
COMMENTS	

Created By	Comment	Comment Date
plmartinez	Duplicate submittal.	9/3/2024

Page 5 of 6

Action 365803

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
JACK J. GRYNBERG	11492
C/O 3773 Cherry Creek N. Drive	Action Number:
Denver, CO 80202	365803
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Accepted for record only BLM approval required NMOCD 8/29/24 KF Marker in place 4/4/23	8/29/2024

Page 6 of 6

Action 365803