

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural
Resources

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377	
		³ Reason for Filing Code/ Effective Date NW 02/19/2022	
⁴ API Number 30 - 015 -47926	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)		⁶ Pool Code 98220
⁷ Property Code 329970	⁸ Property Name DEEP ELEM 4 FEDERAL COM		⁹ Well Number 721H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
P	4	26S	31E		374	SOUTH	1192	EAST	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	26S	31E		344	SOUTH	386	EAST	EDDY
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 08/20/2021	²² Ready Date 02/19/2022	²³ TD 22,232'	²⁴ PBTD 22,204'	²⁵ Perforations 12,265 - 22,204'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12 1/4"	9 5/8"	1240'	530 SXS CL C/CIRC		
8 3/4"	7 5/8"	10,975'	1418 SXS CL C TO SURF		
6 3/4"	5 1/2"	22,212'	1290 SXS CL H TOC 5110' CBL		

V. Well Test Data

³¹ Date New Oil 02/19/2022	³² Gas Delivery Date 02/19/2022	³³ Test Date 02/28/2022	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2996
³⁷ Choke Size 46	³⁸ Oil 2388	³⁹ Water 6436	⁴⁰ Gas 11,447		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kay Maddox Printed name: Kay Maddox Title: SENIOR REGULATORY SPECIALIST E-mail Address: kay_maddox@eogresources.com Date: 03/04/2022	Phone: 432-638-8475	OIL CONSERVATION DIVISION	
	Approved by:		
	Title:		
	Approval Date:		

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

As-Completed Plat
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

AS-COMPLETED PLAT

API Number 30-015-47926	Pool Code 98220	Pool Name PURPLE SAGE; WOLFCAMP (GAS)
Property Code 329970	Property Name DEEP ELEM 4 FED COM	Well Number 721H
OGRID No. 7377	Operator Name EOG RESOURCES, INC.	Elevation 3284'


Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	4	26 S	31 E		374	SOUTH	1192	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	16	26 S	31 E		344	SOUTH	386	EAST	EDDY
Dedicated Acres 1280.00	Joint or Infill	Consolidated Code	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kay Maddox 03/02/2022
Signature Date


KAY MADDOX
Print Name

kay_maddox@eogresources.com
E-mail Address

SURVEYORS CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

DECEMBER 7, 2021
Date of Survey



Job No.: EOG.B190020
RALPH B. CHUSTZ, JR., N.M.P.L.S.
Certificate Number 26264



Midland

Eddy County, NM (NAD 83 NME)
Deep Elem 4 Fed Com
#721H
OH

Design: OH

Midland PVA

02 November, 2021



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Project	Eddy County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Deep Elem 4 Fed Com		
Site Position:		Northing:	388,239.00 usft
From:	Map	Easting:	713,374.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 3' 58.075 N
		Longitude:	103° 46' 40.657 W
		Grid Convergence:	0.29 °

Well		#721H				
Well Position	+N-S	0.0 usft	Northing:	388,116.00 usft	Latitude:	32° 3' 56.866 N
	+E-W	0.0 usft	Easting:	713,214.00 usft	Longitude:	103° 46' 42.524 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,284.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	9/20/2021	6.60	59.72	47,352.52259947

Design	OH			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	175.17

Survey Program	Date	11/2/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
200.0	22,232.0	Total MWD (OH)	EOG MWD+IFR1	MWD + IFR1



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0
200.0	0.35	304.65	200.0	0.3	-0.5	0.17	0.17	0.00	-0.6	0.0
325.0	0.40	349.38	325.0	1.0	-0.9	0.23	0.04	35.78	-1.1	0.7
511.0	0.48	37.81	511.0	2.2	-0.5	0.20	0.04	26.04	-1.4	1.8
700.0	0.57	68.04	700.0	3.2	0.8	0.15	0.05	15.99	-2.0	2.7
889.0	0.88	91.60	889.0	3.5	3.1	0.22	0.16	12.47	-3.0	3.6
1,079.0	1.01	86.76	1,078.9	3.6	6.3	0.08	0.07	-2.55	-6.5	3.2
1,201.0	1.58	52.31	1,200.9	4.7	8.7	0.77	0.47	-28.24	-9.7	-1.6
1,355.0	2.20	39.04	1,354.8	8.3	12.2	0.49	0.40	-8.62	-13.9	-3.8
1,545.0	5.93	75.08	1,544.3	13.6	24.0	2.29	1.96	18.97	-17.0	11.1
1,735.0	11.08	89.49	1,732.2	16.3	51.8	2.91	2.71	7.58	-19.3	20.9
1,925.0	11.87	87.91	1,918.4	17.2	89.6	0.45	0.42	-0.83	-24.3	25.9
2,116.0	13.89	91.16	2,104.6	17.5	132.1	1.12	1.06	1.70	-29.5	32.8
2,306.0	14.02	98.89	2,289.0	13.4	177.7	0.98	0.07	4.07	-34.8	39.0
2,495.0	11.91	99.77	2,473.2	6.6	219.5	1.12	-1.12	0.47	-41.0	38.8
2,685.0	9.89	109.88	2,659.8	-2.3	254.2	1.46	-1.06	5.32	-34.0	41.4
2,780.0	12.44	94.85	2,753.0	-5.9	272.0	4.05	2.68	-15.82	-43.6	30.3
2,970.0	10.11	90.19	2,939.3	-7.7	309.1	1.32	-1.23	-2.45	-47.3	30.0
3,065.0	12.62	87.82	3,032.4	-7.4	327.8	2.69	2.64	-2.49	-49.5	31.0
3,254.0	7.30	87.47	3,218.5	-6.0	360.5	2.81	-2.81	-0.19	-47.2	37.2
3,349.0	5.27	91.77	3,312.9	-5.9	370.9	2.19	-2.14	4.53	-36.6	43.1
3,539.0	5.54	115.51	3,502.1	-10.1	387.9	1.18	0.14	12.49	1.0	46.9
3,729.0	6.51	130.89	3,691.1	-21.1	404.3	0.99	0.51	8.09	24.1	27.9
3,919.0	12.18	140.47	3,878.5	-43.7	425.2	3.08	2.98	5.04	24.3	1.2
4,015.0	10.77	138.01	3,972.6	-58.1	437.7	1.55	-1.47	-2.56	19.2	-9.7
4,110.0	8.22	138.01	4,066.3	-69.8	448.1	2.68	-2.68	0.00	17.5	-21.3
4,299.0	5.85	137.57	4,253.8	-86.9	463.7	1.25	-1.25	-0.23	22.2	-44.1



EOG Resources

Midland PVA

Company: Midland
 Project: Eddy County, NM (NAD 83 NME)
 Site: Deep Elem 4 Fed Com
 Well: #721H
 Wellbore: OH
 Design: OH

Local Co-ordinate Reference: Well #721H
 TVD Reference: KB = 32' @ 3316.0usft
 MD Reference: KB = 32' @ 3316.0usft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: PEDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
4,489.0	11.74	118.49	4,441.5	-103.3	487.2	3.42	3.10	-10.04	40.8	-50.0	
4,584.0	10.73	116.74	4,534.7	-111.9	503.6	1.12	-1.06	-1.84	40.9	-54.8	
4,774.0	9.14	113.92	4,721.9	-126.0	533.2	0.87	-0.84	-1.48	45.4	-63.5	
4,964.0	9.27	109.88	4,909.4	-137.3	561.4	0.35	0.07	-2.13	54.6	-68.6	
5,059.0	8.88	107.86	5,003.2	-142.2	575.6	0.53	-0.41	-2.13	59.8	-70.0	
5,248.0	6.99	103.99	5,190.4	-149.4	600.6	1.04	-1.00	-2.05	73.9	-70.5	
5,343.0	6.81	94.15	5,284.7	-151.2	611.8	1.26	-0.19	-10.36	91.4	-56.8	
5,533.0	5.27	93.88	5,473.7	-152.6	631.8	0.81	-0.81	-0.14	107.7	-53.8	
5,723.0	5.36	94.85	5,662.9	-154.0	649.3	0.07	0.05	0.51	125.3	-53.4	
5,913.0	4.62	96.96	5,852.1	-155.6	665.8	0.40	-0.39	1.11	142.9	-57.0	
6,103.0	3.96	108.74	6,041.6	-158.7	679.6	0.58	-0.35	6.20	144.1	-88.5	
6,293.0	3.78	114.10	6,231.2	-163.3	691.5	0.21	-0.09	2.82	138.6	-105.6	
6,483.0	3.21	109.08	6,420.8	-167.6	702.3	0.34	-0.30	-2.64	139.5	-94.5	
6,673.0	3.16	75.94	6,610.5	-168.1	712.4	0.96	-0.03	-17.44	158.8	-5.7	
6,768.0	3.34	49.66	6,705.4	-165.7	717.0	1.57	0.19	-27.66	139.7	64.1	
6,863.0	2.68	51.60	6,800.3	-162.5	720.9	0.70	-0.69	2.04	136.9	59.4	
6,958.0	2.15	61.97	6,895.2	-160.3	724.2	0.72	-0.56	10.92	141.4	34.2	
7,053.0	1.76	70.67	6,990.1	-159.0	727.1	0.51	-0.41	9.16	141.7	12.6	
7,148.0	3.21	68.30	7,085.0	-157.5	731.0	1.53	1.53	-2.49	136.9	18.5	
7,243.0	3.60	61.97	7,179.9	-155.1	736.1	0.57	0.41	-6.66	128.4	33.2	
7,338.0	6.37	37.27	7,274.5	-149.5	741.9	3.63	2.92	-26.00	94.6	82.8	
7,432.0	5.98	39.73	7,368.0	-141.6	748.2	0.50	-0.41	2.62	88.0	78.8	
7,527.0	5.54	40.87	7,462.5	-134.3	754.4	0.48	-0.46	1.20	80.0	77.1	
7,621.0	4.88	45.44	7,556.1	-128.1	760.2	0.83	-0.70	4.86	77.4	70.8	
7,811.0	3.38	53.97	7,745.6	-119.1	770.5	0.85	-0.79	4.49	73.5	59.6	
7,905.0	3.21	67.15	7,839.4	-116.5	775.1	0.82	-0.18	14.02	79.9	41.9	
8,000.0	1.85	63.02	7,934.3	-114.7	778.9	1.44	-1.43	-4.35	72.5	47.3	



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
8,095.0	0.79	44.65	8,029.3	-113.6	780.8	1.19	-1.12	-19.34	51.8	67.2
8,285.0	0.79	274.75	8,219.3	-112.5	780.4	0.75	0.00	-68.37	-85.3	-4.4
8,475.0	1.85	260.69	8,409.3	-112.9	776.1	0.58	0.56	-7.40	-86.0	-25.3
8,664.0	2.59	235.82	8,598.1	-115.8	769.5	0.63	0.39	-13.16	-74.4	-60.4
8,854.0	1.67	359.83	8,788.0	-115.5	766.0	1.99	-0.48	65.27	-8.8	99.0
8,949.0	4.35	75.85	8,882.9	-113.2	769.4	4.49	2.82	80.02	90.0	33.9
9,044.0	2.90	97.30	8,977.7	-112.6	775.3	2.06	-1.53	22.58	90.4	-0.1
9,234.0	0.62	266.49	9,167.7	-113.3	779.1	1.85	-1.20	89.05	-85.1	-15.9
9,328.0	1.45	60.03	9,261.7	-112.7	779.6	2.15	0.88	163.34	68.4	52.4
9,423.0	1.76	111.01	9,356.6	-112.7	782.0	1.48	0.33	53.66	81.6	-19.2
9,518.0	1.36	40.35	9,451.6	-112.3	784.1	1.93	-0.42	-74.38	43.5	69.2
9,707.0	1.89	255.33	9,640.6	-111.4	782.5	1.64	0.28	-76.73	-76.6	-33.1
9,896.0	2.64	232.65	9,829.4	-114.8	776.0	0.61	0.40	-12.00	-65.1	-61.3
10,085.0	4.88	242.41	10,018.0	-121.2	765.5	1.23	1.19	5.16	-86.9	-48.7
10,274.0	2.02	234.59	10,206.7	-126.9	755.6	1.53	-1.51	-4.14	-90.8	-61.1
10,463.0	4.48	201.80	10,395.3	-135.6	750.2	1.58	1.30	-17.35	-53.3	-102.4
10,558.0	3.65	225.71	10,490.1	-141.2	746.6	1.97	-0.87	25.17	-96.7	-70.5
10,747.0	2.51	243.99	10,678.8	-147.2	738.6	0.79	-0.60	9.67	-123.8	-34.6
10,937.0	1.76	233.35	10,868.7	-150.8	732.5	0.44	-0.39	-5.60	-122.3	-57.6
10,983.0	1.49	228.70	10,914.7	-151.6	731.5	0.65	-0.59	-10.11	-118.5	-67.4
11,077.0	1.32	214.46	11,008.7	-153.3	730.0	0.41	-0.18	-15.15	-100.6	-94.8
11,171.0	2.29	218.06	11,102.6	-155.7	728.2	1.04	1.03	3.83	-109.2	-88.2
11,265.0	2.99	176.05	11,196.5	-159.6	727.2	2.13	0.74	-44.69	-26.0	-139.9
11,359.0	6.81	148.28	11,290.2	-166.8	730.3	4.67	4.06	-29.54	34.2	-137.1
11,408.0	10.16	149.29	11,338.6	-173.0	734.0	6.83	6.83	2.06	24.8	-137.3
KOP, MD:11408.0', TVD:11338.6', N/S:-173.0', E/W:734.0', INC:10.16										
11,453.0	13.23	149.77	11,382.7	-180.8	738.7	6.83	6.83	1.07	17.6	-135.2



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
11,548.0	22.33	151.40	11,473.1	-206.1	752.8	9.59	9.58	1.72	0.9	-125.0
11,642.0	23.60	156.30	11,559.6	-239.0	768.9	2.44	1.35	5.21	-11.1	-108.0
11,737.0	36.00	154.90	11,641.9	-281.9	788.5	13.07	13.05	-1.47	-11.2	-85.9
11,832.0	49.70	154.50	11,711.4	-340.2	816.0	14.42	14.42	-0.42	-19.2	-56.8
11,870.9	52.88	158.54	11,735.7	-368.0	828.1	11.51	8.18	10.38	-24.1	-43.6
LL Crossing, MD:11870.9', TVD:11735.7', N/S:-368.0', E/W:828.1', INC:52.88										
11,926.0	57.60	163.70	11,767.1	-410.8	842.7	11.51	8.56	9.37	-27.6	-27.3
12,021.0	64.10	178.00	11,813.6	-492.4	855.5	14.80	6.84	15.05	-26.5	-11.2
12,115.0	74.20	177.20	11,847.0	-580.1	859.2	10.77	10.74	-0.85	-20.4	-7.6
12,159.0	80.20	176.50	11,856.7	-622.9	861.6	13.72	13.64	-1.59	-18.2	-5.4
12,209.0	88.00	176.90	11,861.9	-672.5	864.4	15.62	15.60	0.80	-17.6	-2.6
12,235.2	88.06	176.82	11,862.8	-698.6	865.9	0.38	0.21	-0.32	-17.2	-1.2
FTP Crossing, MD:12235.2', TVD:11862.8', N/S:-698.6', E/W:865.9', INC:88.06										
12,303.0	88.20	176.60	11,865.0	-766.3	869.7	0.38	0.21	-0.32	-14.6	2.4
12,398.0	88.20	176.90	11,868.0	-861.1	875.1	0.32	0.00	0.32	-11.1	7.5
12,515.0	90.59	177.80	11,869.2	-978.0	880.5	2.18	2.04	0.77	-9.3	12.5
12,587.0	90.51	176.66	11,868.5	-1,049.9	884.0	1.59	-0.11	-1.58	-9.6	15.7
12,681.0	93.93	181.67	11,864.9	-1,143.7	885.4	6.45	3.64	5.33	-12.8	16.7
12,776.0	95.78	184.48	11,856.8	-1,238.3	880.3	3.53	1.95	2.96	-20.3	11.3
12,871.0	91.69	182.28	11,850.6	-1,332.9	874.7	4.89	-4.31	-2.32	-26.0	5.4
12,965.0	91.74	182.37	11,847.8	-1,426.7	870.9	0.11	0.05	0.10	-28.3	1.2
13,059.0	91.14	181.49	11,845.4	-1,520.7	867.8	1.13	-0.64	-0.94	-30.2	-2.3
13,154.0	90.44	181.14	11,844.1	-1,615.6	865.6	0.82	-0.74	-0.37	-31.0	-4.8
13,248.0	89.65	180.44	11,844.1	-1,709.6	864.3	1.12	-0.84	-0.74	-30.5	-6.4
13,343.0	89.38	180.44	11,844.9	-1,804.6	863.6	0.28	-0.28	0.00	-29.2	-7.5
13,437.0	88.95	179.82	11,846.2	-1,898.6	863.3	0.80	-0.46	-0.66	-27.4	-8.0
13,531.0	87.06	180.00	11,849.5	-1,992.5	863.5	2.02	-2.01	0.19	-23.6	-8.2



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
13,625.0	92.90	178.85	11,849.5	-2,086.5	864.4	6.33	6.21	-1.22	-23.1	-7.6
13,720.0	93.60	178.76	11,844.2	-2,181.3	866.4	0.74	0.74	-0.09	-27.9	-6.0
13,815.0	96.94	179.55	11,835.4	-2,275.9	867.8	3.61	3.52	0.83	-36.2	-5.0
13,909.0	93.65	181.22	11,826.8	-2,369.5	867.2	3.92	-3.50	1.78	-44.3	-5.9
14,003.0	93.34	181.93	11,821.0	-2,463.3	864.6	0.82	-0.33	0.76	-49.6	-8.8
14,098.0	87.45	180.34	11,820.4	-2,558.2	862.7	6.42	-6.20	-1.67	-49.7	-11.0
14,192.0	86.88	177.09	11,825.0	-2,652.0	864.8	3.51	-0.61	-3.46	-44.6	-9.3
14,286.0	89.60	177.09	11,827.9	-2,745.9	869.6	2.89	2.89	0.00	-41.2	-4.8
14,381.0	88.15	174.19	11,829.8	-2,840.6	876.8	3.41	-1.53	-3.05	-38.8	2.1
14,475.0	87.80	178.15	11,833.1	-2,934.3	883.1	4.23	-0.37	4.21	-35.0	8.0
14,570.0	91.14	180.08	11,834.0	-3,029.2	884.5	4.06	3.52	2.03	-33.6	9.1
14,664.0	91.71	180.34	11,831.6	-3,123.2	884.2	0.67	0.61	0.28	-35.5	8.4
14,758.0	92.50	180.70	11,828.2	-3,217.1	883.4	0.92	0.84	0.38	-38.4	7.2
14,853.0	92.55	179.55	11,824.0	-3,312.0	883.1	1.21	0.05	-1.21	-42.1	6.7
14,947.0	93.16	179.82	11,819.3	-3,405.9	883.7	0.71	0.65	0.29	-46.3	6.9
15,041.0	90.83	180.34	11,816.0	-3,499.9	883.5	2.54	-2.48	0.55	-49.1	6.4
15,135.0	90.04	178.41	11,815.3	-3,593.9	884.6	2.22	-0.84	-2.05	-49.3	7.1
15,230.0	89.91	177.97	11,815.4	-3,688.8	887.6	0.48	-0.14	-0.46	-48.7	9.8
15,324.0	89.96	177.27	11,815.5	-3,782.7	891.5	0.75	0.05	-0.74	-48.1	13.3
15,418.0	90.62	181.49	11,815.0	-3,876.7	892.5	4.54	0.70	4.49	-48.1	14.0
15,513.0	91.36	181.49	11,813.4	-3,971.6	890.0	0.78	0.78	0.00	-49.3	11.2
15,607.0	90.26	180.96	11,812.0	-4,065.6	888.0	1.30	-1.17	-0.56	-50.1	8.8
15,702.0	89.87	182.01	11,811.9	-4,160.6	885.5	1.18	-0.41	1.11	-49.7	6.0
15,796.0	88.90	180.52	11,812.9	-4,254.5	883.5	1.89	-1.03	-1.59	-48.2	3.6
15,891.0	88.73	180.87	11,814.9	-4,349.5	882.3	0.41	-0.18	0.37	-45.7	2.1
15,985.0	88.59	180.17	11,817.1	-4,443.5	881.5	0.76	-0.15	-0.74	-43.0	0.9
16,080.0	87.71	179.64	11,820.2	-4,538.4	881.6	1.08	-0.93	-0.56	-39.5	0.8



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
16,174.0	91.76	180.87	11,820.6	-4,632.4	881.2	4.50	4.31	1.31	-38.5	0.0
16,269.0	91.27	181.05	11,818.1	-4,727.4	879.6	0.55	-0.52	0.19	-40.5	-1.9
16,363.0	91.41	180.61	11,815.9	-4,821.3	878.2	0.49	0.15	-0.47	-42.2	-3.6
16,458.0	92.15	180.17	11,812.9	-4,916.3	877.6	0.91	0.78	-0.46	-44.7	-4.6
16,552.0	91.76	179.20	11,809.7	-5,010.2	878.1	1.11	-0.41	-1.03	-47.4	-4.4
16,646.0	90.70	179.20	11,807.7	-5,104.2	879.4	1.13	-1.13	0.00	-48.9	-3.5
16,741.0	91.80	180.17	11,805.6	-5,199.2	879.9	1.54	1.16	1.02	-50.5	-3.3
16,835.0	89.47	182.19	11,804.6	-5,293.1	878.0	3.28	-2.48	2.15	-51.0	-5.6
16,929.0	89.82	182.01	11,805.2	-5,387.1	874.6	0.42	0.37	-0.19	-49.9	-9.3
17,023.0	89.87	181.66	11,805.4	-5,481.0	871.6	0.38	0.05	-0.37	-49.2	-12.7
17,117.0	90.70	181.31	11,805.0	-5,575.0	869.1	0.96	0.88	-0.37	-49.2	-15.5
17,212.0	89.21	180.78	11,805.0	-5,670.0	867.4	1.66	-1.57	-0.56	-48.6	-17.5
17,306.0	89.08	180.17	11,806.4	-5,764.0	866.6	0.66	-0.14	-0.65	-46.7	-18.6
17,400.0	88.95	180.52	11,808.1	-5,857.9	866.0	0.40	-0.14	0.37	-44.6	-19.5
17,494.0	88.81	180.87	11,809.9	-5,951.9	864.9	0.40	-0.15	0.37	-42.2	-21.0
17,589.0	88.33	180.78	11,812.3	-6,046.9	863.5	0.51	-0.51	-0.09	-39.4	-22.7
17,683.0	89.17	180.52	11,814.3	-6,140.8	862.5	0.94	0.89	-0.28	-36.8	-24.1
17,777.0	89.74	180.17	11,815.2	-6,234.8	861.9	0.71	0.61	-0.37	-35.4	-25.0
17,872.0	89.47	179.73	11,815.9	-6,329.8	862.0	0.54	-0.28	-0.46	-34.3	-25.3
17,966.0	89.25	179.64	11,816.9	-6,423.8	862.5	0.25	-0.23	-0.10	-32.7	-25.1
18,061.0	88.59	179.64	11,818.7	-6,518.8	863.1	0.69	-0.69	0.00	-30.4	-24.9
18,156.0	89.69	178.50	11,820.1	-6,613.8	864.6	1.67	1.16	-1.20	-28.5	-23.7
18,251.0	89.91	178.06	11,820.5	-6,708.7	867.5	0.52	0.23	-0.46	-27.7	-21.1
18,346.0	88.86	177.44	11,821.5	-6,803.7	871.2	1.28	-1.11	-0.65	-26.1	-17.8
18,441.0	93.08	178.41	11,819.9	-6,898.6	874.7	4.56	4.44	1.02	-27.2	-14.7
18,536.0	93.21	178.23	11,814.7	-6,993.4	877.4	0.23	0.14	-0.19	-32.0	-12.2
18,631.0	92.46	177.44	11,810.0	-7,088.2	881.0	1.15	-0.79	-0.83	-36.2	-9.0



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
18,726.0	92.64	177.00	11,805.7	-7,183.0	885.6	0.50	0.19	-0.46	-39.9	-4.7
18,821.0	92.55	176.91	11,801.4	-7,277.8	890.7	0.13	-0.09	-0.09	-43.7	0.0
18,916.0	91.85	177.44	11,797.8	-7,372.6	895.3	0.92	-0.74	0.56	-46.8	4.3
19,011.0	90.44	178.58	11,795.9	-7,467.5	898.6	1.91	-1.48	1.20	-48.2	7.3
19,106.0	90.53	181.04	11,795.1	-7,562.5	899.0	2.59	0.09	2.59	-48.5	7.3
19,201.0	89.17	181.75	11,795.3	-7,657.4	896.6	1.61	-1.43	0.75	-47.8	4.6
19,296.0	90.09	182.45	11,796.0	-7,752.4	893.2	1.22	0.97	0.74	-46.7	0.8
19,391.0	91.01	182.89	11,795.0	-7,847.3	888.7	1.07	0.97	0.46	-47.1	-4.0
19,486.0	88.73	182.36	11,795.3	-7,942.2	884.4	2.46	-2.40	-0.56	-46.3	-8.7
19,581.0	89.34	182.71	11,796.9	-8,037.1	880.2	0.74	0.64	0.37	-44.2	-13.2
19,675.0	87.28	182.27	11,799.6	-8,130.9	876.1	2.24	-2.19	-0.47	-41.0	-17.6
19,770.0	86.22	181.84	11,805.0	-8,225.7	872.7	1.20	-1.12	-0.45	-35.1	-21.4
19,865.0	85.83	181.66	11,811.6	-8,320.4	869.8	0.45	-0.41	-0.19	-28.0	-24.6
19,960.0	85.52	180.87	11,818.8	-8,415.1	867.7	0.89	-0.33	-0.83	-20.3	-27.1
20,055.0	88.59	180.69	11,823.6	-8,510.0	866.4	3.24	3.23	-0.19	-15.0	-28.7
20,150.0	90.26	182.01	11,824.6	-8,605.0	864.2	2.24	1.76	1.39	-13.5	-31.2
20,245.0	90.44	181.66	11,824.0	-8,699.9	861.1	0.41	0.19	-0.37	-13.7	-34.6
20,340.0	87.36	179.20	11,825.8	-8,794.9	860.4	4.15	-3.24	-2.59	-11.5	-35.7
20,436.0	89.65	178.32	11,828.3	-8,890.8	862.5	2.56	2.39	-0.92	-8.6	-34.0
20,531.0	92.07	179.29	11,826.9	-8,985.8	864.5	2.74	2.55	1.02	-9.7	-32.3
20,626.0	90.92	177.79	11,824.4	-9,080.7	866.9	1.99	-1.21	-1.58	-11.8	-30.2
20,721.0	91.10	177.18	11,822.8	-9,175.6	871.1	0.67	0.19	-0.64	-13.1	-26.4
20,816.0	90.88	177.00	11,821.1	-9,270.4	875.9	0.30	-0.23	-0.19	-14.4	-21.9
20,911.0	90.92	176.56	11,819.6	-9,365.3	881.2	0.47	0.04	-0.46	-15.5	-16.9
21,006.0	90.04	176.47	11,818.8	-9,460.1	887.0	0.93	-0.93	-0.09	-15.9	-11.5
21,101.0	91.10	179.38	11,817.9	-9,555.0	890.5	3.26	1.12	3.06	-16.5	-8.4
21,196.0	92.72	180.69	11,814.7	-9,650.0	890.4	2.19	1.71	1.38	-19.3	-8.8



EOG Resources

Midland PVA

Company:	Midland	Local Co-ordinate Reference:	Well #721H
Project:	Eddy County, NM (NAD 83 NME)	TVD Reference:	KB = 32' @ 3316.0usft
Site:	Deep Elem 4 Fed Com	MD Reference:	KB = 32' @ 3316.0usft
Well:	#721H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	PEDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
21,291.0	93.43	180.25	11,809.6	-9,744.8	889.6	0.88	0.75	-0.46	-24.0	-10.0
21,387.0	92.68	182.80	11,804.5	-9,840.7	887.1	2.77	-0.78	2.66	-28.8	-12.9
21,482.0	93.69	183.86	11,799.2	-9,935.3	881.6	1.54	1.06	1.12	-33.7	-18.7
21,576.0	90.44	185.09	11,795.9	-10,029.0	874.2	3.70	-3.46	1.31	-36.7	-26.3
21,671.0	88.29	182.98	11,796.9	-10,123.7	867.5	3.17	-2.26	-2.22	-35.3	-33.4
21,767.0	87.80	182.98	11,800.2	-10,219.5	862.6	0.51	-0.51	0.00	-31.7	-38.7
21,861.0	86.97	181.31	11,804.5	-10,313.4	859.0	1.98	-0.88	-1.78	-27.0	-42.6
21,957.0	86.40	182.10	11,810.0	-10,409.2	856.2	1.01	-0.59	0.82	-21.1	-45.8
22,052.0	86.04	182.01	11,816.3	-10,503.9	852.8	0.39	-0.38	-0.09	-14.5	-49.5
Last MWD Survey (MD=22052.0')										
22,232.0	86.04	182.01	11,828.7	-10,683.4	846.5	0.00	0.00	0.00	-1.5	-56.5
Projection to Bit (MD=22232.0')										

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
11,408.0	11,338.6	-173.0	734.0	KOP, MD:11408.0', TVD:11338.6',N/S:-173.0', E/W:734.0', INC:10.16
11,870.9	11,735.7	-368.0	828.1	LL Crossing, MD:11870.9', TVD:11735.7',N/S:-368.0', E/W:828.1', INC:52.88
12,235.2	11,862.8	-698.6	865.9	FTP Crossing, MD:12235.2', TVD:11862.8',N/S:-698.6', E/W:865.9', INC:88.06
22,052.0	11,816.3	-10,503.9	852.8	Last MWD Survey (MD=22052.0')
22,232.0	11,828.7	-10,683.4	846.5	Projection to Bit (MD=22232.0')

Checked By: _____ Approved By: _____ Date: _____

I CERTIFY THIS SURVEY TO BE TRUE AND CORRECT TO THE BEST OF BELIEF AND KNOWLEDGE
KAY MADDIX 03/01/2022



Eddy County, NM (NAD 83 NME)

Deep Elem 4 Fed Com #721H

Plan #1

PROJECT DETAILS: Eddy County, NM (NAD 83 NME)


Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #721H

KB = 32' @ 3316.0usft 3284.0
Northing 388116.00 Easting 713214.00 Latitude 32° 3' 56.866 N Longitude 103° 46' 42.524 W

Azimuths to Grid North
True North: -0.29°
Magnetic North: 6.30°

Magnetic Field
Strength: 47352.5nT
Dip Angle: 59.72°
Date: 9/20/2021
Model: IGRF2020



To convert a Magnetic Direction to a Grid Direction, Add 6.30°
To convert a Magnetic Direction to a True Direction, Add 6.60° East
To convert a True Direction to a Grid Direction, Subtract 0.29°

SECTION DETAILS






	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1300.0	0.00	0.00	1300.0	0.0	0.0	0.00	0.00	0.0	
3	1846.1	10.92	98.16	1842.8	-7.4	51.4	2.00	98.16	11.7	
4	5910.1	10.92	98.16	5833.2	-116.6	813.6	0.00	0.00	184.7	
5	6456.2	0.00	0.00	6376.0	-124.0	865.0	2.00	180.00	196.4	Brushy Top(Deep Elem 4 FC #721H)
6	11387.2	0.00	0.00	11307.0	-124.0	865.0	0.00	0.00	196.4	
7	12290.3	90.30	179.79	11879.9	-700.0	867.1	10.00	179.79	770.5	
8	20213.6	90.30	179.79	11838.0	-8623.2	895.5	0.00	0.00	8668.0	TGT#1(Deep Elem 4 FC #721H)
9	20217.7	90.22	179.79	11838.0	-8627.3	895.5	2.00	-178.35	8672.0	
10	22277.5	90.22	179.79	11830.0	-10687.0	903.0	0.00	0.00	10725.1	PBHL (Deep Elem 4 FC #721H)

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N/-S	+E/-W	Northing	Easting
Brushy Top(Deep Elem 4 FC #721H)	6376.0	-124.0	865.0	387992.00	714079.00
PBHL (Deep Elem 4 FC #721H)	11830.0	-10687.0	903.0	377429.00	714117.00
TGT#1(Deep Elem 4 FC #721H)	11838.0	-8623.2	895.5	379492.80	714109.51
FTP (Deep Elem 4 FC #721H)	11881.0	-697.0	865.0	387419.00	714079.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name DEEP ELEM 4 FEDERAL COM		
								6. Well Number: 721H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator EOG RESOURCES INC							9. OGRID 7377			
10. Address of Operator PO BOX 2267 MIDLAND, TEXAS 79702							11. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	p	4	26S	31E		374	SOUTH	1192	EAST	EDDY
BH:	p	16	26S	31E		344	SOUTH	386	EAST	EDDY
13. Date Spudded 08/20/2021	14. Date T.D. Reached 10/28/2021		15. Date Rig Released 10/30/2021			16. Date Completed (Ready to Produce) 02/19/2022		17. Elevations (DF and RKB, RT, GR, etc.) 3284' GL		
18. Total Measured Depth of Well MD 22,232' TVD 11,828'			19. Plug Back Measured Depth MD 22,204' TVD 11,828'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run None		
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP 12,265 - 22,204'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40#		1240'		12 1/4"		530 CL C/CIRC		
7 5/8"		29.7#		10,975'		8 3/4"		1418 CL C/CMT TO SURF		
5 1/2"		20#		22,212'		6 3/4"		1290 CL H TOC 5110' CBL		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 12,265 - 22,204' 3 1/8", 1980 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,265 - 22,204'		FRAC W 24,672,453 lbs proppant, 445,468 bbls load fld		
28. PRODUCTION										
Date First Production 02/19/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 02/28/2022	Hours Tested 24	Choke Size 46	Prod'n For Test Period	Oil - Bbl 2388	Gas - MCF 11,447	Water - Bbl. 6436	Gas - Oil Ratio 4795			
Flow Tubing Press.	Casing Pressure 2996	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 50				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments C-102, C-104, C-103, Directional Survey, H spacing										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Kay Maddox			Name Kay Maddox			Title Senior Regulatory Specialist			Date 03/03/2022	
E-mail Address kay_maddox@eogresources.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy Rustler 1106'	T. Canyon Brushy 6376'	T. Ojo Alamo	T. Penn A"
T. Salt 1431'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3999'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. 1st BS Sand 9078'	T. Entrada	
T. Wolfcamp 11,410'	T. 2nd BS Sand 9762'	T. Wingate	
T. Penn	T. 3rd BS Sand 11,002'	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 87248

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 87248
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 87248

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 87248
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
smcgrath	File 3160-4 within 10 days of BLM Approval.	9/4/2024