

Santa Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-104 Revised July 9, 2024 Submit Electronically Via OCD Permitting
--	--	---

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**Section 1 - Operator and Well Information**

Submittal Type: ☒ Test Allowable (C-104RT) ☐ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: SPUR ENERGY PARTNERS LLC	OGRID: 328947
Property Name and Well Number: PATRICK 10 FEDERAL COM 10H	Property Code: 333341
Mineral Owner: ☐ State ☒ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-50025
Pool Name: N. SEVEN RIVERS; GLORIETA-YESO	Pool Code: 97565

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
E	11	19S	25E		1860' FNL	965' FWL	32.6776371	-104.460874	EDDY

Section 3 – Completion Information

Producing Method	Ready Date	Perforations MD	Perforations TVD
P	08/21/2024	3366'-8517'	2788'-2634'

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW):	Communitization Agreement ☒ Yes ☐ No, Order No. PENDING
Surface Casing Action ID: 344546	Unit: ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID:	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 364785	Surface Commingling: ☐ Yes ☒ No, Order No.
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID:	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name SARAH CHAPMAN <i>Sarah Chapman</i>	
Title REGULATORY DIRECTOR	Date 08/21/2024

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal
			☐ Amended Report
			☒ As Drilled

WELL LOCATION INFORMATION

API Number 30-015-50025	Pool Code 97565	Pool Name N. SEVEN RIVERS; GLORIETA-YESO
Property Code 333341	Property Name PATRICK 10 FEDERAL COM	Well Number 10H
OGRID No. 328947	Operator Name SPUR ENERGY SERVICES LLC.	Ground Level Elevation 3475'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☒ Fee ☐ Tribal ☒ Federal

Surface Location

UL E	Section 11	Township 19S	Range 25E	Lot	Ft. from N/S 1860 FNL	Ft. from E/W 965 FWL	Latitude 32.6776371°N	Longitude 104.4608742°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Bottom Hole Location

UL E	Section 10	Township 19S	Range 25E	Lot	Ft. from N/S 2313 FNL	Ft. from E/W 60 FWL	Latitude 32.6767168°N	Longitude 104.4813490°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	-------------------------------	---------------------------------	-----------------------------------	-----------------------

Dedicated Acres 320	Infill or Defining Well INFILL	Defining Well API 30-015-50023	Overlapping Spacing Unit (Y/N) N	Consolidation Code
Order Numbers.			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)

UL E	Section 11	Township 19S	Range 25E	Lot	Ft. from N/S 2177 FNL	Ft. from E/W 848 FWL	Latitude 32.6767747°N	Longitude 104.4612583°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

First Take Point (FTP)

UL H	Section 10	Township 19S	Range 25E	Lot	Ft. from N/S 2289 FNL	Ft. from E/W 122 FEL	Latitude 32.6765416°N	Longitude 104.4644089°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Last Take Point (LTP)

UL E	Section 10	Township 19S	Range 25E	Lot	Ft. from N/S 2312 FNL	Ft. from E/W 125 FWL	Latitude 32.6767166°N	Longitude 104.4811378°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Unitized Area or Area of Uniform Interest Y	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3475' GR
---	--	--


OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> Sarah Chapman 08/21/2024 Signature Date SARAH CHAPMAN Printed Name SCHAPMAN@SPURENERGY.COM Email Address		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.</i>  Signature and Seal of Professional Surveyor Robert M. Howett Certificate Number Date of Survey 19680 08/05/2024	
---	--	--	--

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



GEODETTIC DATA	
NAD 83 GRID - NM EAST	
<u>SURFACE LOCATION (SL)</u>	<u>LAST TAKE POINT (LTP)</u>
N: 610279.1 - E: 502094.9	N: 609952.3 - E: 495859.6
LAT: 32.6776371° N	LAT: 32.6767166° N
LONG: 104.4608742° W	LONG: 104.4811378° W
	MD=8517.0'
<u>KICK OFF POINT (FTP)</u>	TVD=2634.0'
N: 609965.5 - E: 5501976.3	
	<u>BOTTOM HOLE (BH)</u>
LAT: 32.6767747° N	N: 609952.5 - E: 495794.6
LONG: 104.4612583° W	
MD=1914.0'	LAT: 32.6767168° N
TVD=1872.4'	LONG: 104.4813490° W
<u>FIRST TAKE POINT (FTP)</u>	MD=8582.0'
N: 609881.9 - E: 501006.8	TVD=2632.4'
LAT: 32.6765416° N	
LONG: 104.4644089° W	
MD=3366.0'	
TVD=2788.1'	

CORNER DATA	
NAD 83 GRID - NM EAST	
A: FOUND 3/8" REBAR	N: 606875.7 - E: 495832.6
B: FOUND 1/2" REBAR	N: 609617.4 - E: 495734.0
C: FOUND MOUND OF STONES	N: 612266.3 - E: 495736.5
D: FOUND MOUND OF STONES	N: 612218.7 - E: 498438.8
E: FOUND 1-1/2" PIPE	N: 612168.4 - E: 501140.0
F: FOUND 1" BOLT	N: 612088.5 - E: 503739.5
G: FOUND 1/2" REBAR	N: 612008.3 - E: 506339.4
H: FOUND BOLT	N: 606691.2 - E: 506353.0
I: FOUND 1/2" REBAR	N: 606784.8 - E: 501112.4



July 1st, 2024

State Of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S St Francis Dr.
Santa Fe NM 87505

RE: SPUR ENERGY PARTNERS LLC 328947
Well: PATRICK 10 FEDERAL COM 10H
POOLS:[97565] N. SEVEN RIVERS;GLORIETA-YESO
EDDY COUNTY, NM
API Number: 30-015-50025

Please find the attached surveys performed on the above referenced well by Prime Solution Services.

Other information required by your office is as follows:

Original Hole:

Surveyed Depths: 140' MD– 8519' MD projection to 8582' MD
Date Performed: 6/01/2024 – 07/1/2024
Type of Survey: Directional Survey – MWD/IFR

A certified plat on which the bottom hole location is oriented both to the surface location and the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,

Matt Simpson

Matt Simpson
MWD Operations Manager

346-310-9626

msimpson@primesolutionsvcs.com

SPUR ENERGY PARTNERS LLC.

Project: Eddy County, NM (NAD83) NMEZ Grid

Site: Patrick 10 Federal

Well: Patrick 10 Federal 10H


Wellbore: 10H OH

Design: 10H OH AsDrilled

3475+20 @ 3495.00usft (akita)
North American Datum 1983



ANNOTATIONS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Annotation
1914.00	15.63	200.02	1872.44	-313.60	-118.58	ESTKOP 2174FNL_839FWL
3244.00	78.71	273.13	2775.75	-403.16	-967.05	SECX 2291FNL_0FWL/FEL
3259.00	80.00	273.23	2778.52	-402.34	-981.76	80° 2291FNL_15FEL
3344.70	87.17	272.49	2788.13	-398.11	-1066.76	FTP 2293FNL_100FEL
8542.00	91.48	270.17	2633.41	-326.76	-6260.33	LTP 100FWL_2312FNL
8582.00	91.48	270.17	2632.37	-326.64	-6300.31	TD 59FWL_2312FNL



TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting
PTCK 10 Fed 10H SHL 1860FNL_965FWL	0.00	0.00	0.00	610279.100	502094.900
PTCK 10 Fed 10H ESTKOP 2174FNL_839FWL AD	1872.44	-313.60	-118.58	609965.496	501976.324
PTCK 10 Fed 10H PBHL 2305FNL_50FWL	2630.00	-318.10	-6310.60	609961.000	495784.300
PTCK 10 Fed 10H TD 2312FNL_59FWL AD	2632.37	-326.64	-6300.31	609952.460	495794.586
PTCK 10 Fed 10H LTP 2312FNL_100FWL AD	2633.41	-326.76	-6260.33	609952.341	495834.573
PTCK 10 Fed 10H LSTSVY	2634.00	-326.83	-6237.33	609952.270	495857.570
PTCK 10 Fed 10H SECX 2291FNL_0FWL/FEL AD	2775.75	-403.16	-967.05	609875.945	501127.855
PTCK 10 Fed 10H 80° 2291FNL_15FEL AD	2778.52	-402.34	-981.76	609876.763	501113.136
PTCK 10 Fed 10H FTP 2293FNL_100FEL AD	2788.13	-398.11	-1066.76	609880.991	501028.138





Azimuths to Grid North
True North: 0.07°
Magnetic North: 6.79°

Magnetic Field
Strength: 47469.0nT
Dip Angle: 60.23°
Date: 03/31/2024
Model: USER DEFINED

PROJECT DETAILS: Eddy County, NM (NAD83) NMEZ Grid
Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

To convert a Magnetic Direction to a Grid Direction, Add 6.79°
Magnetic North is 6.79° East of Grid North (Magnetic Convergence)
Magnetic North is 6.72° East of True North (Magnetic Declination)



SPUR ENERGY PARTNERS LLC.
ddy County, NM (NAD83) NMEZ Grid
Patrick 10 Federal
Patrick 10 Federal 10H
10H OH
10H OH AsDrilled
Created By: Mekka Williams
eSomnia Well Design
mekka@esominawell.com

SPUR ENERGY PARTNERS LLC.

Eddy County, NM (NAD83) NMEZ Grid

Patrick 10 Federal

Patrick 10 Federal 10H

10H OH

Design: 10H OH AsDrilled

Standard Survey Report

03 July, 2024

Survey Report

Company:	SPUR ENERGY PARTNERS LLC.	Local Co-ordinate Reference:	Well Patrick 10 Federal 10H
Project:	Eddy County, NM (NAD83) NMEZ Grid	TVD Reference:	3475+20 @ 3495.00usft (akita)
Site:	Patrick 10 Federal	MD Reference:	3475+20 @ 3495.00usft (akita)
Well:	Patrick 10 Federal 10H	North Reference:	Grid
Wellbore:	10H OH	Survey Calculation Method:	Minimum Curvature
Design:	10H OH AsDrilled	Database:	PRIME_EDM

Project	Eddy County, NM (NAD83) NMEZ Grid		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Patrick 10 Federal				
Site Position:		Northing:	610,338.900 usft	Latitude:	32.6778015
From:	Map	Easting:	502,095.700 usft	Longitude:	-104.4608717
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-0.07 °

Well	Patrick 10 Federal 10H					
Well Position	+N/-S	0.00 usft	Northing:	610,279.100 usft	Latitude:	32.6776372
	+E/-W	0.00 usft	Easting:	502,094.900 usft	Longitude:	-104.4608741
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	3,475.00 usft

Wellbore	10H OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	03/31/24	6.66	60.09	47,378.64695094

Design	10H OH AsDrilled				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	271.04	

Survey Program	Date	07/03/24			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
140.00	1,151.00	Survey #1 Transcend (10H OH)	MWD+IFR1+SAG+FDIR	OWSG MWD + IFR1 + Sag + FDIR Correction	
1,225.00	8,519.00	Survey #2 Akita (10H OH)	MWD+IFR1+SAG+FDIR	OWSG MWD + IFR1 + Sag + FDIR Correction	
8,582.00	8,582.00	Survey #3 (10H OH)	Projection	Projection	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
PTCK 10 Fed 10H SHL 1860FNL_965FWL										
140.00	1.14	304.74	139.99	0.79	-1.14	1.16	0.81	0.81	0.00	
225.00	1.23	305.62	224.97	1.81	-2.58	2.61	0.11	0.11	1.04	
311.00	1.44	280.83	310.95	2.55	-4.39	4.44	0.71	0.24	-28.83	
405.00	2.11	254.47	404.91	2.31	-7.22	7.26	1.11	0.71	-28.04	
500.00	4.22	220.54	499.76	-0.82	-11.18	11.16	2.88	2.22	-35.72	
594.00	7.00	210.00	593.31	-8.41	-16.29	16.14	3.14	2.96	-11.21	

Survey Report

Company:	SPUR ENERGY PARTNERS LLC.	Local Co-ordinate Reference:	Well Patrick 10 Federal 10H
Project:	Eddy County, NM (NAD83) NMEZ Grid	TVD Reference:	3475+20 @ 3495.00usft (akita)
Site:	Patrick 10 Federal	MD Reference:	3475+20 @ 3495.00usft (akita)
Well:	Patrick 10 Federal 10H	North Reference:	Grid
Wellbore:	10H OH	Survey Calculation Method:	Minimum Curvature
Design:	10H OH AsDrilled	Database:	PRIME_EDM

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
688.00	10.38	209.99	686.21	-20.71	-23.39	23.01	3.60	3.60	-0.01
782.00	13.19	205.42	778.22	-37.73	-32.23	31.54	3.15	2.99	-4.86
877.00	14.33	202.96	870.50	-58.35	-41.47	40.40	1.35	1.20	-2.59
971.00	14.60	199.62	961.52	-80.22	-49.98	48.52	0.93	0.29	-3.55
1,065.00	14.16	198.92	1,052.57	-102.25	-57.69	55.82	0.50	-0.47	-0.74
1,151.00	13.45	198.04	1,136.09	-121.72	-64.20	61.98	0.86	-0.83	-1.02
1,225.00	13.23	198.01	1,208.09	-137.95	-69.48	66.97	0.30	-0.30	-0.04
1,350.00	15.96	198.27	1,329.05	-167.88	-79.29	76.23	2.18	2.18	0.21
1,413.00	15.86	199.52	1,389.63	-184.22	-84.88	81.53	0.57	-0.16	1.98
1,540.00	15.47	192.82	1,511.93	-217.09	-94.44	90.49	1.46	-0.31	-5.28
1,664.00	15.50	192.92	1,631.43	-249.37	-101.82	97.27	0.03	0.02	0.08
1,790.00	15.28	192.76	1,752.91	-281.97	-109.25	104.11	0.18	-0.17	-0.13
1,887.42	15.54	198.49	1,846.83	-306.86	-116.22	110.63	1.58	0.26	5.88
PTCK 10 Fed 10H KOP									
1,914.00	15.63	200.02	1,872.44	-313.60	-118.58	112.86	1.58	0.36	5.75
1,976.00	16.68	210.28	1,932.00	-329.14	-125.92	119.93	4.90	1.69	16.55
2,040.00	17.48	224.88	1,993.20	-343.89	-137.34	131.08	6.80	1.25	22.81
2,103.00	19.00	235.15	2,053.05	-356.46	-152.44	145.94	5.63	2.41	16.30
2,166.00	21.59	241.13	2,112.14	-367.92	-171.01	164.31	5.26	4.11	9.49
2,228.00	24.28	250.32	2,169.25	-377.72	-193.01	186.13	7.21	4.34	14.82
2,291.00	28.10	256.27	2,225.79	-385.61	-219.64	212.60	7.35	6.06	9.44
2,354.00	32.20	260.81	2,280.26	-391.82	-250.64	243.49	7.44	6.51	7.21
2,418.00	36.63	262.94	2,333.04	-396.89	-286.44	279.19	7.17	6.92	3.33
2,480.00	41.15	263.69	2,381.29	-401.41	-325.09	317.75	7.33	7.29	1.21
2,543.00	44.83	264.55	2,427.37	-405.80	-367.81	360.39	5.91	5.84	1.37
2,606.00	47.94	265.57	2,470.82	-409.71	-413.25	405.75	5.07	4.94	1.62
2,669.00	51.92	266.32	2,511.37	-413.11	-461.33	453.76	6.38	6.32	1.19
2,731.00	54.52	267.51	2,548.49	-415.77	-510.91	503.28	4.47	4.19	1.92
2,794.00	58.12	269.94	2,583.42	-416.92	-563.31	555.65	6.55	5.71	3.86
2,856.00	59.20	271.57	2,615.67	-416.22	-616.26	608.60	2.84	1.74	2.63
2,888.00	60.37	272.09	2,631.77	-415.33	-643.89	636.25	3.92	3.66	1.63
2,919.00	60.11	271.68	2,647.16	-414.45	-670.79	663.16	1.42	-0.84	-1.32
2,951.00	60.11	271.63	2,663.11	-413.64	-698.52	690.90	0.14	0.00	-0.16
2,983.00	60.04	271.45	2,679.07	-412.90	-726.25	718.63	0.53	-0.22	-0.56
3,014.00	60.38	271.55	2,694.47	-412.20	-753.14	745.54	1.13	1.10	0.32
3,076.00	64.82	272.06	2,723.00	-410.46	-808.14	800.56	7.20	7.16	0.82
3,138.00	69.77	272.56	2,746.92	-408.15	-865.27	857.72	8.02	7.98	0.81
3,201.00	75.01	272.82	2,765.97	-405.33	-925.23	917.73	8.33	8.32	0.41
3,264.00	80.43	273.27	2,779.37	-402.06	-986.68	979.22	8.63	8.60	0.71
3,326.00	85.54	272.56	2,786.94	-398.93	-1,048.12	1,040.71	8.32	8.24	-1.15
3,343.65	87.08	272.50	2,788.07	-398.15	-1,065.71	1,058.31	8.74	8.73	-0.37
PTCK 10 Fed 10H FTP 2305FNL_100FEL									
3,389.00	91.04	272.33	2,788.82	-396.25	-1,111.01	1,103.63	8.74	8.73	-0.36
3,452.00	92.89	271.89	2,786.66	-393.93	-1,173.93	1,166.58	3.02	2.94	-0.70

Survey Report

Company:	SPUR ENERGY PARTNERS LLC.	Local Co-ordinate Reference:	Well Patrick 10 Federal 10H
Project:	Eddy County, NM (NAD83) NMEZ Grid	TVD Reference:	3475+20 @ 3495.00usft (akita)
Site:	Patrick 10 Federal	MD Reference:	3475+20 @ 3495.00usft (akita)
Well:	Patrick 10 Federal 10H	North Reference:	Grid
Wellbore:	10H OH	Survey Calculation Method:	Minimum Curvature
Design:	10H OH AsDrilled	Database:	PRIME_EDM

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,578.00	93.08	270.57	2,780.10	-391.23	-1,299.72	1,292.41	1.06	0.15	-1.05
3,703.00	92.94	270.21	2,773.53	-390.38	-1,424.55	1,417.23	0.31	-0.11	-0.29
3,828.00	92.35	269.64	2,767.76	-390.54	-1,549.41	1,542.07	0.66	-0.47	-0.46
3,953.00	91.99	269.12	2,763.03	-391.89	-1,674.32	1,666.93	0.51	-0.29	-0.42
4,078.00	91.88	268.92	2,758.81	-394.03	-1,799.23	1,791.78	0.18	-0.09	-0.16
4,204.00	91.93	269.04	2,754.62	-396.27	-1,925.14	1,917.63	0.10	0.04	0.10
4,329.00	90.56	269.85	2,751.91	-397.48	-2,050.10	2,042.55	1.27	-1.10	0.65
4,453.00	90.25	269.78	2,751.03	-397.88	-2,174.09	2,166.51	0.26	-0.25	-0.06
4,579.00	90.95	271.38	2,749.71	-396.61	-2,300.08	2,292.50	1.39	0.56	1.27
4,704.00	90.31	271.07	2,748.33	-393.93	-2,425.04	2,417.49	0.57	-0.51	-0.25
4,830.00	91.51	271.87	2,746.33	-390.70	-2,550.98	2,543.47	1.14	0.95	0.63
4,956.00	92.80	271.76	2,741.60	-386.71	-2,676.82	2,669.36	1.03	1.02	-0.09
5,081.00	92.30	271.01	2,736.03	-383.70	-2,801.66	2,794.24	0.72	-0.40	-0.60
5,207.00	92.10	270.54	2,731.20	-381.99	-2,927.56	2,920.14	0.41	-0.16	-0.37
5,332.00	91.68	269.44	2,727.07	-382.02	-3,052.49	3,045.05	0.94	-0.34	-0.88
5,457.00	91.60	271.30	2,723.50	-381.21	-3,177.43	3,169.98	1.49	-0.06	1.49
5,583.00	91.49	270.87	2,720.10	-378.82	-3,303.36	3,295.94	0.35	-0.09	-0.34
5,708.00	91.26	270.36	2,717.10	-377.48	-3,428.31	3,420.90	0.45	-0.18	-0.41
5,833.00	92.61	271.90	2,712.88	-375.02	-3,553.21	3,545.82	1.64	1.08	1.23
5,959.00	92.52	271.50	2,707.24	-371.29	-3,679.03	3,671.69	0.33	-0.07	-0.32
6,078.00	92.58	271.61	2,701.95	-368.06	-3,797.87	3,790.56	0.11	0.05	0.09
6,198.00	92.21	270.97	2,696.93	-365.36	-3,917.73	3,910.46	0.62	-0.31	-0.53
6,317.00	91.93	270.36	2,692.63	-363.98	-4,036.65	4,029.38	0.56	-0.24	-0.51
6,436.00	92.07	270.25	2,688.48	-363.35	-4,155.57	4,148.29	0.15	0.12	-0.09
6,555.00	92.10	269.94	2,684.15	-363.15	-4,274.49	4,267.20	0.26	0.03	-0.26
6,674.00	91.99	269.50	2,679.90	-363.73	-4,393.42	4,386.09	0.38	-0.09	-0.37
6,793.00	91.09	271.38	2,676.71	-362.82	-4,512.36	4,505.03	1.75	-0.76	1.58
6,911.00	90.67	271.25	2,674.89	-360.11	-4,630.32	4,623.02	0.37	-0.36	-0.11
7,030.00	90.53	271.12	2,673.65	-357.65	-4,749.29	4,742.01	0.16	-0.12	-0.11
7,150.00	91.51	272.24	2,671.51	-354.13	-4,869.21	4,861.98	1.24	0.82	0.93
7,271.00	91.29	271.86	2,668.55	-349.80	-4,990.10	4,982.93	0.36	-0.18	-0.31
7,398.00	91.34	270.88	2,665.64	-346.77	-5,117.03	5,109.89	0.77	0.04	-0.77
7,523.00	91.60	270.84	2,662.43	-344.89	-5,241.97	5,234.85	0.21	0.21	-0.03
7,648.00	91.51	270.82	2,659.04	-343.08	-5,366.91	5,359.80	0.07	-0.07	-0.02
7,774.00	90.92	269.91	2,656.37	-342.28	-5,492.88	5,485.76	0.86	-0.47	-0.72
7,899.00	92.07	272.04	2,653.11	-340.16	-5,617.81	5,610.71	1.94	0.92	1.70
8,025.00	92.02	271.83	2,648.61	-335.90	-5,743.66	5,736.61	0.17	-0.04	-0.17
8,151.00	91.82	271.47	2,644.39	-332.28	-5,869.53	5,862.54	0.33	-0.16	-0.29
8,277.00	91.79	271.20	2,640.42	-329.34	-5,995.44	5,988.47	0.22	-0.02	-0.21
8,402.00	91.40	270.49	2,636.94	-327.50	-6,120.37	6,113.42	0.65	-0.31	-0.57
8,519.00	91.48	270.17	2,634.00	-326.83	-6,237.33	6,230.38	0.28	0.07	-0.27
PTCK 10 Fed 10H LTP 2305FNL_100FWL									
8,582.00	91.48	270.17	2,632.37	-326.64	-6,300.31	6,293.35	0.00	0.00	0.00

Survey Report

Company:	SPUR ENERGY PARTNERS LLC.	Local Co-ordinate Reference:	Well Patrick 10 Federal 10H
Project:	Eddy County, NM (NAD83) NMEZ Grid	TVD Reference:	3475+20 @ 3495.00usft (akita)
Site:	Patrick 10 Federal	MD Reference:	3475+20 @ 3495.00usft (akita)
Well:	Patrick 10 Federal 10H	North Reference:	Grid
Wellbore:	10H OH	Survey Calculation Method:	Minimum Curvature
Design:	10H OH AsDrilled	Database:	PRIME_EDM

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
PTCK 10 Fed 10H PBHL 2305FNL_50FWL									

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
1,914.00	1,872.44	-313.60	-118.58	ESTKOP 2174FNL_839FWL
3,244.00	2,775.75	-403.16	-967.05	SECX 2291FNL_0FWL/FEL
3,259.00	2,778.52	-402.34	-981.76	80° 2291FNL_15FEL
3,344.70	2,788.13	-398.11	-1,066.76	FTP 2293FNL_100FEL
8,542.00	2,633.41	-326.76	-6,260.33	LTP 100FWL_2312FNL
8,582.00	2,632.37	-326.64	-6,300.31	TD 59FWL_2312FNL

Checked By: _____

Approved By: _____

Date: _____

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number		2 Pool Code		3 Pool Name	
4 Property Code		5 Property Name PATRICK 10 FEDERAL			6 Well Number 10H
7 OGRID NO.		8 Operator Name SPUR ENERGY PARTNERS LLC.			9 Elevation 3475'

10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
E	11	19S	25E		1860	NORTH	965	WEST	EDDY

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	10	19S	25E		2305	NORTH	50	WEST	EDDY
12 Dedicated Acres	13 Joint or Infill	14 Consolidation Code	15 Order No.						

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

16 <u>GEODETIC DATA</u> NAD 83 GRID - NM EAST <u>SURFACE LOCATION (SL)</u> N: 610279.1 - E: 502094.9 LAT: 32.6776371° N LONG: 104.4608742° W <u>FIRST TAKE POINT (FTP)</u> 2305' FNL & 100' FEL - SEC 10 N: 609865.9 - E: 501028.3 LAT: 32.6764978° N LONG: 104.4643391° W <u>LAST TAKE POINT (LTP)</u> 2305' FNL & 100' FWL - SEC 10 N: 609960.1 - E: 495834.3 LAT: 32.6767380° N LONG: 104.4812200° W <u>BOTTOM HOLE (BH)</u> N: 609961.0 - E: 495784.3 LAT: 32.6767403° N LONG: 104.4813825° W <u>CORNER DATA</u> NAD 83 GRID - NM EAST A: FOUND 3/8" REBAR N: 606875.7 - E: 495832.6 B: FOUND 1/2" REBAR N: 609617.4 - E: 495734.0 C: FOUND MOUND OF STONES N: 612266.3 - E: 495736.5 D: FOUND MOUND OF STONES N: 612218.7 - E: 498438.8 E: FOUND 1-1/2" PIPE N: 612168.4 - E: 501140.0 F: FOUND 1" BOLT N: 612088.5 - E: 503739.5 G: FOUND 1/2" REBAR N: 612008.3 - E: 506339.4 H: FOUND BOLT N: 606691.2 - E: 506353.0 I: FOUND 1/2" REBAR N: 606784.8 - E: 501112.4 OH BHL: Prime Solution Services MWD Original hole: Final Station 8519MD Displacement = 6245.89' at a 267° azm API # 30-015-50025	17 <u>OPERATOR CERTIFICATION</u> I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature _____ Date _____ Printed Name _____ E-mail Address _____ 18 <u>SURVEYOR CERTIFICATION</u> I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 10/27/2021 Date of Survey Signature and Seal of Professional Surveyor _____ 9680 Certificate Number PROF. ROBERT M. HOWETT NEW MEXICO 19680 PROFESSIONAL SURVEYOR
---	--

LS21101114

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 380938

ACKNOWLEDGMENTS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 380938
	Action Type: [C-104] Completion Packet - Test Allowable (C-104RT)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 380938

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 380938
	Action Type: [C-104] Completion Packet - Test Allowable (C-104RT)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	RT EXPIRES 11/21/2024.	9/5/2024