w. Oher and

<u>District,1</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6151 Fax. (575) 393-0720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

		BRADENHEAD T	EST REPORT			2001			
Scout Eversy Most LLC.					30-025-12236				
West D	クァッチ	Well No.							
6025428 SI =	= 8	2 Surface Loc	ation						
UL-Lot Section Town	ship Range -5 38-E	Feet from		Feet From	EAV Line	County			
231		Well Sta	tus		2 27				
TA'D WELL SHUT-IN INJECTOR PRODUCER DATE									
YES NO	YES	NO (INI)	SWD OIL	GA	s 9-	2505-9			
OBSERVED DATA									
	(A)Surface	(B)Interm(1)	(C)Interm(2)	(D)Pro	od Csng	(E)Tubing			
Pressure	0	/			ව	0			
Flow Characteristics			11 11:22	/s 141	13.15-21	000			
Puff	Y / 🕅	YIN	YIX		Y (N)	CO2 WTR			
Steady Flow	Y/(N)	Y // N	Y/N	=+	Y (N)	GAS			
Surges	Y/N	Y/N	Y / N		Y / (N)	Type of Flaid Injected for			
Down to nothing Gas or Oil	(Y) N	Y/N	Y / N Y / N	1	(Y) N	Waterflood if			
Water	Y / (N) Y / (N)	Y/N	Y/N		Y /(N)	applies			
<u> </u>	<u> </u>	1/	1/						
Remarks - Please state for eac	h string (A,B,C,D,E) per	inent information regarding	bleed down or continuo	us build up if appli	ies.				
				at	= 111				
Signature:		OIL CONSERVATION DIVISION							
Printed name:		Entered into RBDMS							
Title SR.		Re-test							
E-mail Address:	llison@sco								
Date: 9-6-20	Phone:	806-891-00	050						
	Wimess:								

INSTRUCTIONS ON BACK OF THIS FORM

gje

PERFORMING BRADENHEAD TEST

General Procedure for Bradenhead Test

Identify:

All valves prior to testing

Gauges:

Install on each casing string to record pressure.

Assure:

That all valves are in good working condition and closed at least 24 hours prior

to testing.

Open:

Each valve (Bradenhead, intermediate and casing valves) is to be opened

separately.

Check Gauges:

Record pressure on each gauge and casing string on BHT form. Open

valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff
Bled down to Nothing
Steady Flow
Oil or Gas
Water
Yes or No
Yes or No
Yes or No
Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form.

In case of pressure:

1. Record pressure reading on gauge.

2. Bleed and note time elapsed to bleed down.

3. Leave valve open for additional observation.

Note any fluids expelled.

In absence of Pressure:

- 1. Leave valve open for additional observation.
- 2 Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 146338

CONDITIONS

Operator:	OGRID:		
SCOUT ENERGY MANAGEMENT LLC	330949		
13800 Montfort Road	Action Number:		
Dallas, TX 75240	146338		
	Action Type:		
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)		

CONDITIONS

Created By	Condition	Condition Date
timothy.martin	None	9/6/2024