District 1 1433 N French Dr., Holtz, NA 11330 Paces: (175) 372-4181 Pax, (175) 393-4720

State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division Hobbs District Office

COBALT OPERATING Property Name Consolidated ST. 2 Surface Location				30-015-29711			
						Vell No.	
				1 73			
UL-Let Section 1	Tempship Reage	Feet from	NS Lina	Feet From	E/Y Line	County	
C 9.	175 375	660	N	2/28	W	LEA	
L' militare	a gring unless the	Well State	is a second	Tri Day	ام الد ما ال		
TA'D WELL	SHUT-IN	INJECTOR		PRODUCER		DATE	
YES NO	AES STATES	NO INJ	SWD OIL	GA	s //	-29-21	
		OBSERVED I	DATA	The to	erio de la companya d		
Part Language (1)	(A)Surface	(B)Interm(I)	(C)Interm(2)	(D)Pro	od Csng	(E)Tubing	
Pressure	0	0	D GORAGE ASSE	/ 10	0	0	
Flow Characteristics		A ESSES PROPE	SILE STATE OF THE STATE	/	a more	1	
Puff '	YY	Y 16	YIN	1	NIN	CO2 WTR GAS Type of Plade	
Steady Flow	YN	YIN	YIN	14200 0000	Y. (V)		
Surges	YIO	YIG	Y/N		YIN		
Down to nothing	NIN	O'X	K/N		אועי	Edjacant for WaterBook Y	
Gas or Oll	YV	YG	NIA	The state of the s	YO	15/mg/cr Asserting 1	
Water	Y	Y	YIN	THE STATE OF THE	YIN		
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		\$ 4 17 4		
Fall on	- well is	160 BBLS of	water an	ni-karat y	. 189 . 3		
and state of	war of the said of	Translation metalship	15.2 1667 VG 1887 I			A SECTION OF THE RESERVE	
Signature:	1 Rukli	an matter t	155104 AN 156.11	en angula ugu na ga ba Sa angula na pangula sa		A STATE OF THE STA	
Signature:	Benklik	off		OIL CON	ISERVATIO	NOISINI NO	
and state of	Buklik 10 Boxx	off and the tree of		OIL CON	ISERVATIO	ON DIVISION	
Signature: Me.	Buklk 1 Bukl 1 Deer nart @ (00	o#-		OIL CON	ISERVATIO	DIVISION	
Signature: //// Printed name: //// Title:	Bukh 1 Bukh 1 Bukh 1 Der 1	o#-	ing	OIL CON	ISERVATIO	ON DIVISION	
Signature: //// Printed name: //// Title:	The sale of the sa	ett Baltoperar	ing	OIL CON	ISERVATIO	ON DIVISION	

STEAD MACK THE

ernassi'i

Charlet

General Procedure for Bradenhead Test

All valves prior to testing and live and live Identify:

Install on each casing string to record pressure. Gauges:

That all valves are in good working condition and closed at least 24 hours prior Assure: to testing.

Energy, Misersis and Names I R

Each valve (Bradenhead, intermediate and casing valves) is to be opened Open:

separately.

Check Gauges: Record pressure on each gauge and casing string on BHT form. Open valves to atmosphere and record results on BHT form.

Designate what applies to the result of opening the valves for each string:

Blow or Puff Yes or No Bled down to Nothing A LAGUEY AND Yes or No Steady Flow Yes or No Oil or Gas Yes or No Water Yes or No

Start: Injection or SWD pump so tubing pressure can be read.

Instructions below apply to the District 1 Hobbs office since this must be reported on a form

In case of pressure:

- 1. Record pressure reading on gauge.
- 2. Bleed and note time elapsed to bleed down.
- 3. Leave valve open for additional observation.
- 4. Note any fluids expelled.

In absence of Pressure: The absence of pressur

- 1. Leave valve open for additional observation. 2 Note types of fluids expelled.
- 3. Note if fluids persist throughout test.

Note. Tubing pressure on injection or SWD wells.

Test will be signed by person performing test with a contact phone number.

MAGA STATE TO SECUL OF THIS FORM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 162335

CONDITIONS

Operator:	OGRID:			
COBALT OPERATING, LLC	286255			
PO Box 519	Action Number:			
Tuscola, TX 79562	162335			
	Action Type:			
	[UF-BHT] Bradenhead Test (BRADENHEAD TEST)			

CONDITIONS

Created By		Condition Date
timothy.martin	None	9/10/2024