

Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.  
30-025-03137

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name  
Reeves 26

8. Well Number  
4

9. OGRID Number  
331595

10. Pool name or Wildcat  
SWD, Devonian

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator  
Franklin Mountain Energy

3. Address of Operator  
44 Cook St., Ste. 1000 Denver, CO 80206

4. Well Location

Unit Letter K : 1654 feet from the S line and 1654 feet from the W line

Section 26 Township 18S Range 35E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3861 GL

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Notify NM Regulatory 24 hrs prior. Circ @ 9673'.

1. 4-9-2024 – MIRU. ND WH. NU BOP. Circ w/P&A mud. SWI.
2. 4-10-2024 – Test csg to 500psi. Spot 50sx @ 9673 PUH WOC tag 9101 POOH perf 8892. RIH w/pkr & 20 stands. SWI.
3. 4-11-2024 – Continue RIH w/pkr, set pkr press to 500psi, spot 25sx 8822. WOC & tag 8587' perf 7074' press test.
4. 4-12-2024 – Spot 35sx 7074 WOC & tag 6861 Perf @ 6157 press to 500psi, spot 40sx 6188 PUH. SWI.
5. 4-15-2024 – Tag TOC 5810 perf 3852 press to 500psi, spot 25sx 3862. PUH SWI.
6. 4-16-2024 – Tag TOC 3650 perf 3495 sqz 49sx. WOC Tag 3278 perf 2132. Sqz 50sx SWI.
7. 4-17-2024 – Tag 1882 perf 1867 sqz 50sx WOC & tag 1623 perf 500psi. ND BOP sqz 150sx.
8. 4-18-2024 – Hot work permit. CO WH. Verify cmt @ surf. RR. RD. MO. DHM to be installed.

**4/18/24 marker in place PA complete**

P&A mud between all plugs. Closed loop all fluid to licensed facility.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.


SIGNATURE Brody Pinkerton TITLE \_\_\_\_\_ VP \_\_\_\_\_ DATE 4-24-2024

Type or print name: Brody Pinkerton E-mail address: Brody@maverickwellpluggers.com Telephone No.: 432-458-3780

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/22/24  
Conditions of Approval \_\_\_\_\_

<u>String</u>	<u>TOC</u>	<u>Sx</u>
11-3/4"	Surface	475
8-5/8"	Surface	1,288
5-1/2"	9,129	170



Well Name: Reeves 26 004 SWD  
Pad Name: Reeves 26  
Latitude: 32.7157784  
Longitude: -103.4312897  
API 14 Digit: 30025031370000  
AFE:

Color Legend
Old Cement
<b>No Current Cement</b>
Contingency Balanced Plug
Residual Drilling Solids
Mud Laden Fluids
Cast Iron Bridge Plug
ALREADY SET CIBP

Plug	Actual Plug Depths (Tag-	Plug Type	Cement Class
9 and Top Out	500'-Surface	P&S @ 500' + Top Out	C
8	1,623'-1,867'	P&S	C
7	1,882'-2,132'	P&S	C
6	3,278'-3,495'	P&S	C
5	3,650'-3,862'	P&S	C
4	5,810'-6,188'	P&S	C
3	6,861'-7,074'	P&S	C
2	8,587'-8,892'	P&S	H
1	9,101'-9,673'	Balanced Plug on Retainer	H

Perforations: 9,883'-9,900', 9,916'-9,948', 9,978'-10,002'

Perforations: 11,515'-11,696'

\*\*\*OCD approved retainer and new first plug depths\*\*\*

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 364366

CONDITIONS

Operator: Franklin Mountain Energy 3, LLC 44 Cook Street Denver, CO 80206	OGRID: 331595
	Action Number: 364366
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	9/5/2024