

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

- Type of action: Below grade tank registration
 Permit of a pit or proposed alternative method
 Closure of a pit, below-grade tank, or proposed alternative method
 Modification to an existing permit/or registration
 Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: Hilcorp Energy Company OGRID #: 372171
Address: 382 Road 3100 Aztec, NM 87410
Facility or well name: HANCOCK A 5
API Number: 3004520820 OCD Permit Number: _____
U/L or Qtr/Qtr H Section 35 Township 28N Range 9W County: San Juan
Center of Proposed Design: Latitude 36.62079 Longitude -107.75125 NAD27
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

2.
 Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
 Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
 Lined Unlined Liner type: Thickness _____ mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
 Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: Produced Water
Tank Construction material: Metal
 Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
 Visible sidewalls and liner Visible sidewalls only Other _____
Liner type: Thickness _____ mil HDPE PVC Other Unspecified

4.
 Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.
Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)
 Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
 Four foot height, four strands of barbed wire evenly spaced between one and four feet
 Alternate. Please specify _____

6.
Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)
 Screen Netting Other _____
 Monthly inspections (If netting or screening is not physically feasible)

7.
Signs: Subsection C of 19.15.17.11 NMAC
 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
 Signed in compliance with 19.15.16.8 NMAC

8.
Variations and Exceptions:
 Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
Please check a box if one or more of the following is requested, if not leave blank:
 Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
 Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.
Siting Criteria (regarding permitting): 19.15.17.10 NMAC
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

| <u>General siting</u> | |
|---|--|
| <u>Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.</u> - <input type="checkbox"/> NM Office of the State Engineer - iWATERS database search; <input type="checkbox"/> USGS; <input type="checkbox"/> Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA |
| <u>Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit .</u> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within an unstable area. (Does not apply to below grade tanks) - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <u>Below Grade Tanks</u> | |
| Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| <u>Temporary Pit using Low Chloride Drilling Fluid</u> (maximum chloride content 15,000 mg/liter) | |
| Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |

Within 100 feet of a wetland.
 - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No

Temporary Pit Non-low chloride drilling fluid

Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).
 - Topographic map; Visual inspection (certification) of the proposed site Yes No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.
 - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No

Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;
 - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No

Within 300 feet of a wetland.
 - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No

Permanent Pit or Multi-Well Fluid Management Pit

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).
 - Topographic map; Visual inspection (certification) of the proposed site Yes No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.
 - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.
 - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No

Within 500 feet of a wetland.
 - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No

10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
 - Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
 - Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
 - Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 - Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 - Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 - Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 - A List of wells with approved application for permit to drill associated with the pit.
 - Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
 - Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
 - Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13.

Proposed Closure: 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fluid Management Pit
 Alternative
- Proposed Closure Method: Waste Excavation and Removal
 Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems)
 In-place Burial On-site Trench Burial
 Alternative Closure Method

14.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

| | |
|---|---|
| Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance | <input type="checkbox"/> Yes <input type="checkbox"/> No |

| | |
|---|--|
| adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within a 100-year floodplain. - FEMA map | <input type="checkbox"/> Yes <input type="checkbox"/> No |

16.
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17.
Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

18.
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)

OCD Representative Signature: _____ **Approval Date:** _____

Title: _____ **OCD Permit Number:** _____

19.
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: 8/20/2024

20.
Closure Method:

Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)

If different from approved plan, please explain.

21.
Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure for private land only)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: 1927 1983

22.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Tammy Jones Title: Operations/Regulatory Technician – Sr

Signature: *Tammy Jones* Date: 09/10/2024

e-mail address: tajones@hilcorp.com Telephone: (505) 324-5185

**Hilcorp Energy Company
San Juan Basin
Below Grade Tank Closure Report**

Lease Name: Hancock A 5

API No.: 30-045-20820

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. HILCORP shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, HILCORP will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. HILCORP shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. HILCORP will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then HILCORP shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. HILCORP will test the soils beneath the below-grade tank to determine whether a release has occurred. HILCORP shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. Hilcorp shall notify the division of its results on form C-141.

6/4/2024

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

| Components | Tests Method | Limit (mg/kg) |
|------------|---------------------------|---------------|
| Benzene | EPA SW-846 8021B or 8260B | 0.2 |
| BTEX | EPA SW-846 8021B or 8260B | 50 |
| TPH | EPA SW-846 418.1 | 100 |
| Chlorides | EPA 300.0 | 250 |

6. If HILCORP or the division determines that a release has occurred, then HILCORP shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then HILCORP shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
- i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of HILCORP's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email, certified mail. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. HILCORP shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre-disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Hilcorp will repeat seeding or planting will be continued until successful vegetative growth occurs.

6/4/2024

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation **(See Report)**
 - Re-vegetation application rates and seeding techniques **(See Report)**
 - Photo documentation of the site reclamation **(Included as an attachment)**
 - Confirmation Sampling Results **(Included as an attachment)**
 - Proof of closure notice **(Included as an attachment)**

6/4/2024

Tammy Jones

From: Adeloje, Abiodun A <aadeloje@blm.gov>
Sent: Friday, May 3, 2024 8:05 AM
To: Tammy Jones; Brandon Sinclair; Clara Cardoza; Dale Crawford; Mike Murphy; Mitch Killough; Ben Mitchell; Ramon Hancock; Lisa Jones; Wells, Shelly, EMNRD; Victoria Venegas (Victoria.Venegas@emnrd.nm.gov); John LaMond; Farmington Regulatory Techs; James Osborn
Subject: RE: [EXTERNAL] 72 Hour BGT Closure Notification - HANCOCK A 5 (API# 30-045-20820)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Thanks, Tammy.

Abiodun Adeloje (Emmanuel)
Natural Resources Specialist (NRS)
6251 College Blvd., Suite A
Farmington, NM 87402
Office: 505-564-7665
Mobile: 505-635-0984

From: Tammy Jones <tajones@hilcorp.com>
Sent: Thursday, May 2, 2024 7:24 AM
To: Adeloje, Abiodun A <aadeloje@blm.gov>; Brandon Sinclair <Brandon.Sinclair@hilcorp.com>; Clara Cardoza <ccardoza@hilcorp.com>; Dale Crawford <dcrawford@hilcorp.com>; Mike Murphy <mmurphy@hilcorp.com>; Mitch Killough <mkillough@hilcorp.com>; Ben Mitchell <bemitchell@hilcorp.com>; Ramon Hancock <Ramon.Hancock@hilcorp.com>; Lisa Jones <ljones@hilcorp.com>; Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>; Victoria Venegas (Victoria.Venegas@emnrd.nm.gov) <Victoria.Venegas@emnrd.nm.gov>; John LaMond <jlamond@hilcorp.com>; Farmington Regulatory Techs <FarmingtonRegulatoryTechs@hilcorp.com>; James Osborn <josborn@hilcorp.com>
Subject: [EXTERNAL] 72 Hour BGT Closure Notification - HANCOCK A 5 (API# 30-045-20820)

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Subject: 72 Hour BGT Closure Notification

Anticipated Start Date: Friday, 05/10/2024 at 10:00 AM MST

The subject well has a below-grade tank that will be permanently removed. The BGT permit is attached. Please contact me if you have any questions or concerns.

Well Name: HANCOCK A 5
API#: 30-045-20820
Location: Unit H, Section 35, T28N, R09W

Operator: Hilcorp Energy Surface Owner: FEDERAL

Reason: Well will be P&A'd.

****Please Note Required Photos for Closure****

- Well site placard
- Photos of the BGT prior to closure
- The sample location or, more preferred, photos of actual sample collection
- Final state of the area after closure.
- Photos will require captioning including direction of photo, date and time of photo and a description of the image contents.

Thanks,
Tammy Jones | **HILCORP ENERGY COMPANY** | San Juan Regulatory | 505.324.5185 | tajones@hilcorp.com

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

DIRECTION
223 deg(T)

36.62085°N
107.75173°W

ACCURACY 4 m
DATUM WGS84

 **Hilcorp Energy Company**

HANCOCK A 5

LATITUDE 36° 37' 15"

LONGITUDE 107° 45' 07"

SE/NE, 1820' FNL & 810' FEL

SEC.35 T028N R009W NMPM

NMNM-04209

API NO. 30-045-20820

SAN JUAN COUNTY, NM ELEV 6118

EMERGENCY NUMBER (505) 324-5170

NO SMOKING

NO TRESPASSING

Hancock A 5

Placard

2024-05-10
12:16:39-06:00



DIRECTION
23 deg(T)

36.62085°N
107.75171°W

ACCURACY 5 m
DATUM WGS84

Hancock A 5

Before Removal

2024-05-10
12:16:55-06:00

DIRECTION
99 deg(T)

36.62087°N
107.75169°W

ACCURACY 4 m
DATUM WGS84



Hancock A 5

After Removal
with Composite
Sample Points

2024-05-10
12:26:18-06:00

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

| | |
|----------------|--|
| Incident ID | |
| District RP | |
| Facility ID | |
| Application ID | |

Release Notification

Responsible Party

| | | | |
|-------------------------|------------------------------|--------------------|-------------------|
| Responsible Party | Hilcorp Energy Company | OGRID | 372171 |
| Contact Name | Mitch Killough | Contact Telephone: | (713) 757-5247 |
| Contact email | mkillough@hilcorp.com | Incident # | (assigned by OCD) |
| Contact mailing address | 382 Road 3100 Aztec NM 87410 | | |

Location of Release Source

Latitude 36.62079 Longitude -107.75125
(NAD 83 in decimal degrees to 5 decimal places)

| | | | |
|-------------------------|-------------|----------------------|--------------|
| Site Name | Hancock A 5 | Site Type | Gas Well |
| Date Release Discovered | N/A | API# (if applicable) | 30-045-20820 |

| Unit Letter | Section | Township | Range | County |
|-------------|---------|----------|-------|----------|
| H | 35 | 28N | 9W | San Juan |

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

| | | |
|---|--|--|
| <input type="checkbox"/> Crude Oil | Volume Released (bbls) | Volume Recovered (bbls) |
| <input type="checkbox"/> Produced Water | Volume Released (bbls) | Volume Recovered (bbls) |
| | Is the concentration of dissolved chloride in the produced water >10,000 mg/l? | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <input type="checkbox"/> Condensate | Volume Released (bbls) | Volume Recovered (bbls) |
| <input type="checkbox"/> Natural Gas | Volume Released (Mcf) | Volume Recovered (Mcf) |
| <input type="checkbox"/> Other (describe) | Volume/Weight Released (provide units) | Volume/Weight Recovered (provide units) |

Cause of Release

No release was encountered during the BGT Closure.



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700
Farmington, New Mexico 87499

Generated 5/28/2024 3:29:49 PM

JOB DESCRIPTION

Hancock A 5

JOB NUMBER

885-4438-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
5/28/2024 3:29:49 PM

Authorized for release by
Andy Freeman, Business Unit Manager
andy.freeman@et.eurofinsus.com
(505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client: Hilcorp Energy
Project/Site: Hancock A 5

Laboratory Job ID: 885-4438-1



Table of Contents

| | |
|----------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 3 |
| Definitions/Glossary | 4 |
| Case Narrative | 5 |
| Client Sample Results | 6 |
| QC Sample Results | 7 |
| QC Association Summary | 9 |
| Lab Chronicle | 11 |
| Certification Summary | 12 |
| Chain of Custody | 13 |
| Receipt Checklists | 14 |

Definitions/Glossary

Client: Hilcorp Energy
Project/Site: Hancock A 5

Job ID: 885-4438-1

Qualifiers

GC VOA

| Qualifier | Qualifier Description |
|-----------|---|
| S1+ | Surrogate recovery exceeds control limits, high biased. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| α | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Hilcorp Energy
Project: Hancock A 5

Job ID: 885-4438-1

Job ID: 885-4438-1

Eurofins Albuquerque

Job Narrative 885-4438-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 5/14/2024 6:55 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.0°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



Client Sample Results

Client: Hilcorp Energy
 Project/Site: Hancock A 5

Job ID: 885-4438-1

Client Sample ID: Bottom Comp

Lab Sample ID: 885-4438-1

Date Collected: 05/10/24 12:30

Matrix: Solid

Date Received: 05/14/24 06:55

Method: SW846 8015D - Gasoline Range Organics (GRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 4.8 | mg/Kg | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 88 | | 35 - 166 | | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |

Method: SW846 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.024 | mg/Kg | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |
| Ethylbenzene | ND | | 0.048 | mg/Kg | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |
| Toluene | ND | | 0.048 | mg/Kg | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |
| Xylenes, Total | ND | | 0.096 | mg/Kg | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 87 | | 48 - 145 | | | 05/14/24 14:16 | 05/16/24 22:01 | 1 |

Method: SW846 8015D - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND | | 9.6 | mg/Kg | | 05/15/24 11:48 | 05/15/24 16:38 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 48 | mg/Kg | | 05/15/24 11:48 | 05/15/24 16:38 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 99 | | 62 - 134 | | | 05/15/24 11:48 | 05/15/24 16:38 | 1 |

Method: EPA 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|----|-------|---|----------------|----------------|---------|
| Chloride | ND | | 60 | mg/Kg | | 05/15/24 14:26 | 05/15/24 22:58 | 20 |

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hancock A 5

Job ID: 885-4438-1

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-4964/1-A
Matrix: Solid
Analysis Batch: 5136

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 4964

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-----------|--------------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics [C6 - C10] | ND | | 5.0 | mg/Kg | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |
| Surrogate | %Recovery | MB Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 87 | | 35 - 166 | | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |

Lab Sample ID: LCS 885-4964/2-A
Matrix: Solid
Analysis Batch: 5136

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 4964

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------------------|---------------|---------------|---------------|-------|---|------|-------------|
| Gasoline Range Organics [C6 - C10] | 25.0 | 24.0 | | mg/Kg | | 96 | 70 - 130 |
| Surrogate | LCS %Recovery | LCS Qualifier | Limits | | | | |
| 4-Bromofluorobenzene (Surr) | 189 | S1+ | 35 - 166 | | | | |

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-4964/1-A
Matrix: Solid
Analysis Batch: 5137

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 4964

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|--------------|----------|-------|---|----------------|----------------|---------|
| Benzene | ND | | 0.025 | mg/Kg | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |
| Ethylbenzene | ND | | 0.050 | mg/Kg | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |
| Toluene | ND | | 0.050 | mg/Kg | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |
| Xylenes, Total | ND | | 0.10 | mg/Kg | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |
| Surrogate | %Recovery | MB Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 89 | | 48 - 145 | | | 05/14/24 14:16 | 05/16/24 11:04 | 1 |

Lab Sample ID: LCS 885-4964/3-A
Matrix: Solid
Analysis Batch: 5137

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 4964

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|-----------------------------|---------------|---------------|---------------|-------|---|------|-------------|
| Benzene | 1.00 | 0.917 | | mg/Kg | | 92 | 70 - 130 |
| Ethylbenzene | 1.00 | 0.878 | | mg/Kg | | 88 | 70 - 130 |
| m&p-Xylene | 2.00 | 1.76 | | mg/Kg | | 88 | 70 - 130 |
| o-Xylene | 1.00 | 0.862 | | mg/Kg | | 86 | 70 - 130 |
| Toluene | 1.00 | 0.864 | | mg/Kg | | 86 | 70 - 130 |
| Surrogate | LCS %Recovery | LCS Qualifier | Limits | | | | |
| 4-Bromofluorobenzene (Surr) | 90 | | 48 - 145 | | | | |

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Hancock A 5

Job ID: 885-4438-1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-5028/1-A
Matrix: Solid
Analysis Batch: 5077

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 5028

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|--------------|----------|-------|---|----------------|----------------|---------|
| Diesel Range Organics [C10-C28] | ND | | 10 | mg/Kg | | 05/15/24 11:48 | 05/15/24 13:49 | 1 |
| Motor Oil Range Organics [C28-C40] | ND | | 50 | mg/Kg | | 05/15/24 11:48 | 05/15/24 13:49 | 1 |
| Surrogate | MB %Recovery | MB Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Di-n-octyl phthalate (Surr) | 92 | | 62 - 134 | | | 05/15/24 11:48 | 05/15/24 13:49 | 1 |

Lab Sample ID: LCS 885-5028/2-A
Matrix: Solid
Analysis Batch: 5077

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 5028

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------------------|---------------|---------------|---------------|-------|---|------|-------------|
| Diesel Range Organics [C10-C28] | 50.0 | 48.0 | | mg/Kg | | 96 | 60 - 135 |
| Surrogate | LCS %Recovery | LCS Qualifier | Limits | | | | |
| Di-n-octyl phthalate (Surr) | 117 | | 62 - 134 | | | | |

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-4995/1-A
Matrix: Solid
Analysis Batch: 5082

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 4995

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|-----|-------|---|----------------|----------------|---------|
| Chloride | ND | | 1.5 | mg/Kg | | 05/15/24 07:57 | 05/15/24 10:03 | 1 |

Lab Sample ID: MRL 885-4995/3-A
Matrix: Solid
Analysis Batch: 5082

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 4995

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|------|---|------|-------------|
| Chloride | 1.50 | 1.57 | | mg/L | | 105 | 50 - 150 |

Lab Sample ID: MB 885-5043/1-A
Matrix: Solid
Analysis Batch: 5082

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 5043

| Analyte | MB Result | MB Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|-----------|--------------|-----|-------|---|----------------|----------------|---------|
| Chloride | ND | | 1.5 | mg/Kg | | 05/15/24 14:26 | 05/15/24 20:29 | 1 |

Lab Sample ID: LCS 885-5043/2-A
Matrix: Solid
Analysis Batch: 5082

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 5043

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|-------|---|------|-------------|
| Chloride | 15.0 | 14.0 | | mg/Kg | | 93 | 90 - 110 |

Eurofins Albuquerque

QC Association Summary

Client: Hilcorp Energy
 Project/Site: Hancock A 5

Job ID: 885-4438-1

GC VOA

Prep Batch: 4964

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | 5030C | |
| MB 885-4964/1-A | Method Blank | Total/NA | Solid | 5030C | |
| LCS 885-4964/2-A | Lab Control Sample | Total/NA | Solid | 5030C | |
| LCS 885-4964/3-A | Lab Control Sample | Total/NA | Solid | 5030C | |

Analysis Batch: 5136

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | 8015D | 4964 |
| MB 885-4964/1-A | Method Blank | Total/NA | Solid | 8015D | 4964 |
| LCS 885-4964/2-A | Lab Control Sample | Total/NA | Solid | 8015D | 4964 |

Analysis Batch: 5137

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | 8021B | 4964 |
| MB 885-4964/1-A | Method Blank | Total/NA | Solid | 8021B | 4964 |
| LCS 885-4964/3-A | Lab Control Sample | Total/NA | Solid | 8021B | 4964 |

GC Semi VOA

Prep Batch: 5028

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | SHAKE | |
| MB 885-5028/1-A | Method Blank | Total/NA | Solid | SHAKE | |
| LCS 885-5028/2-A | Lab Control Sample | Total/NA | Solid | SHAKE | |

Analysis Batch: 5073

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------|-----------|--------|--------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | 8015D | 5028 |

Analysis Batch: 5077

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| MB 885-5028/1-A | Method Blank | Total/NA | Solid | 8015D | 5028 |
| LCS 885-5028/2-A | Lab Control Sample | Total/NA | Solid | 8015D | 5028 |

HPLC/IC

Prep Batch: 4995

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|----------|------------|
| MB 885-4995/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| MRL 885-4995/3-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |

Prep Batch: 5043

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|----------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | 300_Prep | |
| MB 885-5043/1-A | Method Blank | Total/NA | Solid | 300_Prep | |
| LCS 885-5043/2-A | Lab Control Sample | Total/NA | Solid | 300_Prep | |

Analysis Batch: 5082

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------|------------------|-----------|--------|--------|------------|
| 885-4438-1 | Bottom Comp | Total/NA | Solid | 300.0 | 5043 |
| MB 885-4995/1-A | Method Blank | Total/NA | Solid | 300.0 | 4995 |
| MB 885-5043/1-A | Method Blank | Total/NA | Solid | 300.0 | 5043 |

Eurofins Albuquerque

QC Association Summary

Client: Hilcorp Energy
Project/Site: Hancock A 5

Job ID: 885-4438-1

HPLC/IC (Continued)

Analysis Batch: 5082 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------|-----------|--------|--------|------------|
| LCS 885-5043/2-A | Lab Control Sample | Total/NA | Solid | 300.0 | 5043 |
| MRL 885-4995/3-A | Lab Control Sample | Total/NA | Solid | 300.0 | 4995 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Lab Chronicle

Client: Hilcorp Energy
Project/Site: Hancock A 5

Job ID: 885-4438-1

Client Sample ID: Bottom Comp

Lab Sample ID: 885-4438-1

Date Collected: 05/10/24 12:30

Matrix: Solid

Date Received: 05/14/24 06:55

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|-----------|------------|--------------|-----|-----------------|--------------|---------|---------|----------------------|
| Total/NA | Prep | 5030C | | | 4964 | AT | EET ALB | 05/14/24 14:16 |
| Total/NA | Analysis | 8015D | | 1 | 5136 | JP | EET ALB | 05/16/24 22:01 |
| Total/NA | Prep | 5030C | | | 4964 | AT | EET ALB | 05/14/24 14:16 |
| Total/NA | Analysis | 8021B | | 1 | 5137 | JP | EET ALB | 05/16/24 22:01 |
| Total/NA | Prep | SHAKE | | | 5028 | JU | EET ALB | 05/15/24 11:48 |
| Total/NA | Analysis | 8015D | | 1 | 5073 | JU | EET ALB | 05/15/24 16:38 |
| Total/NA | Prep | 300_Prep | | | 5043 | RC | EET ALB | 05/15/24 14:26 |
| Total/NA | Analysis | 300.0 | | 20 | 5082 | RC | EET ALB | 05/15/24 22:58 |

Laboratory References:

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975



Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Hancock A 5

Job ID: 885-4438-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|-----------------------|------------------------------------|-----------------|-------------|--------|---------|-------|----------|-------|----------|-------|-------|-------|------------------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|------------------------------------|-------|-------|-------|---------|-------|-------|-------|--------------|-------|-------|-------|---------|-------|-------|-------|----------------|
| New Mexico | State | NM9425, NM0901 | 02-26-25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.</p> <table border="1"> <thead> <tr> <th>Analysis Method</th> <th>Prep Method</th> <th>Matrix</th> <th>Analyte</th> </tr> </thead> <tbody> <tr> <td>300.0</td> <td>300_Prep</td> <td>Solid</td> <td>Chloride</td> </tr> <tr> <td>8015D</td> <td>5030C</td> <td>Solid</td> <td>Gasoline Range Organics [C6 - C10]</td> </tr> <tr> <td>8015D</td> <td>SHAKE</td> <td>Solid</td> <td>Diesel Range Organics [C10-C28]</td> </tr> <tr> <td>8015D</td> <td>SHAKE</td> <td>Solid</td> <td>Motor Oil Range Organics [C28-C40]</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Benzene</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Ethylbenzene</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Toluene</td> </tr> <tr> <td>8021B</td> <td>5030C</td> <td>Solid</td> <td>Xylenes, Total</td> </tr> </tbody> </table> | | | | Analysis Method | Prep Method | Matrix | Analyte | 300.0 | 300_Prep | Solid | Chloride | 8015D | 5030C | Solid | Gasoline Range Organics [C6 - C10] | 8015D | SHAKE | Solid | Diesel Range Organics [C10-C28] | 8015D | SHAKE | Solid | Motor Oil Range Organics [C28-C40] | 8021B | 5030C | Solid | Benzene | 8021B | 5030C | Solid | Ethylbenzene | 8021B | 5030C | Solid | Toluene | 8021B | 5030C | Solid | Xylenes, Total |
| Analysis Method | Prep Method | Matrix | Analyte | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 300.0 | 300_Prep | Solid | Chloride | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8015D | 5030C | Solid | Gasoline Range Organics [C6 - C10] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8015D | SHAKE | Solid | Diesel Range Organics [C10-C28] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8015D | SHAKE | Solid | Motor Oil Range Organics [C28-C40] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8021B | 5030C | Solid | Benzene | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8021B | 5030C | Solid | Ethylbenzene | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8021B | 5030C | Solid | Toluene | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8021B | 5030C | Solid | Xylenes, Total | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oregon | NELAP | NM100001 | 02-26-25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-4438-1


Login Number: 4438

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | True | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |



District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 382027

CONDITIONS

| | |
|--|--|
| Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002 | OGRID: 372171 |
| | Action Number: 382027 |
| | Action Type: [C-144] Below Grade Tank Plan (C-144B) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| joel.stone | None | 9/11/2024 |