

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 04/08/2024
⁴ API Number 30-025-52224	⁵ Pool Name BILBREY BASIN; BONE SPRING	⁶ Pool Code 5695
⁷ Property Code: 334838	⁸ Property Name: GOLD LOG 4-9 FEDERAL COM	⁹ Well Number: 71H

II. ¹⁰ Surface Location

Ul or lot no. D	Section 4	Township 22S	Range 32E	Lot Idn	Feet from the 399	North/South Line NORTH	Feet from the 1286	East/West line WEST	County LEA
--------------------	--------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location FTP: 455' FNL 370' FWL LTP: 168' FSL 354' FWL

UL or lot no. M	Section 9	Township 22S	Range 32E	Lot Idn	Feet from the 44	North/South line SOUTH	Feet from the 354	East/West line WEST	County LEA
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 04/14/24		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 11/27/23	²² Ready Date 04/08/24	²³ TD 21455'M 11357'V	²⁴ PBTB 21412'M 11357'V	²⁵ Perforations 11377-21331'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17.5"		13.375"		1034'	
12.25" x 9.875"		7.625"		10691'	
6.75"		5.5"		21435'	
		2-3/8" TBG		11332'	
				na	

V. Well Test Data

³¹ Date New Oil 04/14/24	³² Gas Delivery Date 04/14/24	³³ Test Date 04/21/24	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 722
³⁷ Choke Size 50	³⁸ Oil 1182	³⁹ Water 3962	⁴⁰ Gas 1474		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
REGULATORY ADVISOR

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 07/11/2024 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

PATRICIA MARTINEZ

Title: PETROLEUM SPECIALIST

Approval Date: 9/27/2024

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☒ AMENDED REPORT

¹ API Number 30-025-52224		² Pool Code 5695	³ Pool Name BILBREY BASIN; BONE SPRING	
⁴ Property Code 334838	⁵ Property Name GOLD LOG 4 9 FEDERAL COM			⁶ Well Number 71H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.			⁹ Elevation 3797'

UL or lot no. L 4	Section 4	Township 22S	Range 32E	Lot Idn	Feet from the	North/South line NORTH	Feet from the	East/West line WEST	County LEA
----------------------	--------------	-----------------	--------------	---------	---------------	---------------------------	---------------	------------------------	---------------

UL or lot no. M	Section 9	Township 22S	Range 32E	Lot Idn	Feet from the 44	North/South line SOUTH	Feet from the 354	East/West line WEST	County LEA
¹² Dedicated Acres 1,279.16		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No. R-22684			

CORNER COORDINATES NAD 83, SPCS NM EAST		CORNER COORDINATES NAD 27, SPCS NM EAST	
A - X:	745644.16' / Y: 520058.90'	A - X:	704462.12' / Y: 519998.02'
B - X:	745661.75' / Y: 517427.42'	B - X:	704479.64' / Y: 517361.66'
C - X:	745685.06' / Y: 517481.19'	C - X:	704502.88' / Y: 517420.45'
D - X:	745702.47' / Y: 512140.78'	D - X:	704520.21' / Y: 512080.12'
E - X:	745721.08' / Y: 509499.99'	E - X:	704538.75' / Y: 509439.40'
F - X:	740381.09' / Y: 509483.81'	F - X:	701898.78' / Y: 509422.62'
G - X:	740439.76' / Y: 509452.87'	G - X:	699257.47' / Y: 509392.29'
H - X:	740420.51' / Y: 512091.09'	H - X:	699238.29' / Y: 512030.44'
I - X:	740401.36' / Y: 514735.23'	I - X:	699219.21' / Y: 514674.51'
J - X:	740382.16' / Y: 517379.24'	J - X:	699200.09' / Y: 517318.44'
K - X:	740357.59' / Y: 520004.58'	K - X:	699175.58' / Y: 519943.71'
L - X:	742997.32' / Y: 520030.51'	L - X:	701815.30' / Y: 519969.64'

SHEET 1 OF 1
JOB No. R4247_001_9666
REV 0 TCS 4/1/2024




OXY



Borehole:	Well:	Field:	Structure:
Gold Log 4-9 Fed Com 71H	Gold Log 4-9 Fed Com 71H	NM Lea County (NAD 83)	OXY Gold Log 4-9 Fed Com Pad (HP 373)

Gravity & Magnetic Parameters				Surface Location NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous	
Model:	IFR1	Dip:	60.108°	Date:	02-Jan-2024	Lat:	N 32 25 36.57	Slot:	Gold Log 4-9 Fed Com 71H
MagDec:	6.582°	FS:	47663.6nT	Gravity FS:	998.451mg (9.80665 Based)	North:	519618.7RUS	TVD Ref:	RKB (3823.000 ft above MSL)
						Lon:	W 103 41 2.87	Plan:	Oxy Gold Log 4-9 Fed Com 71H Rev5 AR 16Jan24
						Easting:	741646.89RUS		
						Scale Fact:	0.99995504		

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,823.00
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3,797.00
First 3rd Party Survey	169.00	0.74	268.59	169.00	0.10	-0.02	-0.92	-3,654.00
Last 3rd Party Survey	988.00	0.82	9.11	987.93	-3.72	4.47	-8.51	-2,835.07
First SLB Survey	1,145.00	0.49	12.75	1,144.92	-5.51	6.24	-8.18	-2,678.08
Actual KOP	10,722.00	6.08	223.64	10,635.66	-213.37	290.81	-886.80	6,812.66
FTP / 100R FNL Cross	10,732.00	6.55	219.91	10,645.60	-212.49	289.99	-887.54	6,822.60
3rd BS Line Intersection	10,898.23	26.30	188.65	10,804.00	-166.98	245.38	-899.81	6,981.00
Enter Lateral Window	11,097.00	35.85	181.70	10,972.08	-61.42	140.06	-907.20	7,149.08
Section 4-9 Line Cross	16,213.00	89.79	179.93	11,285.51	4,938.99	-4,880.18	-893.46	7,462.51
LTP / 100R FSL Cross	21,399.00	89.90	179.59	11,356.63	10,098.32	-10,062.17	-853.90	7,533.63
Final Survey	21,417.00	89.55	179.63	11,356.72	10,116.24	-10,080.17	-853.77	7,533.72
Projection to Total Depth	21,455.00	89.55	179.63	11,357.01	10,154.08	-10,118.17	-853.53	7,534.01



Vertical Section (ft) Azim = 184.94° Scale = 1:2600.00(ft) Origin = ON-S, OE-W



Oxy Gold Log 4-9 Fed Com 71H MWD + IFR1 Surveys to 21455ft Survey

Geodetic Report
Definitive Survey



Report Date: February 14, 2024 - 07:19 PM (UTC 0)
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: OXY Gold Log 4-9 Fed Com Pad (HP 373) / Gold Log 4-9 Fed Com 71H
Well: Gold Log 4-9 Fed Com 71H
Borehole: Gold Log 4-9 Fed Com 71H
UBH/ API / JobNumber: Unknown / 30-055-52190 / Unknown
Survey Name / Version: Oxy Gold Log 4-9 Fed Com 71H MWD + IFR1 Surveys to 21455ft / 5
Survey Date: January 30, 2024
Tort / AHD / DDI / ERD Ratio: 269.457 +/- 11408.233 ft / 6.764 / 1.004
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°25'36.57085", W 103°14'12.86660"
Location Grid N.E. Y.X: N 519618.700 RUS , E 741646.890 RUS
CRS Grid Convergence Angle: 0.348"
Grid Scale Factor: 0.99995504
Engine Version: 2023.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 184.940 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3823.000 ft above MSL
Seabed / Ground Elevation: 3797.000 ft above MSL
Magnetic Declination: 6.582°
Total Gravity Field Strength: 998.4507mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47663.6 nT
Magnetic Dip Angle: 60.108°
Declination Date: January 02, 2024
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.234°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDSS (ft)	DLS (+/-100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.823.00	0.00	519,618.70	741,646.89	N 32°25'36.57"	W 103°14'12.87"		
SHL	26.00	0.00	0.00	26.00	0.00	0.00	0.00	-3.797.00	0.00	519,618.70	741,646.89	N 32°25'36.57"	W 103°14'12.87"	0.00	0.00
First 3rd Party Survey	169.00	0.74	268.59	169.00	0.10	-0.02	-0.92	-3.654.00	0.52	519,618.68	741,645.97	N 32°25'36.57"	W 103°14'12.88"	0.92	268.59
	255.00	0.80	267.85	254.99	0.24	-0.06	-2.08	-3.568.01	0.07	519,618.64	741,644.81	N 32°25'36.57"	W 103°14'12.89"	2.08	268.38
	350.00	0.86	279.57	349.98	0.26	0.39	-3.43	-3.473.02	0.19	519,618.73	741,643.45	N 32°25'36.57"	W 103°14'12.91"	3.44	270.58
	444.00	0.65	274.25	443.97	0.21	0.19	-4.67	-3.379.03	0.24	519,618.89	741,642.22	N 32°25'36.57"	W 103°14'12.92"	4.68	272.35
Last 3rd Party Survey	538.00	0.77	290.02	537.96	0.05	0.45	-5.80	-3.285.04	0.24	519,619.15	741,641.09	N 32°25'36.58"	W 103°14'12.93"	5.81	274.41
	632.00	0.80	297.73	631.95	0.36	0.97	-6.97	-3.191.05	0.12	519,619.67	741,639.92	N 32°25'36.58"	W 103°14'12.95"	7.04	277.91
	726.00	0.69	319.71	725.95	-1.02	1.71	-7.92	-3.097.05	0.32	519,620.41	741,638.97	N 32°25'36.59"	W 103°14'12.96"	8.10	282.16
	820.00	0.54	342.57	819.94	-1.83	2.56	-8.42	-3.003.06	0.30	519,621.26	741,638.47	N 32°25'36.60"	W 103°14'12.96"	8.80	286.92
First SLB Survey	914.00	0.66	357.58	913.94	-2.77	3.52	-8.57	-2.909.06	0.21	519,622.22	741,638.32	N 32°25'36.61"	W 103°14'12.97"	9.27	292.35
	988.00	0.82	9.11	987.93	-3.72	4.47	-8.51	-2.835.07	0.29	519,623.17	741,638.38	N 32°25'36.62"	W 103°14'12.97"	9.61	297.74
	1,145.00	0.49	12.75	1,144.92	-5.51	6.24	-8.18	-2.678.08	0.21	519,624.94	741,638.71	N 32°25'36.63"	W 103°14'12.96"	10.29	307.32
	1,240.00	0.45	356.49	1,239.92	-6.28	7.01	-8.11	-2.583.08	0.15	519,625.70	741,638.78	N 32°25'36.64"	W 103°14'12.96"	10.72	310.81
Last 3rd Party Survey	1,335.00	0.48	32.76	1,334.91	-7.00	7.71	-7.92	-2.488.09	0.31	519,626.41	741,638.97	N 32°25'36.65"	W 103°14'12.96"	11.06	314.24
	1,430.00	0.62	12.04	1,429.91	-7.86	8.55	-7.60	-2.393.09	0.25	519,627.25	741,639.29	N 32°25'36.66"	W 103°14'12.95"	11.44	318.37
	1,525.00	0.68	25.61	1,524.90	-8.90	9.56	-7.25	-2.298.10	0.17	519,628.26	741,639.64	N 32°25'36.67"	W 103°14'12.95"	12.00	322.84
	1,620.00	0.51	10.87	1,619.90	-9.85	10.48	-6.92	-2.203.10	0.24	519,629.18	741,639.97	N 32°25'36.67"	W 103°14'12.95"	12.56	326.56
First SLB Survey	1,715.00	0.70	29.19	1,714.89	-10.80	11.41	-6.56	-2.108.11	0.28	519,630.11	741,640.33	N 32°25'36.68"	W 103°14'12.94"	13.16	330.09
	1,810.00	0.51	27.79	1,809.89	-11.72	12.29	-6.08	-2.013.11	0.20	519,630.99	741,640.81	N 32°25'36.69"	W 103°14'12.94"	13.71	333.67
	1,905.00	0.61	26.79	1,904.88	-12.58	13.11	-5.66	-1.918.12	0.11	519,631.81	741,641.23	N 32°25'36.70"	W 103°14'12.93"	14.28	336.67
	1,999.00	0.75	58.61	1,998.88	-13.41	13.88	-4.91	-1.824.12	0.42	519,632.58	741,641.98	N 32°25'36.71"	W 103°14'12.92"	14.72	340.53
Last 3rd Party Survey	2,094.00	0.56	50.40	2,093.87	-14.33	14.70	-3.77	-1.729.13	0.25	519,633.40	741,643.12	N 32°25'36.72"	W 103°14'12.91"	15.18	345.63
	2,189.00	0.78	56.66	2,188.86	-15.28	15.56	-2.62	-1.634.14	0.20	519,634.26	741,644.27	N 32°25'36.72"	W 103°14'12.90"	15.78	350.44
	2,284.00	1.01	55.81	2,283.84	-16.21	16.39	-1.39	-1.539.16	0.24	519,635.09	741,645.50	N 32°25'36.73"	W 103°14'12.88"	16.45	355.16
	2,379.00	0.16	248.24	2,378.84	-16.68	16.81	-0.82	-1.444.16	1.23	519,635.51	741,646.07	N 32°25'36.74"	W 103°14'12.87"	16.83	357.21
Last 3rd Party Survey	2,474.00	0.81	254.37	2,473.84	-16.38	16.58	-1.59	-1.349.16	0.69	519,635.28	741,645.30	N 32°25'36.73"	W 103°14'12.88"	16.66	354.53
	2,569.00	0.83	268.33	2,568.83	-16.07	16.38	-2.92	-1.254.17	0.21	519,635.08	741,644.97	N 32°25'36.73"	W 103°14'12.90"	16.64	349.88
	2,664.00	0.97	256.98	2,663.81	-15.74	16.18	-4.39	-1.159.19	0.24	519,634.88	741,642.50	N 32°25'36.73"	W 103°14'12.92"	16.76	344.80
	2,759.00	0.83	268.48	2,758.80	-15.41	15.98	-5.87	-1.064.20	0.24	519,634.68	741,641.02	N 32°25'36.73"	W 103°14'12.93"	17.02	339.84
Last 3rd Party Survey	2,854.00	0.39	223.58	2,853.80	-15.08	15.73	-6.78	-969.20	0.65	519,634.42	741,640.11	N 32°25'36.73"	W 103°14'12.94"	17.12	336.69
	2,949.00	0.32	143.19	2,948.80	-14.63	15.28	-6.84	-874.20	0.49	519,633.98	741,640.05	N 32°25'36.72"	W 103°14'12.95"	16.74	335.88
	3,043.00	0.67	100.45	3,042.79	-14.38	14.97	-8.14	-780.21	0.52	519,633.67	741,640.12	N 32°25'36.72"	W 103°14'12.94"	16.38	337.69
	3,138.00	0.92	113.12	3,137.77	-14.09	14.57	-4.89	-685.22	0.32	519,633.27	741,642.00	N 32°25'36.72"	W 103°14'12.94"	15.37	341.43
Last 3rd Party Survey	3,233.00	1.00	106.05	3,232.77	-13.69	14.04	-3.40	-590.23	0.15	519,633.74	741,643.49	N 32°25'36.71"	W 103°14'12.91"	14.44	346.40
	3,328.00	0.90	115.11	3,327.76	-13.28	13.49	-1.92	-495.24	0.19	519,632.19	741,644.97	N 32°25'36.70"	W 103°14'12.89"	13.63	351.88
	3,519.00	1.18	221.35	3,518.74	-11.18	11.38	-1.87	-304.26	0.88	519,630.08	741,645.02	N 32°25'36.68"	W 103°14'12.89"	11.53	350.69
	3,614.00	1.30	223.16	3,613.72	-9.54	9.86	-3.25	-209.28	0.13	519,628.56	741,643.64	N 32°25'36.67"	W 103°14'12.90"	10.38	341.76
Last 3rd Party Survey	3,709.00	0.73	233.82	3,708.70	-8.30	8.72	-4.47	-114.30	0.63	519,627.42	741,642.42	N 32°25'36.66"	W 103°14'12.92"	9.80	332.83
	3,804.00	0.15	19.53	3,803.70	-8.02	8.48	-4.92	-19.30	0.90	519,627.18	741,641.97	N 32°25'36.66"	W 103°14'12.92"	9.80	329.86
	3,899.00	0.48	17.25	3,898.70	-8.53	8.97	-4.76	75.70	0.35	519,627.67	741,642.13	N 32°25'36.66"	W 103°14'12.92"	10.16	332.05
	3,994.00	0.61	11.73	3,993.69	-8.42	9.85	-4.54	170.69	0.15	519,628.55	741,642.35	N 32°25'36.67"	W 103°14'12.92"	10.85	335.25
Last 3rd Party Survey	4,089.00	0.65	38.48	4,088.69	-10.37	10.77	-4.10	265.69	0.31	519,629.47	741,642.79	N 32°25'36.67"	W 103°14'12.91"	11.52	339.14
	4,184.00	0.68	4.38	4,183.68	-11.39	11.75	-3.72	360.68	0.41	519,630.45	741,643.17	N 32°25'36.69"	W 103°14'12.91"	12.33	342.41
	4,279.00	0.30	5.17	4,278.68	-12.20	12.56	-3.66	455.68	0.40	519,631.26	741,643.23	N 32°25'36.70"	W 103°14'12.91"	13.08	343.76
	4,374.00	0.53	20.13	4,373.68	-12.87	13.22	-3.49	550.68	0.27	519,631.92	741,643.40	N 32°25'36.70"	W 103°14'12.91"	13.67	345.23
Last 3rd Party Survey	4,469.00	1.02	9.66	4,468.67	-14.14	14.47	-3.19	645.67	0.53	519,633.17	741,643.70	N 32°25'36.71"	W 103°14'12.90"	14.81	347.56
	4,564.00	0.86	24.41	4,563.65	-15.72	16.02	-2.73	740.65	0.28	519,634.72	741,644.17	N 32°25'36.72"	W 103°14'12.89"	15.25	350.34
	4,659.00	0.93	22.77	4,658.64	-17.20	17.44	-2.10	835.64	0.04	519,636.14	741,644.79	N 32°25'36.74"	W 103°14'12.89"	17.57	353.13
	4,754.00	0.95	19.12	4,753.63	-18.70	18.90	-1.54	930.63	0.07	519,637.60	741,645.35	N 32°25'36.76"	W 103°14'12.88"	18.96	355.33
Last 3rd Party Survey	4,853.00	0.85	14.49	4,852.61	-20.22	20.39	-1.09	1,029.61	0.12	519,639.09	741,645.80	N 32°25'36.77"	W 103°14'12.88"	20.42	356.93
	4,948.00	1.61	323.66	4,947.59	-21.91	22.14	-1.71	1,124.59	1.33	519,640.84	741,645.18	N 32°25'36.79"	W 103°14'12.88"	22.21	355.59
	5,043.00	2.40	311.34	5,042.54	-24.10	24.53	-3.99	1,215.54	0.94	519,643.23	741,646.00	N 32°25'36.79"	W 103°14'12.91"	24.65	359.75
	5,138.00	3.73	306.05	5,137.40	-26.87	27.66	-7.98	1,314.40	1.43	519,646.36	741,638.91	N 32°25'36.85"	W 103°14'12.96"	28.79	343.90
Last 3rd Party Survey	5,233.00	3.93	302.19	5,232.19	-29.96	31.22	-13.24	1,409.19	0.34	519,649.92	741,633.65	N 32°25'36.88"	W 103°14'13.02"	33.91	337.02
	5,328.00	3.99	299.85	5,326.96	-32.84	34.60	-18.86	1,503.96	0.18	519,653.30	741,628.03	N 32°25'36.91"	W 103°14'13.08"	39.40	331.41
	5,423.00	5.32	293.79	5,421.64	-35.66	38.02	-25.76	1,598.64	1.49	519,656.72	741,621.14	N 32°25'36.95"	W 103°14'13.16"	45.92	325.88
	5,517.00	6.20	288.34	5,515.17	-38.24	40.57	-34.56	1,694.77	1.10	519,660.37	741,613.37	N 32°25'36.98"	W 103°14'13.27"	53.14	314.14
Last 3rd Party Survey	5,612.00	7.21	279.43	5,609.52	-39.90	43.97	-45.31	1,786.52	1.52	519,662.66	741,601.58	N 32°25'37.01"	W 103°14'13.39"	63.14	314.14
	5,707.00	8.27	278.41	5,703.63	-40.79	45.97	-48.11	1,880.63	1.33	519,664.66	741,588.78	N 32°25'37.03"	W 103°14'13.51"	74.10	308.34
	5,802.00	9.32	280.43	5,797.49	-41.95	48.38	-72.80	1,974.49	0.95	519,667.08</					

Actual KOP FTP / 100% FNL Cross	10,357.00	5.23	275.19	10,271.87	-216.50	291.48	-858.14	6,448.87	0.02	519,910.17	740,788.79	N 32°25'39.51"	W 103°41'12.86"	906.29	288.76
	10,451.00	4.80	277.01	10,365.51	-216.66	292.35	-866.31	6,542.51	0.49	519,911.03	740,780.62	N 32°25'39.52"	W 103°41'12.95"	914.30	288.65
	10,546.00	4.37	273.25	10,460.21	-216.70	293.04	-873.86	6,637.21	0.55	519,911.72	740,773.07	N 32°25'39.52"	W 103°41'13.01"	921.69	288.54
3rd BS Line Intersection	10,647.00	4.15	273.30	10,560.93	-216.52	293.50	-881.35	6,737.93	0.22	519,912.13	740,765.58	N 32°25'39.53"	W 103°41'13.13"	928.94	288.42
	10,722.00	6.08	223.64	10,635.66	-213.37	290.81	-886.80	6,812.66	6.24	519,909.50	740,760.13	N 32°25'39.50"	W 103°41'13.19"	933.27	288.16
	10,732.00	6.55	219.91	10,645.60	-212.49	289.99	-887.54	6,822.60	6.24	519,908.68	740,759.40	N 32°25'39.49"	W 103°41'13.20"	933.71	288.09
Enter Lateral Window	10,760.00	7.98	211.91	10,673.38	-209.44	287.12	-889.59	6,850.38	6.24	519,905.80	740,757.34	N 32°25'39.47"	W 103°41'13.22"	934.77	287.89
	10,855.00	23.02	191.19	10,764.71	-184.95	283.14	-896.72	6,941.71	16.63	519,891.83	740,750.21	N 32°25'39.23"	W 103°41'13.31"	934.54	286.35
	10,898.23	26.30	188.65	10,804.00	-166.98	245.38	-899.81	6,981.00	7.97	519,884.07	740,747.13	N 32°25'39.05"	W 103°41'13.35"	932.66	285.25
3rd BS Line Intersection	10,950.00	30.27	186.29	10,849.58	-142.48	221.06	-902.96	7,026.58	7.97	519,839.75	740,743.97	N 32°25'38.81"	W 103°41'13.39"	929.63	283.76
	11,044.00	34.77	181.62	10,928.83	-92.01	170.69	-906.32	7,105.83	5.48	519,789.38	740,740.62	N 32°25'38.31"	W 103°41'13.43"	922.25	280.67
	11,097.00	35.85	181.70	10,972.08	-61.42	140.06	-907.20	7,149.08	2.04	519,758.76	740,739.73	N 32°25'38.01"	W 103°41'13.44"	917.95	278.78
Enter Lateral Window	11,139.00	36.71	181.76	11,005.94	-29.51	105.22	-907.96	7,182.94	2.04	519,733.92	740,738.96	N 32°25'37.77"	W 103°41'13.45"	912.58	277.23
	11,234.00	48.74	183.08	11,075.60	27.67	50.95	-910.76	7,252.60	12.70	519,669.65	740,736.18	N 32°25'37.13"	W 103°41'13.49"	912.18	273.20
	11,329.00	56.00	182.56	11,133.56	102.80	-24.15	-914.44	7,310.56	7.65	519,594.55	740,732.49	N 32°25'36.39"	W 103°41'13.54"	914.76	268.49
3rd BS Line Intersection	11,424.00	61.14	179.06	11,183.10	183.60	-105.15	-915.52	7,360.10	6.26	519,513.55	740,731.42	N 32°25'35.59"	W 103°41'13.55"	921.53	263.45
	11,519.00	69.83	178.86	11,222.48	269.48	-191.49	-913.94	7,399.48	9.15	519,427.22	740,732.99	N 32°25'34.73"	W 103°41'13.54"	933.79	258.17
	11,614.00	80.23	180.12	11,244.72	361.48	-283.49	-917.90	7,421.72	15.66	519,335.22	740,729.03	N 32°25'33.82"	W 103°41'13.60"	960.68	252.59
3rd BS Line Intersection	11,709.00	89.27	184.35	11,251.07	456.22	-377.86	-926.33	7,428.07	6.73	519,240.86	740,720.60	N 32°25'32.89"	W 103°41'13.70"	1,000.44	247.81
	11,804.00	87.56	182.36	11,253.70	551.14	-472.65	-931.89	7,430.70	2.76	519,146.07	740,715.04	N 32°25'31.95"	W 103°41'13.77"	1,044.90	243.11
	11,872.00	85.98	181.82	11,257.53	618.95	-540.49	-934.37	7,434.53	2.46	519,078.23	740,712.57	N 32°25'31.28"	W 103°41'13.81"	1,079.43	239.95
3rd BS Line Intersection	11,966.00	89.01	179.56	11,261.64	712.58	-634.38	-935.50	7,438.64	4.02	518,984.35	740,711.44	N 32°25'30.35"	W 103°41'13.83"	1,130.31	235.86
	12,062.00	89.35	179.18	11,263.01	808.12	-730.36	-934.44	7,440.01	0.53	518,888.37	740,712.49	N 32°25'29.40"	W 103°41'13.82"	1,186.01	231.99
	12,157.00	89.43	180.07	11,264.03	902.70	-825.35	-933.82	7,441.03	0.94	518,793.38	740,713.11	N 32°25'28.46"	W 103°41'13.82"	1,246.29	228.53
3rd BS Line Intersection	12,252.00	89.16	180.01	11,265.19	997.35	-920.35	-933.89	7,442.19	0.29	518,698.40	740,713.05	N 32°25'27.52"	W 103°41'13.83"	1,311.18	225.42
	12,347.00	89.33	182.25	11,266.45	1,092.12	-1,015.31	-935.76	7,443.45	2.36	518,603.43	740,711.17	N 32°25'26.58"	W 103°41'13.86"	1,380.76	222.67
	12,442.00	89.79	179.61	11,267.18	1,186.88	-1,110.29	-937.30	7,444.18	2.82	518,508.46	740,709.63	N 32°25'25.64"	W 103°41'13.88"	1,453.02	220.17
3rd BS Line Intersection	12,537.00	89.29	180.14	11,267.94	1,281.51	-1,201.54	-937.32	7,444.78	1.14	518,413.47	740,707.45	N 32°25'24.70"	W 103°41'13.91"	1,523.63	217.58
	12,632.00	90.22	179.29	11,268.34	1,376.17	-1,300.28	-937.33	7,445.34	1.67	518,318.48	740,709.60	N 32°25'23.76"	W 103°41'13.89"	1,602.91	215.79
	12,727.00	89.10	177.70	11,268.91	1,470.56	-1,395.24	-934.84	7,445.91	2.05	518,223.52	740,712.09	N 32°25'22.82"	W 103°41'13.87"	1,679.47	213.82
3rd BS Line Intersection	12,822.00	89.55	177.65	11,270.03	1,564.79	-1,490.16	-930.99	7,447.03	0.48	518,128.61	740,715.95	N 32°25'21.88"	W 103°41'13.83"	1,757.07	212.00
	12,917.00	89.53	177.73	11,270.79	1,659.03	-1,585.08	-927.16	7,447.79	0.09	518,033.70	740,719.78	N 32°25'20.94"	W 103°41'13.80"	1,836.33	210.32
	13,012.00	89.51	177.81	11,271.58	1,753.24	-1,679.34	-927.16	7,448.24	0.37	517,937.77	740,723.21	N 32°25'19.99"	W 103°41'13.76"	1,918.09	208.79
3rd BS Line Intersection	13,108.00	89.65	178.80	11,272.26	1,848.71	-1,775.98	-921.21	7,449.26	0.68	517,842.81	740,725.72	N 32°25'19.05"	W 103°41'13.74"	2,000.68	207.42
	13,203.00	89.20	179.10	11,273.21	1,943.18	-1,870.96	-919.47	7,450.21	0.57	517,747.83	740,727.46	N 32°25'18.11"	W 103°41'13.73"	2,084.68	206.17
	13,298.00	89.51	179.58	11,274.28	2,037.72	-1,965.94	-918.38	7,451.28	0.60	517,652.85	740,728.56	N 32°25'17.17"	W 103°41'13.72"	2,169.87	205.04
3rd BS Line Intersection	13,393.00	89.40	179.93	11,275.18	2,132.33	-2,060.94	-917.97	7,452.18	0.39	517,557.86	740,728.96	N 32°25'16.23"	W 103°41'13.72"	2,256.13	204.01
	13,488.00	90.12	180.12	11,275.58	2,227.00	-2,155.94	-918.22	7,452.58	0.89	517,462.87	740,728.71	N 32°25'15.29"	W 103°41'13.73"	2,343.33	203.07
	13,583.00	89.78	179.88	11,276.44	2,321.66	-2,250.93	-918.43	7,453.44	1.43	517,367.88	740,728.51	N 32°25'14.35"	W 103°41'13.74"	2,431.09	202.20
3rd BS Line Intersection	13,678.00	88.58	178.72	11,278.57	2,416.17	-2,345.90	-917.27	7,455.57	1.25	517,272.91	740,729.67	N 32°25'13.41"	W 103°41'13.73"	2,518.85	201.36
	13,773.00	88.83	179.04	11,280.71	2,510.62	-2,440.85	-915.41	7,457.71	0.43	517,177.96	740,731.52	N 32°25'12.47"	W 103°41'13.72"	2,606.86	200.56
	13,868.00	88.75	179.83	11,282.72	2,605.16	-2,535.83	-914.47	7,459.72	0.84	517,082.99	740,732.46	N 32°25'11.53"	W 103°41'13.71"	2,695.68	199.83
3rd BS Line Intersection	13,963.00	88.90	180.14	11,284.74	2,699.78	-2,630.84	-912.46	7,461.75	0.33	516,988.02	740,734.26	N 32°25'10.59"	W 103°41'13.72"	2,785.20	199.17
	14,058.00	88.72	179.21	11,286.72	2,794.36	-2,725.78	-913.91	7,463.72	0.98	516,893.05	740,733.02	N 32°25'09.65"	W 103°41'13.72"	2,874.91	198.54
	14,153.00	88.73	178.75	11,288.75	2,888.82	-2,820.75	-912.22	7,465.75	0.49	516,798.09	740,734.71	N 32°25'08.72"	W 103°41'13.71"	2,964.58	197.92
3rd BS Line Intersection	14,248.00	88.88	177.97	11,290.74	2,983.17	-2,915.69	-909.50	7,467.74	0.84	516,703.15	740,737.43	N 32°25'07.78"	W 103°41'13.68"	3,054.24	197.32
	14,343.00	88.98	177.49	11,292.51	3,077.41	-3,010.59	-909.74	7,469.51	0.52	516,608.25	740,741.19	N 32°25'06.84"	W 103°41'13.65"	3,143.89	196.74
	14,438.00	89.21	177.95	11,294.34	3,171.64	-3,105.50	-901.96	7,471.34	0.52	516,513.35	740,744.97	N 32°25'05.90"	W 103°41'13.61"	3,233.83	196.20
3rd BS Line Intersection	14,533.00	89.81	179.51	11,295.49	3,266.07	-3,200.47	-909.85	7,472.49	1.95	516,418.38	740,747.08	N 32°25'04.96"	W 103°41'13.59"	3,324.56	195.70
	14,628.00	90.44	180.85	11,295.28	3,360.74	-3,295.46	-900.15	7,472.28	1.56	516,323.39	740,746.78	N 32°25'04.02"	W 103°41'13.60"	3,416.19	195.28
	14,723.00	90.39	180.84	11,294.59	3,455.49	-3,390.45	-901.55	7,471.59	0.05	516,228.41	740,745.38	N 32°25'03.08"	W 103°41'13.62"	3,508.27	194.89
3rd BS Line Intersection	14,818.00	90.72	180.99	11,293.67	3,550.25	-3,485.43	-903.07	7,470.67	0.38	516,133.43	740,743.86	N			

Well Name: GOLD LOG 4_9 FEDERAL COM	Well Location: T22S / R32E / SEC 4 / NWNW / 32.426825 / -103.68413	County or Parish/State: LEA / NM
Well Number: 71H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM86710	Unit or CA Name:	Unit or CA Number:
US Well Number: 300255222400X1	Operator: OXY USA INCORPORATED	

Subsequent Report

Sundry ID: 2785209

Type of Submission: Subsequent Report

Date Sundry Submitted: 04/15/2024

Date Operation Actually Began: 02/24/2024

Type of Action: Hydraulic Fracturing

Time Sundry Submitted: 06:50

Actual Procedure: RUPU 02/24/24, RIH & clean out to PBTD @ 21412'M/11357', pressure test casing to 6080# for 30 min, good test. RIH & perf @ 11377'-21331'. Total 1188 holes. Frac in 36 stages w/ 324153BBL Produced Water + 41338BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24968209# sand, RD frac 03/21/24. RD CT and well ready to produce 04/08/24. OXY USA Inc. requests a tubing exception while continuing to flow back this well. The estimated date of tubing install is 06/15/2024.

Received by OCD: 7/11/2024 3:38:41 PM

Page 7 of 16

Well Name: GOLD LOG 4_9 FEDERAL COM	Well Location: T22S / R32E / SEC 4 / NWNW / 32.426825 / -103.68413	County or Parish/State: LEA / NM
Well Number: 71H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM86710	Unit or CA Name:	Unit or CA Number:
US Well Number: 300255222400X1	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LESLIE REEVES	Signed on: APR 15, 2024 06:50 PM
Name: OXY USA INCORPORATED	
Title: Advisor Regulatory	
Street Address: 5 GREENWAY PLAZA, SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 497-2492	
Email address: LESLIE_REEVES@OXY.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 04/16/2024
Signature: Jonathon Shepard	

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	11. Country or Parish, State

SUBMIT IN TRIPLICATE - Other instructions on page 2	
1. Type of Well	
☐ Oil Well ☐ Gas Well ☐ Other	
2. Name of Operator	
3a. Address	3b. Phone No. (include area code)
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)	

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWNW / 399 FNL / 1286 FWL / TWSP: 22S / RANGE: 32E / SECTION: 4 / LAT: 32.426825 / LONG: -103.68413 (TVD: 0 feet, MD: 0 feet)
PPP: NWNW / 100 FNL / 330 FWL / TWSP: 22S / RANGE: 32E / SECTION: 4 / LAT: 32.427636 / LONG: -103.68723 (TVD: 11347 feet, MD: 11799 feet)
PPP: SWNW / 1308 FNL / 330 FWL / TWSP: 22S / RANGE: 32E / SECTION: 4 / LAT: 32.424315 / LONG: -103.687222 (TVD: 11359 feet, MD: 13008 feet)
PPP: NWSW / 2628 FNL / 329 FWL / TWSP: 22S / RANGE: 32E / SECTION: 4 / LAT: 32.420687 / LONG: -103.687215 (TVD: 11371 feet, MD: 14328 feet)
PPP: NWNW / 2 FNL / 328 FWL / TWSP: 22S / RANGE: 32E / SECTION: 9 / LAT: 32.413431 / LONG: -103.6872 (TVD: 11396 feet, MD: 16968 feet)
PPP: SWNW / 1319 FNL / 328 FWL / TWSP: 22S / RANGE: 32E / SECTION: 9 / LAT: 32.4098 / LONG: -103.687193 (TVD: 11409 feet, MD: 18288 feet)
PPP: NWSW / 2640 FNL / 329 FWL / TWSP: 22S / RANGE: 32E / SECTION: 9 / LAT: 32.40617 / LONG: -103.687186 (TVD: 11422 feet, MD: 19609 feet)
BHL: SWSW / 20 FSL / 330 FWL / TWSP: 22S / RANGE: 32E / SECTION: 9 / LAT: 32.398963 / LONG: -103.687171 (TVD: 11447 feet, MD: 22232 feet)

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name GOLD LOG 4-9 FEDERAL COM		6. Well Number: 71H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator: OXY USA INC.						9. OGRID: 16696				
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710						11. Pool name or Wildcat BILBREY BASIN; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	4	22S	32E	4	399	NORTH	1286	WEST	LEA
BH:	M	9	22S	32E		44	SOUTH	354	WEST	LEA
13. Date Spudded 11/27/2023		14. Date T.D. Reached 01/26/2024		15. Date Rig Released 01/28/2024		16. Date Completed (Ready to Produce) 04/08/2024		17. Elevations (DF and RKB, RT, GR, etc.) 3797' GL		
18. Total Measured Depth of Well 21455'M 11357'V				19. Plug Back Measured Depth 21412'M 11357'V		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11377-21331' 2 nd BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		1034'		17.5"		1285sx-surf circ		
7.625" HCL-80		26.4		10691'		12.25" x 9.875"		4011sx-surf circ		
5.5" P110		20		21435'		6.75"		638sx-TOC@7330'		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2-3/8"	11332'			
26. Perforation record (interval, size, and number) Perf @ 11377-21331' Total 1188 holes, Hole Size=0.42						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11377-21331'		324153BBL Produced Water + 41338BBL Brackish Water (> 1,000 mg/l TDS and 10,000 mg/l TDS) w/ 24968209# sand		
28. PRODUCTION										
Date First Production 04/14/2024		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift				Well Status (Prod. or Shut-in) Prod.				
Date of Test 04/21/2024	Hours Tested 24 hrs.	Choke Size 50	Prod'n For Test Period	Oil - Bbl 1182	Gas - MCF 1474	Water - Bbl. 3962	Gas - Oil Ratio 1247			
Flow Tubing Press.	Casing Pressure 722	Calculated 24- Hour Rate	Oil - Bbl. 1182	Gas - MCF 1474	Water - Bbl. 3962	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD, C-104, As-Drilled C-102, Final Directional Survey, Completion Sundry										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Printed										
Signature: <i>Jana Mendiola</i>		Name: <u>Jana Mendiola</u>			Title: <u>Regulatory Advisor</u>			Date: <u>07/11/2024</u>		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 971'	T. Bell Canyon 4875'	T. Ojo Alamo	T. Penn A"
T. Salado 1080'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 3229'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4802'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5763'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 7006'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Spring 8747'	T. Todilto	
T. Abo	T. 1st Bone Spring 9802'	T. Entrada	
T. Wolfcamp	T. 2nd Bone Spring 10435'	T. Wingate	
T. Penn	T. 3 rd Bone Spring	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
GOLD LOG 4-9 FEDERAL COM 71H
API No. 30-025-52224



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 363498

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 363498
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 363498

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 363498
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	9/27/2024