

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Kaiser-Francis Oil Company P.O. Box 21468, Tulsa, OK 74121-1468		² OGRID Number 12361
		³ Reason for Filing Code; Effective Date New Well; 2/14/23
⁴ API Number 30-025-47730	⁵ Pool Name Bell Lake; Bone Spring, South	⁶ Pool Code 98264
⁷ Property Code 316706	⁸ Property Name Bell Lake Unit South	⁹ Well Number 225H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
6	6	24S	34E		2,110	South	250	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	31	23S	33E		93	North	767	West	Lea
¹² Lse Code S	¹³ Producing Method Code F	¹⁴ Gas Connection Date 2/7/23	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
	Markwest Tornado GP, LLC	G
	1515 Araphoe St., Suite 1600 Denver, CO 80202	
	Plains Pipeline LP	O
	333 Clay St., #1600 Houston, TX 77002	

IV. Well Completion Data

²¹ Spud Date 7/16/2021	²² Ready Date 1/26/23	²³ TD 18,720’ MD/ 10,652’ TVD	²⁴ PBDT 18,571’ MD/ 10,662’ TVD	²⁵ Perforations 11,044’-18,538’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement	
17 ½”		13 ¾”	1,347’	1,060	
12 ¼”		9 ⅝”	5,003’	1,360	
8 ½”		5 ½”	18,700’	2,450	

V. Well Test Data

³¹ Date New Oil 2/15/23	³² Gas Delivery Date 2/14/23	³³ Test Date 2/15/23	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2,700
³⁷ Choke Size 18/64”	³⁸ Oil 469	³⁹ Water 1,438	⁴⁰ Gas 1,107		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Christina Opfer			OIL CONSERVATION DIVISION Approved by: PATRICIA MARTINEZ		
Printed name: Christina Opfer			Title: PETROLEUM SPECIALIST		
Title: Regulatory Manager			Approval Date: 10/24/2024		
E-mail Address: ChristinaO@kfoc.net					
Date: 3/22/2023	Phone: 918-491-4468				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-47730	² Pool Code 98264	³ Pool Name Bell Lake; Bone Spring, South
⁴ Property Code 316706	⁵ Property Name BELL LAKE UNIT SOUTH	⁶ Well Number 225H
⁷ OGRID No. 12361	⁸ Operator Name KAISER-FRANCIS OIL COMPANY	⁹ Elevation 3622.6

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
6	6	24 S	34 E		2110	SOUTH	250	WEST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	31	23 S	33 E		93	NORTH	767	WEST	LEA
¹² Dedicated Acres 480	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-14600						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Christina Opfer 3/27/23 Signature Date Christina Opfer Printed Name ChristinaO@kfoc.net E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MARCH 23, 2023 Date of Survey NEW MEXICO PROFESSIONAL SURVEYOR 12797 Signature and Seal of Professional Surveyor: Certificate Number: 12797 SURV. NO. 8427
--	--

Intent ☐ As Drilled ☒

API # 30-025-47730		
Operator Name: KAISER-FRANCIS OIL COMPANY	Property Name: BELL LAKE UNIT SOUTH	Well Number 225H

Kick Off Point (KOP)

UL 6	Section 6	Township 24S	Range 34E	Lot	Feet 2351	From N/S SOUTH	Feet 818	From E/W WEST	County LEA
Latitude 32.2457991					Longitude 103.5148779			NAD 83	

First Take Point (FTP)

UL 5	Section 6	Township 24S	Range 34E	Lot	Feet 2455	From N/S NORTH	Feet 777	From E/W WEST	County LEA
Latitude 32.2470935					Longitude 103.5150117			NAD 83	

Last Take Point (LTP)

UL 1	Section 31	Township 23S	Range 34E	Lot	Feet 274	From N/S NORTH	Feet 777	From E/W WEST	County LEA
Latitude 32.2676096					Longitude 103.5150105			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

REPORT METADATA:

Presented by SB Directional Services

System: COMPASS 5000.16

Created: 2022-09-01 @ 03:39:20 PM

WELL REFERENCE INFORMATION:

Customer: KAISER FRANCIS OIL CO.

Project: LEA COUNTY, N.M. 27

Site: SEC 6-T24S-R34E

Well: BELL LAKE UNIT S. 225H

Wellbore: HORIZONTAL

Design: HORIZONTAL

ELEVATIONS:

System: Mean Sea Level

Ground: 3622.6 (ft)

Rig: 3646.1 (ft)

GEODETICS:

System: US State Plane 1927 (Exact solution)

Datum: NAD 1927 (NADCON CONUS) (Clarke 1866)

Map Zone: New Mexico East 3001

SURFACE LOCATION:

Northing: 453814.6 (ft)

Easting: 752623.7 (ft)

Latitude: 32.24501 (°)

Longitude: -103.516 (°)

MAGNETICS:

North Ref: Grid

Model: IGRF2020 (6/28/2021)

Declination: 6.52 (°)

Dip Angle: 59.93 (°)

Field Strength: 47506.66 (nT)

SURVEY PROGRAM:

H 150 - 18720 SURVEY #1 : MWD

WELLPATH:

MD (ft)	Incl. (°)	Azim. (°)	Sub-Sea (ft)	TVD (ft)	Local N (ft)	Local E (ft)	Global N (ft)	Global E (ft)
	0	0	0	-3646.1	0	0	0 453814.6	752623.7

150	0.4	44.22	-3496.1	150	0.38	0.37	453815	752624.1
237	0.44	50.2	-3409.1	237	0.81	0.83	453815.4	752624.5
337	0.13	248.66	-3309.1	337	1.01	1.02	453815.6	752624.7
432	0.18	51.78	-3214.1	432	1.06	1.04	453815.7	752624.7
527	0.35	51.26	-3119.11	526.99	1.34	1.38	453815.9	752625.1
621	0.57	61.98	-3025.11	620.99	1.74	2.02	453816.3	752625.7
716	0.53	74.02	-2930.11	715.99	2.08	2.86	453816.7	752626.6
811	0.53	55.83	-2835.12	810.98	2.45	3.65	453817.1	752627.4
905	0.79	59.25	-2741.12	904.98	3.02	4.56	453817.6	752628.3
1000	0.7	43.43	-2646.13	999.97	3.78	5.52	453818.4	752629.2
1094	0.66	42.47	-2552.14	1093.96	4.6	6.28	453819.2	752630
1189	0.53	36.93	-2457.14	1188.96	5.35	6.92	453820	752630.6
1284	0.4	34.82	-2362.15	1283.95	5.97	7.37	453820.6	752631.1
1293	0.48	31.13	-2353.15	1292.95	6.03	7.41	453820.6	752631.1
1365	0.53	105.75	-2281.15	1364.95	6.2	7.88	453820.8	752631.6
1460	0.62	41.06	-2186.15	1459.95	6.47	8.65	453821.1	752632.4
1554	0.7	41.76	-2092.16	1553.94	7.28	9.36	453821.9	752633.1
1649	0.75	29.02	-1997.17	1648.93	8.26	10.05	453822.9	752633.8
1744	0.66	355.45	-1902.17	1743.93	9.35	10.31	453824	752634
1839	0.75	346.3	-1807.18	1838.92	10.5	10.12	453825.1	752633.8
1934	0.75	36.31	-1712.19	1933.91	11.6	10.34	453826.2	752634
2028	0.22	8.72	-1618.19	2027.91	12.28	10.73	453826.9	752634.4
2123	0.35	255.69	-1523.19	2122.91	12.38	10.48	453827	752634.2
2218	0.57	250.59	-1428.19	2217.91	12.15	9.75	453826.8	752633.5
2313	1.01	263.42	-1333.2	2312.9	11.9	8.47	453826.5	752632.2
2408	1.05	279.07	-1238.22	2407.88	11.94	6.78	453826.5	752630.5
2503	0.79	264.74	-1143.23	2502.87	12.02	5.27	453826.6	752629
2598	1.01	256.74	-1048.24	2597.86	11.77	3.8	453826.4	752627.5
2692	0.97	280.21	-954.26	2691.84	11.72	2.21	453826.3	752625.9
2787	0.7	277.57	-859.27	2786.83	11.94	0.85	453826.5	752624.6
2882	0.97	248.13	-764.28	2881.82	11.72	-0.48	453826.3	752623.2
2977	0.84	249.27	-669.29	2976.81	11.17	-1.87	453825.8	752621.8
3072	0.75	258.94	-574.3	3071.8	10.8	-3.13	453825.4	752620.6
3167	0.7	308.42	-479.3	3166.8	11.04	-4.2	453825.6	752619.5
3261	0.7	272.56	-385.31	3260.79	11.43	-5.22	453826	752618.5
3356	0.31	304.64	-290.31	3355.79	11.6	-6.01	453826.2	752617.7
3451	0.57	333.38	-195.32	3450.78	12.17	-6.44	453826.8	752617.3
3546	0.48	347.18	-100.32	3545.78	12.98	-6.74	453827.6	752617
3641	1.01	190.91	-5.33	3640.77	12.54	-6.98	453827.1	752616.7
3736	1.05	185.9	89.66	3735.76	10.86	-7.23	453825.5	752616.5
3831	0.97	210.07	184.65	3830.75	9.29	-7.72	453823.9	752616
3926	0.66	206.56	279.64	3925.74	8.11	-8.37	453822.7	752615.3
4020	0.66	216.23	373.63	4019.73	7.19	-8.93	453821.8	752614.8
4115	0.66	209.46	468.62	4114.72	6.27	-9.53	453820.9	752614.2

4210	0.79	177.99	563.62	4209.72	5.14	-9.77	453819.7	752613.9
4305	0.75	153.3	658.61	4304.71	3.93	-9.47	453818.5	752614.2
4400	1.32	156.99	753.59	4399.69	2.37	-8.76	453817	752614.9
4495	1.76	130.09	848.56	4494.66	0.42	-7.22	453815	752616.5
4590	2.29	106.54	943.5	4589.6	-1.06	-4.28	453813.5	752619.4
4684	2.99	115.33	1037.4	4683.5	-2.64	-0.27	453812	752623.4
4779	3.65	115.59	1132.24	4778.34	-5.01	4.7	453809.6	752628.4
4874	4.04	119.28	1227.03	4873.13	-7.95	10.35	453806.7	752634.1
4951	4.09	117.7	1303.83	4949.93	-10.56	15.14	453804	752638.8
5069	3.12	125.52	1421.6	5067.7	-14.38	21.48	453800.2	752645.2
5164	2.77	110.41	1516.47	5162.57	-16.68	25.74	453797.9	752649.4
5258	3.82	84.39	1610.32	5256.42	-17.17	30.98	453797.4	752654.7
5353	5.54	77.27	1705	5351.1	-15.85	38.61	453798.8	752662.3
5448	6.9	82.11	1799.44	5445.54	-14.05	48.73	453800.6	752672.4
5543	8.62	78.33	1893.57	5539.67	-11.83	61.36	453802.8	752685.1
5638	8.53	75.6	1987.51	5633.61	-8.64	75.15	453806	752698.9
5733	9.41	75.43	2081.35	5727.45	-4.93	89.5	453809.7	752713.2
5828	9.8	74.55	2175.01	5821.11	-0.82	104.8	453813.8	752728.5
5923	9.89	73.67	2268.61	5914.71	3.62	120.43	453818.2	752744.1
6017	9.1	72.09	2361.33	6007.43	8.18	135.25	453822.8	752759
6112	8.35	72	2455.23	6101.33	12.62	148.96	453827.2	752772.7
6207	8.09	72.35	2549.25	6195.35	16.78	161.89	453831.4	752785.6
6302	7.56	71.91	2643.36	6289.46	20.75	174.2	453835.4	752797.9
6397	8.66	63.56	2737.42	6383.52	25.87	186.54	453840.5	752810.2
6492	8.84	62.59	2831.31	6477.41	32.42	199.43	453847	752823.1
6587	8.75	62.68	2925.19	6571.29	39.1	212.33	453853.7	752836
6682	8.31	61.63	3019.14	6665.24	45.67	224.79	453860.3	752848.5
6777	7.74	61.36	3113.21	6759.31	52	236.44	453866.6	752860.1
6871	7.47	61.1	3206.39	6852.49	57.99	247.35	453872.6	752871.1
6966	8.79	65.67	3300.43	6946.53	63.96	259.37	453878.6	752883.1
7061	8.66	67.6	3394.33	7040.43	69.68	272.59	453884.3	752896.3
7156	8.31	68.31	3488.29	7134.39	74.94	285.59	453889.5	752909.3
7251	8.13	71.03	3582.31	7228.41	79.66	298.32	453894.3	752922
7346	9.32	68.83	3676.21	7322.31	84.63	311.84	453899.2	752935.5
7441	9.27	69.19	3769.97	7416.07	90.12	326.17	453904.7	752949.9
7535	7.87	68.13	3862.91	7509.01	95.21	339.22	453909.8	752962.9
7630	7.3	67.52	3957.08	7603.18	99.94	350.83	453914.5	752974.5
7725	6.86	69.45	4051.36	7697.46	104.24	361.72	453918.8	752985.4
7820	7.12	70.33	4145.65	7791.75	108.21	372.58	453922.8	752996.3
7915	8.04	69.54	4239.82	7885.92	112.52	384.35	453927.1	753008.1
8009	6.77	68.83	4333.04	7979.14	116.82	395.67	453931.4	753019.4
8104	6.77	66.37	4427.37	8073.47	121.08	406.03	453935.7	753029.7
8199	7.82	66.55	4521.6	8167.7	125.9	417.08	453940.5	753040.8
8294	7.3	64.09	4615.78	8261.88	131.11	428.44	453945.7	753052.1

8389	7.47	63.91	4709.99	8356.09	136.46	439.42	453951.1	753063.1
8484	7.52	61.28	4804.18	8450.28	142.16	450.42	453956.8	753074.1
8579	7.03	59.17	4898.41	8544.51	148.13	460.86	453962.7	753084.6
8673	6.59	55.21	4991.75	8637.85	154.16	470.23	453968.8	753093.9
8768	5.93	53.89	5086.18	8732.28	160.16	478.67	453974.8	753102.4
8863	5.71	50.11	5180.69	8826.79	166.08	486.26	453980.7	753110
8958	5.32	43.08	5275.25	8921.35	172.33	492.9	453986.9	753116.6
9052	5.05	37.98	5368.87	9014.97	178.77	498.42	453993.4	753122.1
9147	5.36	33.94	5463.48	9109.58	185.75	503.47	454000.4	753127.2
9242	6.68	50.03	5557.96	9204.06	192.98	510.18	454007.6	753133.9
9337	7.08	49.02	5652.28	9298.38	200.37	518.84	454015	753142.5
9432	5.93	41.24	5746.66	9392.76	207.9	526.49	454022.5	753150.2
9526	4.18	42.64	5840.29	9486.39	214.07	532.01	454028.7	753155.7
9621	4.7	39.74	5935.01	9581.11	219.61	536.85	454034.2	753160.6
9716	3.16	36.05	6029.78	9675.88	224.72	540.88	454039.3	753164.6
9811	2.99	30.34	6124.65	9770.75	228.98	543.67	454043.6	753167.4
9905	2.95	32.54	6218.52	9864.62	233.13	546.21	454047.7	753169.9
10000	3.38	63.74	6313.38	9959.48	236.43	550.03	454051	753173.7
10095	3.52	56.79	6408.21	10054.31	239.27	554.99	454053.9	753178.7
10190	3.34	63.74	6503.04	10149.14	242.09	559.91	454056.7	753183.6
10285	3.69	73.05	6597.86	10243.96	244.21	565.31	454058.8	753189
10380	11.52	10.47	6692.06	10338.16	254.45	569.97	454069.1	753193.7
10475	23.08	6.61	6782.61	10428.71	282.38	573.86	454097	753197.6
10569	31.6	1.51	6866.05	10512.15	325.38	576.63	454140	753200.3
10664	41.71	358.26	6942.17	10588.27	382	576.33	454196.6	753200
10759	52.35	352.63	7006.86	10652.96	451.12	570.52	454265.7	753194.2
10854	69.36	351.84	7052.96	10699.06	533.02	559.31	454347.6	753183
10949	86.77	347.97	7072.53	10718.63	624.14	542.98	454438.7	753166.7
11044	93.32	345.34	7072.46	10718.56	716.52	521.07	454531.1	753144.8
11139	94.33	348.33	7066.12	10712.22	808.8	499.48	454623.4	753123.2
11233	94.02	349.38	7059.28	10705.38	900.78	481.36	454715.4	753105.1
11328	93.23	349.38	7053.27	10699.37	993.97	463.89	454808.6	753087.6
11423	94.95	351.84	7046.49	10692.59	1087.45	448.43	454902.1	753072.1
11518	91.6	352.9	7041.07	10687.17	1181.44	435.84	454996	753059.5
11613	88.4	357.91	7041.07	10687.17	1276.09	428.23	455090.7	753051.9
11708	88.79	1.51	7043.4	10689.5	1371.04	427.75	455185.6	753051.5
11803	88.35	3.97	7045.77	10691.87	1465.9	432.29	455280.5	753056
11897	91.3	5.9	7046.06	10692.16	1559.53	440.37	455374.1	753064.1
11992	93.76	6.34	7041.86	10687.96	1653.89	450.49	455468.5	753074.2
12087	93.89	7.57	7035.53	10681.63	1747.98	461.97	455562.6	753085.7
12182	95.12	8.63	7028.06	10674.16	1841.74	475.31	455656.3	753099
12277	94.33	9.95	7020.24	10666.34	1935.17	490.6	455749.8	753114.3
12372	92.13	10.3	7014.89	10660.99	2028.54	507.27	455843.1	753131
12467	91.87	10.56	7011.57	10657.67	2121.91	524.46	455936.5	753148.2

12595	95.3	9.95	7003.57	10649.67	2247.6	547.2	456062.2	753170.9
12690	95.25	6.96	6994.83	10640.93	2341.16	561.1	456155.8	753184.8
12785	94.81	4.23	6986.5	10632.6	2435.34	570.33	456249.9	753194
12880	92.66	2.48	6980.31	10626.41	2529.96	575.88	456344.6	753199.6
12975	92.13	359.49	6976.34	10622.44	2624.85	577.51	456439.5	753201.2
13070	93.41	358.96	6971.75	10617.85	2719.73	576.22	456534.3	753199.9
13165	91.03	359.22	6968.07	10614.17	2814.64	574.72	456629.2	753198.4
13260	90.02	358.87	6967.2	10613.3	2909.62	573.13	456724.2	753196.8
13355	88.48	357.99	6968.44	10614.54	3004.58	570.53	456819.2	753194.2
13450	88.57	357.64	6970.89	10616.99	3099.47	566.91	456914.1	753190.6
13501.6	88.6	356.92	6972.16	10618.26	3151	564.46	456965.6	753188.2
13544	88.62	356.32	6973.19	10619.29	3193.31	561.96	457007.9	753185.7
13640	89.05	355.88	6975.15	10621.25	3289.07	555.43	457103.7	753179.1
13735	88.92	357.47	6976.83	10622.93	3383.89	549.92	457198.5	753173.6
13829	88.79	359.31	6978.71	10624.81	3477.83	547.28	457292.4	753171
13924	88.44	359.14	6981	10627.1	3572.8	546	457387.4	753169.7
14019	87.16	359.14	6984.65	10630.75	3667.71	544.57	457482.3	753168.3
14114	88.35	358.43	6988.37	10634.47	3762.62	542.56	457577.2	753166.3
14209	85.89	358.87	6993.14	10639.24	3857.46	540.32	457672.1	753164
14304	85.85	358.17	6999.99	10646.09	3952.18	537.88	457766.8	753161.6
14399	87.78	357.91	7005.26	10651.36	4046.98	534.63	457861.6	753158.3
14494	88.44	356.15	7008.4	10654.5	4141.79	529.71	457956.4	753153.4
14588	89.1	358.52	7010.42	10656.52	4235.66	525.34	458050.3	753149
14683	87.65	359.75	7013.11	10659.21	4330.61	523.91	458145.2	753147.6
14778	88.48	0.19	7016.32	10662.42	4425.56	523.86	458240.2	753147.6
14873	85.98	0.81	7020.91	10667.01	4520.43	524.69	458335	753148.4
14968	85.89	0.37	7027.64	10673.74	4615.19	525.66	458429.8	753149.4
15063	86.64	359.84	7033.83	10679.93	4709.99	525.84	458524.6	753149.5
15158	88.13	358.87	7038.17	10684.27	4804.88	524.77	458619.5	753148.5
15253	84.84	359.49	7043.99	10690.09	4899.67	523.41	458714.3	753147.1
15347	85.58	359.49	7051.84	10697.94	4993.34	522.58	458807.9	753146.3
15442	87.03	359.58	7057.96	10704.06	5088.14	521.81	458902.7	753145.5
15537	88.53	359.4	7061.64	10707.74	5183.06	520.96	458997.7	753144.7
15632	89.89	358.87	7062.95	10709.05	5278.04	519.53	459092.6	753143.2
15727	89.98	357.55	7063.06	10709.16	5372.99	516.56	459187.6	753140.3
15822	90.29	356.5	7062.83	10708.93	5467.86	511.63	459282.5	753135.3
15917	91.6	355.18	7061.27	10707.37	5562.59	504.74	459377.2	753128.4
16011	89.93	356.32	7060.01	10706.11	5656.32	497.77	459470.9	753121.5
16106	89.19	357.47	7060.74	10706.84	5751.18	492.63	459565.8	753116.3
16201	90.2	358.7	7061.25	10707.35	5846.12	489.45	459660.7	753113.2
16296	90.37	359.31	7060.78	10706.88	5941.1	487.8	459755.7	753111.5
16391	89.49	0.98	7060.89	10706.99	6036.1	488.05	459850.7	753111.8
16485	89.63	0.19	7061.61	10707.71	6130.09	489	459944.7	753112.7
16580	90.95	359.31	7061.13	10707.23	6225.09	488.59	460039.7	753112.3

16675	92.35	358.35	7058.4	10704.5	6320.02	486.65	460134.6	753110.4
16770	91.96	358.79	7054.82	10700.92	6414.93	484.28	460229.5	753108
16865	91.16	358.26	7052.24	10698.34	6509.86	481.84	460324.5	753105.5
16960	92.26	359.4	7049.4	10695.5	6604.79	479.9	460419.4	753103.6
17054	92.44	358.96	7045.55	10691.65	6698.7	478.55	460513.3	753102.3
17149	92.97	359.75	7041.07	10687.17	6793.59	477.49	460608.2	753101.2
17244	92.18	1.33	7036.8	10682.9	6888.49	478.38	460703.1	753102.1
17339	91.96	1.07	7033.37	10679.47	6983.4	480.37	460798	753104.1
17434	93.14	0.28	7029.14	10675.24	7078.3	481.49	460892.9	753105.2
17528	90.77	359.58	7025.93	10672.03	7172.24	481.37	460986.8	753105.1
17623	90.99	359.4	7024.47	10670.57	7267.22	480.53	461081.8	753104.2
17718	90.2	1.6	7023.49	10669.59	7362.21	481.36	461176.8	753105.1
17813	91.03	0.72	7022.47	10668.57	7457.18	483.28	461271.8	753107
17907	89.85	359.31	7021.75	10667.85	7551.17	483.3	461365.8	753107
18002	90.07	358.79	7021.81	10667.91	7646.16	481.73	461460.8	753105.4
18097	91.82	358.08	7020.24	10666.34	7741.11	479.13	461555.7	753102.8
18192	90.2	358.26	7018.57	10664.67	7836.04	476.1	461650.6	753099.8
18287	88.26	358.7	7019.85	10665.95	7931	473.58	461745.6	753097.3
18382	89.93	358.35	7021.35	10667.45	8025.95	471.14	461840.6	753094.8
18477	91.87	357.55	7019.86	10665.96	8120.87	467.74	461935.5	753091.4
18572	92.7	356.41	7016.07	10662.17	8215.66	462.74	462030.3	753086.4
18661	94.29	356.24	7010.64	10656.74	8304.31	457.05	462118.9	753080.8
18720	94.29	356.24	7006.23	10652.33	8363.02	453.19	462177.6	753076.9

All data are in feet unless otherwise stated. Directions and coordinates are relative to Grid North.
Vertical depths are relative to GE+23.5. Northings and Eastings are relative to Well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from Slot and calculated along an Azimuth of 0.000° (Grid).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East
Central meridian is -104.333°.

Grid Convergence at Surface is 0.436°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 18720.00ft.,
the Bottom Hole Displacement is 8375.29ft., in the Direction of 0.000° (Grid).

Latitude (°)	Longitude (°)	VS (ft)	DLS (°/100ft)	Tool (IPM)	Comment -----
32.24501	-103.516		0	0 UNDEFINED	

32.24501	-103.516	0.38	0.27 MWD (1)
32.24501	-103.516	0.81	0.07 MWD (1)
32.24501	-103.516	1.01	0.56 MWD (1)
32.24501	-103.516	1.06	0.32 MWD (1)
32.24501	-103.516	1.34	0.18 MWD (1)
32.24502	-103.516	1.74	0.25 MWD (1)
32.24502	-103.516	2.08	0.13 MWD (1)
32.24502	-103.516	2.45	0.18 MWD (1)
32.24502	-103.516	3.02	0.28 MWD (1)
32.24502	-103.516	3.78	0.24 MWD (1)
32.24502	-103.516	4.6	0.04 MWD (1)
32.24503	-103.516	5.35	0.15 MWD (1)
32.24503	-103.516	5.97	0.14 MWD (1)
32.24503	-103.516	6.03	0.94 MWD (1)
32.24503	-103.516	6.2	0.85 MWD (1)
32.24503	-103.516	6.47	0.65 MWD (1)
32.24503	-103.516	7.28	0.09 MWD (1)
32.24503	-103.516	8.26	0.18 MWD (1)
32.24504	-103.516	9.35	0.44 MWD (1)
32.24504	-103.516	10.5	0.15 MWD (1)
32.24504	-103.516	11.6	0.67 MWD (1)
32.24504	-103.516	12.28	0.6 MWD (1)
32.24505	-103.516	12.38	0.51 MWD (1)
32.24504	-103.516	12.15	0.24 MWD (1)
32.24504	-103.516	11.9	0.5 MWD (1)
32.24504	-103.516	11.94	0.3 MWD (1)
32.24504	-103.516	12.02	0.36 MWD (1)
32.24504	-103.516	11.77	0.27 MWD (1)
32.24504	-103.516	11.72	0.43 MWD (1)
32.24504	-103.516	11.94	0.29 MWD (1)
32.24504	-103.516	11.72	0.52 MWD (1)
32.24504	-103.516	11.17	0.14 MWD (1)
32.24504	-103.516	10.8	0.17 MWD (1)
32.24504	-103.516	11.04	0.64 MWD (1)
32.24504	-103.516	11.43	0.46 MWD (1)
32.24504	-103.516	11.6	0.49 MWD (1)
32.24504	-103.516	12.17	0.35 MWD (1)
32.24505	-103.516	12.98	0.16 MWD (1)
32.24505	-103.516	12.54	1.54 MWD (1)
32.24504	-103.516	10.86	0.1 MWD (1)
32.24504	-103.516	9.29	0.45 MWD (1)
32.24503	-103.516	8.11	0.33 MWD (1)
32.24503	-103.516	7.19	0.12 MWD (1)
32.24503	-103.516	6.27	0.08 MWD (1)

32.24503	-103.516	5.14	0.43 MWD (1)
32.24502	-103.516	3.93	0.35 MWD (1)
32.24502	-103.516	2.37	0.6 MWD (1)
32.24501	-103.516	0.42	0.88 MWD (1)
32.24501	-103.516	-1.06	1.03 MWD (1)
32.245	-103.516	-2.64	0.86 MWD (1)
32.245	-103.516	-5.01	0.69 MWD (1)
32.24499	-103.516	-7.95	0.49 MWD (1)
32.24498	-103.516	-10.56	0.16 MWD (1)
32.24497	-103.516	-14.38	0.92 MWD (1)
32.24496	-103.516	-16.68	0.89 MWD (1)
32.24496	-103.516	-17.17	1.92 MWD (1)
32.24497	-103.516	-15.85	1.91 MWD (1)
32.24497	-103.516	-14.05	1.53 MWD (1)
32.24498	-103.516	-11.83	1.89 MWD (1)
32.24499	-103.516	-8.64	0.44 MWD (1)
32.245	-103.516	-4.93	0.93 MWD (1)
32.24501	-103.516	-0.82	0.44 MWD (1)
32.24502	-103.516	3.62	0.18 MWD (1)
32.24503	-103.516	8.18	0.88 MWD (1)
32.24504	-103.516	12.62	0.79 MWD (1)
32.24505	-103.516	16.78	0.28 MWD (1)
32.24506	-103.516	20.75	0.56 MWD (1)
32.24508	-103.516	25.87	1.69 MWD (1)
32.2451	-103.516	32.42	0.24 MWD (1)
32.24511	-103.516	39.1	0.1 MWD (1)
32.24513	-103.516	45.67	0.49 MWD (1)
32.24515	-103.515	52	0.6 MWD (1)
32.24517	-103.515	57.99	0.29 MWD (1)
32.24518	-103.515	63.96	1.55 MWD (1)
32.2452	-103.515	69.68	0.34 MWD (1)
32.24521	-103.515	74.94	0.38 MWD (1)
32.24522	-103.515	79.66	0.45 MWD (1)
32.24524	-103.515	84.63	1.3 MWD (1)
32.24525	-103.515	90.12	0.08 MWD (1)
32.24527	-103.515	95.21	1.5 MWD (1)
32.24528	-103.515	99.94	0.61 MWD (1)
32.24529	-103.515	104.24	0.53 MWD (1)
32.2453	-103.515	108.21	0.3 MWD (1)
32.24531	-103.515	112.52	0.97 MWD (1)
32.24532	-103.515	116.82	1.35 MWD (1)
32.24534	-103.515	121.08	0.31 MWD (1)
32.24535	-103.515	125.9	1.11 MWD (1)
32.24536	-103.515	131.11	0.64 MWD (1)

32.24538	-103.515	136.46	0.18 MWD (1)
32.24539	-103.515	142.16	0.36 MWD (1)
32.24541	-103.515	148.13	0.59 MWD (1)
32.24543	-103.515	154.16	0.68 MWD (1)
32.24544	-103.515	160.16	0.71 MWD (1)
32.24546	-103.515	166.08	0.47 MWD (1)
32.24547	-103.515	172.33	0.82 MWD (1)
32.24549	-103.515	178.77	0.57 MWD (1)
32.24551	-103.515	185.75	0.51 MWD (1)
32.24553	-103.515	192.98	2.24 MWD (1)
32.24555	-103.515	200.37	0.44 MWD (1)
32.24557	-103.515	207.9	1.52 MWD (1)
32.24559	-103.515	214.07	1.87 MWD (1)
32.2456	-103.514	219.61	0.6 MWD (1)
32.24562	-103.514	224.72	1.64 MWD (1)
32.24563	-103.514	228.98	0.37 MWD (1)
32.24564	-103.514	233.13	0.13 MWD (1)
32.24565	-103.514	236.43	1.84 MWD (1)
32.24566	-103.514	239.27	0.46 MWD (1)
32.24566	-103.514	242.09	0.48 MWD (1)
32.24567	-103.514	244.21	0.7 MWD (1)
32.2457	-103.514	254.45	10.89 MWD (1)
32.24578	-103.514	282.38	12.22 MWD (1)
32.24589	-103.514	325.38	9.39 MWD (1)
32.24605	-103.514	382	10.83 MWD (1)
32.24624	-103.514	451.12	12 MWD (1)
32.24646	-103.514	533.02	17.92 MWD (1)
32.24672	-103.514	624.14	18.75 MWD (1)
32.24697	-103.515	716.52	7.43 MWD (1)
32.24722	-103.515	808.8	3.32 MWD (1)
32.24748	-103.515	900.78	1.16 MWD (1)
32.24773	-103.515	993.97	0.83 MWD (1)
32.24799	-103.515	1087.45	3.15 MWD (1)
32.24825	-103.515	1181.44	3.7 MWD (1)
32.24851	-103.515	1276.09	6.26 MWD (1)
32.24877	-103.515	1371.04	3.81 MWD (1)
32.24903	-103.515	1465.9	2.63 MWD (1)
32.24929	-103.515	1559.53	3.75 MWD (1)
32.24955	-103.515	1653.89	2.63 MWD (1)
32.24981	-103.515	1747.98	1.3 MWD (1)
32.25006	-103.515	1841.74	1.71 MWD (1)
32.25032	-103.515	1935.17	1.62 MWD (1)
32.25058	-103.515	2028.54	2.34 MWD (1)
32.25083	-103.514	2121.91	0.39 MWD (1)

32.25118	-103.514	2247.6	2.72 MWD (1)	
32.25143	-103.514	2341.16	3.13 MWD (1)	
32.25169	-103.514	2435.34	2.9 MWD (1)	
32.25195	-103.514	2529.96	2.92 MWD (1)	
32.25221	-103.514	2624.85	3.19 MWD (1)	
32.25247	-103.514	2719.73	1.46 MWD (1)	
32.25274	-103.514	2814.64	2.52 MWD (1)	
32.253	-103.514	2909.62	1.13 MWD (1)	
32.25326	-103.514	3004.58	1.87 MWD (1)	
32.25352	-103.514	3099.47	0.38 MWD (1)	
32.25366	-103.514	3151	1.4 MWD (1)	X SEC LINE: 13501.6' MD 10618.26' TVD
32.25378	-103.514	3193.31	1.4 MWD (1)	
32.25404	-103.514	3289.07	0.64 MWD (1)	
32.2543	-103.514	3383.89	1.68 MWD (1)	
32.25456	-103.514	3477.83	1.96 MWD (1)	
32.25482	-103.514	3572.8	0.41 MWD (1)	
32.25508	-103.514	3667.71	1.35 MWD (1)	
32.25534	-103.514	3762.62	1.46 MWD (1)	
32.2556	-103.514	3857.46	2.63 MWD (1)	
32.25586	-103.514	3952.18	0.74 MWD (1)	
32.25612	-103.514	4046.98	2.05 MWD (1)	
32.25638	-103.514	4141.79	1.98 MWD (1)	
32.25664	-103.514	4235.66	2.62 MWD (1)	
32.2569	-103.514	4330.61	2 MWD (1)	
32.25716	-103.514	4425.56	0.99 MWD (1)	
32.25743	-103.514	4520.43	2.71 MWD (1)	
32.25769	-103.514	4615.19	0.47 MWD (1)	
32.25795	-103.514	4709.99	0.97 MWD (1)	
32.25821	-103.514	4804.88	1.87 MWD (1)	
32.25847	-103.514	4899.67	3.52 MWD (1)	
32.25873	-103.514	4993.34	0.79 MWD (1)	
32.25899	-103.514	5088.14	1.53 MWD (1)	
32.25925	-103.514	5183.06	1.59 MWD (1)	
32.25951	-103.514	5278.04	1.54 MWD (1)	
32.25977	-103.514	5372.99	1.39 MWD (1)	
32.26003	-103.514	5467.86	1.15 MWD (1)	
32.26029	-103.514	5562.59	1.96 MWD (1)	
32.26055	-103.514	5656.32	2.15 MWD (1)	
32.26081	-103.515	5751.18	1.44 MWD (1)	
32.26107	-103.515	5846.12	1.68 MWD (1)	
32.26133	-103.515	5941.1	0.67 MWD (1)	
32.26159	-103.515	6036.1	1.99 MWD (1)	
32.26185	-103.515	6130.09	0.85 MWD (1)	
32.26211	-103.515	6225.09	1.67 MWD (1)	

32.26237	-103.515	6320.02	1.79 MWD (1)	
32.26263	-103.515	6414.93	0.62 MWD (1)	
32.26289	-103.515	6509.86	1.01 MWD (1)	
32.26316	-103.515	6604.79	1.67 MWD (1)	
32.26341	-103.515	6698.7	0.51 MWD (1)	
32.26367	-103.515	6793.59	1 MWD (1)	
32.26394	-103.515	6888.49	1.86 MWD (1)	
32.2642	-103.515	6983.4	0.36 MWD (1)	
32.26446	-103.515	7078.3	1.49 MWD (1)	
32.26472	-103.515	7172.24	2.63 MWD (1)	
32.26498	-103.515	7267.22	0.3 MWD (1)	
32.26524	-103.514	7362.21	2.46 MWD (1)	
32.2655	-103.514	7457.18	1.27 MWD (1)	
32.26576	-103.514	7551.17	1.96 MWD (1)	
32.26602	-103.514	7646.16	0.59 MWD (1)	
32.26628	-103.514	7741.11	1.99 MWD (1)	
32.26654	-103.515	7836.04	1.72 MWD (1)	
32.2668	-103.515	7931	2.09 MWD (1)	
32.26706	-103.515	8025.95	1.8 MWD (1)	
32.26732	-103.515	8120.87	2.21 MWD (1)	
32.26758	-103.515	8215.66	1.48 MWD (1)	
32.26783	-103.515	8304.31	1.8 MWD (1)	LS 18661.00' MD & 10656.74' TVD
32.26799	-103.515	8363.02	0 MWD (1)	PTB 18720.00' MD & 10652.33' TVD

ast 3001.

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		WELL API NO. 30-025-47730
2. Name of Operator Kaiser-Francis Oil Company		5. Indicate Type of Lease STATE ☒ FEE ☐
3. Address of Operator P.O. Box 21468, Tulsa, OK 74121		6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>6</u> : <u>2,110</u> feet from the <u>South</u> line and <u>250</u> feet from the <u>West</u> line Section <u>6</u> Township <u>24S</u> Range <u>34E</u> NMPM County <u>Lea</u>		7. Lease Name or Unit Agreement Name Bell Lake Unit South
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3622.6' GR		8. Well Number 225H
9. OGRID Number 12361		10. Pool name or Wildcat Bell Lake; Bone Spring, South

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒
--	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/22: Test csg to 9,900#. Test annulus to 1000#. Perf stage 1: 18,416'-18,538' w/ 3-1/8" guns. BD perfs @ 5,265#. Establish injection into perfs: 5 BPM @ 5,600# for 30 bbls. SI and isolate well. ISIP 5,386#, 5 min 3,550#, 10 min 3,481#, 15 min 3,454#

1/23: Stage-Frac lateral 11,044'-18,538' in 43 stages w/ 402,495 bbls fluid carrying 18,245,940# sd.

1/23: Drilled out all plugs w/ 4.625" roller cone bit. Cleaned out to 18,501'. SICP: 2,700#. TLTR: 414,854 bbls.

Spud Date: 7/16/2021 Rig Release Date: 7/27/2021

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: *Christina Opfer*
 Type or print name: Christina Opfer

TITLE: Regulatory Manager
 E-mail address: ChristinaO@kfoc.net

DATE: 3/6/2023
 PHONE: 918-491-4468

For State Use Only

APPROVED BY: _____ TITLE: _____ DATE: _____
 Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
		1. WELL API NO. 30-025-47730								
		2. Type of Lease ☒ STATE ☐ FEE ☐ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Bell Lake Unit South				
						6. Well Number: 225H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator Kaiser-Francis Oil Company						9. OGRID 12361				
10. Address of Operator P.O. Box 21468 Tulsa, OK 74121-1468						11. Pool name or Wildcat Bell Lake; Bone Spring, South				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	6	6	24S	34E		2,110	S	250	W	Lea
BH:	1	31	23S	33E		93	N	767	W	Lea
13. Date Spudded 7/16/21	14. Date T.D. Reached 7/25/21		15. Date Rig Released 7/27/21		16. Date Completed (Ready to Produce) 1/26/23			17. Elevations (DF and RKB, RT, GR, etc.) 3,622.6' GR		
18. Total Measured Depth of Well 18,720' MD			19. Plug Back Measured Depth 18,571' MD		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,044'-18,538'; Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8"		54.5#		1,347'		17 1/2"		1,060		
9 5/8"		40#		5,003'		12 1/4"		1,360		
5 1/2"		20#		18,700'		8 1/2"		2,450		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD					
none	-	-	-	-	SIZE		DEPTH SET		PACKER SET	
					none		-		-	
26. Perforation record (interval, size, and number) 11,044'-18,538', 0.41", 2064 holes					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					11,044'-18,538'		402,495 bbls fluid + 18,245,940# sd			
28. PRODUCTION										
Date First Production 2/14/23		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Prod				
Date of Test 2/15/23	Hours Tested 24	Choke Size 18/64"	Prod'n For Test Period	Oil - Bbl 469	Gas - MCF 1107	Water - Bbl. 1438	Gas - Oil Ratio 2358			
Flow Tubing Press.	Casing Pressure 2,700	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 45				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 As-Drilled w/HSU, C-103 Completion, Final Svy., WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date: 7/27/21		
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>Christina Opfer</u> Printed Name <u>Christina Opfer</u> Title <u>Regulatory Manager</u> Date <u>3/22/2023</u>										
E-mail Address <u>ChristinaO@kfoc.net</u>										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon_____	T. Ojo Alamo_____	T. Penn A"_____
T. Salt_____	T. Strawn_____	T. Kirtland _____	T. Penn. "B"_____
B. Salt_____	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite _____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand_____	T. Morrison_____	
T. Drinkard_____	T. Bone Springs_____	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_____	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR
ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
MD							
1,276			Rustler, sand				
1,591			Top Salt, salt				
4,895			Base Salt, salt				
5,198			Delaware, sand				
6,345			Cherry Canyon, sand				
7,513			Brushy Canyon, sand				
8,763			Avalon, sand				
9,789			Bone Spring 1 st , sand				
10,282			Bone Spring 2 nd , lime & sand				

11044	11162	11	044	11	162	11,044'-11,162' 44'-11,162' 20'-11,335' 95'-11,513' 72'-11,689' 47'-11,864' 22'-12,040' 98'-12,214'
11220	11335	11	220	11	335	11,220'-11,335'
11395	11513	11	395	11	513	11,395'-11,513'
11572	11689	11	572	11	689	11,572'-11,689'
11747	11864	11	747	11	864	11,747'-11,864'
11922	12040	11	922	12	040	11,922'-12,040'
12098	12214	12	098	12	214	12,098'-12,214'
12273	12391	12	273	12	391	12,273'-12,391'
12449	12567	12	449	12	567	12,449'-12,567'
12625	12742	12	625	12	742	12,625'-12,742'
12800	12918	12	800	12	918	12,800'-12,918'
12976	13096	12	976	13	096	12,976'-13,096'
13152	13269	13	152	13	269	13,152'-13,269'
13327	13445	13	327	13	445	13,327'-13,445'
13503	13620	13	503	13	620	13,503'-13,620'
13678	13796	13	678	13	796	13,678'-13,796'
13854	13982	13	854	13	982	13,854'-13,982'
14030	14147	14	030	14	147	14,030'-14,147'
14205	14323	14	205	14	323	14,205'-14,323'
14381	14499	14	381	14	499	14,381'-14,499'
14557	14674	14	557	14	674	14,557'-14,674'
14738	14850	14	738	14	850	14,738'-14,850'
14908	15025	14	908	15	025	14,908'-15,025'
15083	15201	15	083	15	201	15,083'-15,201'
15259	15381	15	259	15	381	15,259'-15,381'
15435	15552	15	435	15	552	15,435'-15,552'
15614	15728	15	614	15	728	15,614'-15,728'
15786	15904	15	786	15	904	15,786'-15,904'
15962	16079	15	962	16	079	15,962'-16,079'
16137	16255	16	137	16	255	16,137'-16,255'
16313	16430	16	313	16	430	16,313'-16,430'
16488	16606	16	488	16	606	16,488'-16,606'
16664	16782	16	664	16	782	16,664'-16,782'
16840	16957	16	840	16	957	16,840'-16,957'

17015	17136	17	015	17	136	17,015'-17,136'
17191	17309	17	191	17	309	17,191'-17,309'
17367	17484	17	367	17	484	17,367'-17,484'
17542	17660	17	542	17	660	17,542'-17,660'
17718	17835	17	718	17	835	17,718'-17,835'
17893	18011	17	893	18	011	17,893'-18,011'
18069	18187	18	069	18	187	18,069'-18,187'
18245	18362	18	245	18	362	18,245'-18,362'
18416	18538	18	416	18	538	18,416'-18,538'

73'-12,391'49"-12,567'25"-12,742'00"-12,918'76"-13,096'52"-13,269'27"-13,445'03"-13,620'78"-13,796'54"-13,982'30"-14,147'05"-14,323'81"-14,499'

57'-14,674'38"-14,850'08"-15,025'83"-15,201'59"-15,381'35"-15,552'14"-15,728'86"-15,904'62"-16,079'37"-16,255'13"-16,430'88"-16,606'64"-16,782'

40'-16,957'15"-17,136'91"-17,309'67"-17,484'42"-17,660'18"-17,835'93"-18,011'69"-18,187'45"-18,362'16"-18,538'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 200932

ACKNOWLEDGMENTS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 200932
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 200932

CONDITIONS

Operator: KAISER-FRANCIS OIL CO PO Box 21468 Tulsa, OK 741211468	OGRID: 12361
	Action Number: 200932
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	10/24/2024