APPROVED BY:

Conditions of Approval (if any):

TITLE____

DATE

Received by OCD: 10/23/2024 11:13:08 AM

Marathon Petroleum Corp for Chuza Oil Company NE Hogback Unit #34 30-045-09640

Note: All cement pumped is Class G mixed at 15.8 ppg, yield 1.15 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.

10/15/24 MIRU plugging equipment. POH w/ fifty-three 3/4" rods. Rods parted.

10/16/24 ND wellhead, NU BOP. Set 5 ½" CICR @ 1262'. Circulated hole 65 bbls H2O. Pressure tested csg to 600 psi. Pressure did not hold. Ran CBL from 1262' to surface. TOC @ 770'.

10/17/24 Spotted 23 sx class G cmt w/ 2% CACL @ 1262-1069'. WOC & tagged @ 1080'. Perf'd @ 150'. Established an injection rate @ 2.5 bpm @ 200 psi. RIH to 342'. Sqz'd 77 sx class G cmt from 342' & circulated to surface.

10/18/24 ND BOP. Moved in backhoe & welder. Cut off wellhead. Topped off cellar with 14 sx class G cmt. Installed an above ground DHM. Backfilled cellar, cleaned location, & moved off.

Received by OCD: 10/23/2024 11:13:08 AM

U.S. Department of the interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: NE HOGBACK UNIT

Well Location: T30N / R16W / SEC 10 /

SWSW / 36.82285 / -108.51942

County or Parish/State: SAN

JUAN / NM

Well Number: 34

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM077281

Unit or CA Name: NE HOGBACK UNIT

Unit or CA Number: NMNM78403A

US Well Number: 3004509640

Operator: CHUZA OIL CO

INCORPORATED

Subsequent Report

Sundry ID: 2818034

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 10/21/2024

Time Sundry Submitted: 12:57

Date Operation Actually Began: 10/14/2024

Actual Procedure: This well was previously operated by Chuza Oil Company, Marathon Petroleum Company LP, BP America, and BHP Petroleum/Woodside Energy have been identified by the BLM as previous record title owners and have taken responsibility for plugging and abandoning the well. JMR Services, LLC/A-Plug P&A LLC plugged this well from 10/14/2024-10/18/2024.

SR Attachments

Actual Procedure

Plugging_Record_Marathon_NE_Hogback_Unit__34_20241021125128.pdf

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 10/22/2024

Signature: Matthew Kade

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137 Expires: December 31, 2024

. Lea	se Serial I	NMNM077281	
101	17 A 11	Access of the Alberta	

BUKE	EAU OF LAND MAN	AGEMENT		NMNM077281	
Do not use this fe	- •	ORTS ON WELLS to drill or to re-enter an APD) for such proposals		6. If Indian, Allottee or Tribe Name	
SUBMITINT	RIPLICATE - Other instr	ructions on page 2		7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well				NMNM78403A	
Oil Well Gas W	/ell Other			8. Well Name and No. NE Hogback Unit #34	
2. Name of Operator Marathon Petrok	eum Corp for Chuza Oil (Company		9. API Well No. 30-045-09640	
3a. Address 539 S. Main St Findlay, OH 45840		3b. Phone No. (include area code	2)	10. Field and Pool or Exploratory Area Horseshoe Gallup	
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish, State	
530 FSL & 365 FWL Sec	10, T30N, R16W			San Juan County, NM	
12. CHE	CK THE APPROPRIATE E	BOX(ES) TO INDICATE NATURI	E OF NOTI	ICE, REPORT OR OTHER DATA	
TYPE OF SUBMISSION		TY	PE OF AC	TION	
Notice of Intent	Acidize Alter Casing	Deepen Hydraulic Fracturing	=	luction (Start/Resume) Water Shut-Off lamation Well Integrity	
✓ Subsequent Report	Casing Repair Change Plans	New Construction✓ Plug and Abandon		omplete Other porarily Abandon	
Final Abandonment Notice	Convert to Injection	n Plug Back	Wate	er Disposal	
the proposal is to deepen directional the Bond under which the work will completion of the involved operatio	lly or recomplete horizontal I be performed or provide the ns. If the operation results i	lly, give subsurface locations and n he Bond No. on file with BLM/BI/ in a multiple completion or recomp	neasured an A. Required letion in a	late of any proposed work and approximate duration thereof. and true vertical depths of all pertinent markers and zones. Atta d subsequent reports must be filed within 30 days following new interval, a Form 3160-4 must be filed once testing has be been completed and the operator has determined that the si	ach een
	JMR Services/A-I	Plus P&A LLC plugged this w	ell from 1	0/14/2024-10/18/2024.	

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			
244444	Title		
Signature	Date		
THE SPACE FOR FED	ERAL OR STATE	OFICE USE	
Approved by			
	Title		Date
Conditions of approval, if any, are attached. Approval of this notice does not warrar certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for a	ny person knowingly and	d willfully to make to any d	lepartment or agency of the United States

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


(Instructions on page 2)

Received by OCD: 10/23/2024 11:13:08 AM

Marathon			PLUGGED
Author:	Abby @ JMR		
Well Name	NE Hogback Unit	Well No.	#34
Field/Pool	Horeshoe Gallup	API#:	30-045-09640
County	San Juan	Location:	Sec 10, T30N, R16W
State	NM	_	530 FSL & 365 FWL
Spud Date	3/8/1960	GL:	5448
		_	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	95	12 1/4	80	0
Prod Csg	5 1/2		#14	1,467	7 7/8	80	770' CBL


Formation	Тор
Mancos	276
Gallup	1035



Marathon			CURRENT
Author:	Abby @ JMR		
Well Name	NE Hogback Unit	Well No.	#34
Field/Pool	Horeshoe Gallup	API#:	30-045-09640
County	San Juan	Location:	Sec 10, T30N, R16W
State	NM		530' FSL & 365' FWL
Spud Date	3/8/1960	GL:	5448
	•		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	95	12 1/4	80	0
Prod Csg	5 1/2		#14	1,467	7 7/8	80	

	Formation	Тор
ľ	Maricos	276
	Gallup	1035



Latitude

36.823007


Longitude

-108.519902



Accuracy: 16 ft

Last location age: 00:00



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 395101

CONDITIONS

Operator:	OGRID:
Western Refining Southwest LLC	267595
539 South Main Street	Action Number:
Findlay, OH 45840	395101
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	10/24/2024