

Submit a Copy To Appropriate District

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. <b>30-015-26031</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. <b>K-3271</b>
7. Lease Name or Unit Agreement Name <b>James A</b>
8. Well Number <b>#6</b>
9. OGRID Number <b>217817</b>
10. Pool name or Wildcat <b>Cabin Lake (Delaware)</b>

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator <b>ConocoPhillips Company</b>	
3. Address of Operator <b>913 N. Eldridge Parkway Houston, TX 77079</b>	
4. Well Location Unit Letter <b>I</b> : <b>1980</b> feet from the <b>S</b> line and <b>660</b> feet from the <b>E</b> line Section <b>2</b> Township <b>22S</b> Range <b>30E</b> NMPM County <b>Eddy</b>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3208' GR</b>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

JMR Services, LLC/ DBA: A-Plus P&A, LLC plugged this well from 09/12/2024-09/25/2024.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ruth Shockency TITLE Regulatory Coordinator DATE 10/8/2024

Type or print name Ruth Shockency E-mail address: ruth.shockency@conocophillips.com PHONE: 575-703-8321

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

**ConocoPhillips Company**  
**James A #6**  
**30-015-26031**

**Note: All cement pumped is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.**

**09/12/24** Moved plugging equipment to location.

**09/13/24** Rigged up. Bled off well. Dug out cellar.

**09/16/24** Bled well to pit. Began POH w/ rods, rods parted. TOF @ 2643'. ND well head, NU BOP. Unset TAC.

**09/17/24** Bled off well. POH w/ rods & pump. POH w/ 202 jts of 2 7/8" tbg & TAC. Set 5 1/2" CIBP @ 5629'.

**09/18/24** Tagged CIBP @ 5629'. Circ'd hole w/ 130 bbls 10# Salt gel mud. Pressure tested csg to 500 psi for 30 minutes. Spotted 25 sx class C cmt @ 5629-5382'.

**09/19/24** RU TWG 3<sup>rd</sup> Party Wireline. NU flange. Ran CBL from 5412' to surface. David Alvarado w/ NM OCD approved to spot 25 sx cmt for plug #2 and to combine plugs #3 and #4. RD wireline. Spotted 25 sx class C cmt @ 3559-3312'. Spotted 75 sx class C cmt @ 2404-1663'.


**09/20/24** Tagged plug @ 1654'. Perf'd @ 460'. Established an injection rate of 2 bpm @ 200 psi. NE BOP, NU 8 5/8" flange. Sqz'd 116 sx class C cmt @ 460' & circulated to surface. RDMO.

**09/25/24** Moved in backhoe & welder. Dug out cellar. Cut off wellhead. Verified cmt at surface. Welded on above ground DHM. Dug up anchors, backfilled cellar, cleaned location, & moved off.

<b>ConcoPhillips Company</b>		<b>PLUGGED</b>	
Author:	Abby @ JMR	Well No.	6
Well Name	James A	API #:	30-015-26031
Field/Pool	Cabin Lake. (Del)	Location:	Sec 2, T22S, R30E,
County	Eddy		1980'FSL &660'FEL
State	NM	GL:	3208'
Spud Date	12/17/1988		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surf Csg	13.325	H-40	48	410	17 1/2	725	Surface
Interm Csg	8.625	K55	24	3,488	12 1/4	1,200	Surface
Prod Csg	5.5	K55	15.5	7,600	7 7/8	1,300	1,490

Formation	Top
Rustler	194 +/-
Salado	550 +/-
T/Salt	1852 +/-
B/Salt	2345 +/-
Bell Cyn	3690 +/-
Cherry Cyn	4432 +/-
Brushy Cyn	5780 +/-



Plug #4: Perf'd @ 460'. Sqz'd 116 sx class C cmt @ 460' & circulated to surface.

13.325 48 CSG @ 410

TOC ~ 1,490'

Plug #3: Spotted 75 sx class C cmt @ 2404-1663'. WOC & tagged plug @ 1654'.

8.625 24 Csg @ 3,488

Plug #2: Spotted 25 sx class C cmt @ 3559-3312'.

Plug #1: Set 5 1/2" CIBP @ 5629'. Circ'd hole w/ 130 bbls 10# Salt gel mud. Pressure tested csg to 500 psi for 30 minutes. Spotted 25 sx class C cmt @ 5629-5382'.

Perfs @ 5,679' to 5,689'

Perfs @ 5,694' to 5,712'

Perfs @ 6,100' to 6,120'

Perfs @ 6,420' to 6,436'

Perfs @ 7,264' to 7,330'

5.5 15.5 CSG @ 7,600

TDPB @ 7,557'  
TD @ 7,600'

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 391081

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 391081
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/25/2024