

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: GOLD LOG 4-*9 FEDERAL Well Location: T22S / R32E / SEC 4 /

COM

LOT 2 / 32.4268587 / -103.6763017

County or Parish/State: LEA /

NM

Well Number: 74H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM104687 Unit or CA Name: Unit or CA Number:

US Well Number: 3002552191 **Operator:** OXY USA INCORPORATED

Subsequent Report

Sundry ID: 2820067

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 10/30/2024 Time Sundry Submitted: 04:11

Date Operation Actually Began: 01/12/2024

Actual Procedure: FILING THIS AMENDED SUNDRY TO INCLUDE 7-5/8" CASING PRESSURE TEST INFO. THIS SUNDRY REPLACES SUNDRY ID# 2773868 SUBMITTED ON 03/12/24. 01/12/24 Skid to 74H, NU BOP, test @ 250# low 5,000# high. RIH & drill new formation to 1052', perform FIT test to EMW=20.5ppg, 558 psi, good test. Drill 9-7/8" hole to 10576, 01/15/24. RIH & set 7-5/8" 26.4# HCL-80 BTC csg @ 10561', pumped 80bbl mudpush spacer then lead cmt w/ 1154sx (532bbl) Class H w/ additives 12ppg 2.59 yield, followed by tail cmt w/ 534sx (128bbl) Class H w/ additives 13.2ppg 1.35 yield. Bradenhead squeeze 2nd stage tail cmt w/ 316sx (110bbls) Class C w/ additives 13.3ppg 1.95 yield, followed by lead w/ 2001sx (637bbls) Class C w/ additives 13.3ppg 1.79 yield, pumped cmt top out w/ 288sx(92bbls) Class C w/ additives 14.8ppg 1.35 yield, cmt @ surf, WOC. 01/17/24 Pressure test 7-5/8" casing to 4063# for 30 min, good test. 01/18/24 RIH and drilling 10' new formation to 10586', perform FIT test to EMW=13.2ppg, 1194psi, good test. 01/18/24 Drill 6-3/4" hole to 21395'M 11212'V, on 1/28/24. RIH & set 5-1/2" 20# P110 ICY Wedge 461 csg @ 21375'. Pump 81bbl mudpush spacer then tail cmt w/ 650sx (213bbl) Class H w/ additives @ 13.3ppg 1.87 yield, est. TOC @ 7804', WOC. Skid & Rel Rig 01/30/24.

County or Parish/State: LEA? Well Name: GOLD LOG 4-9 FEDERAL Well Location: T22S / R32E / SEC 4 /

COM

LOT 2 / 32.4268587 / -103.6763017

NM

Well Number: 74H Type of Well: OIL WELL **Allottee or Tribe Name:**

Unit or CA Number: Lease Number: NMNM104687 **Unit or CA Name:**

US Well Number: 3002552191 Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JANA MENDIOLA Signed on: OCT 30, 2024 04:04 PM

Name: OXY USA INCORPORATED

Title: Regulatory Advisor

Street Address: 1600 GEHRIG DR

City: MIDLAND State: TX

Phone: (432) 685-5936

Email address: Janalyn_mendiola@oxy.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 10/31/2024

Signature: Jonathon Shepard

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 399723

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	399723
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
keith.dziokonski	• Per APD conditions of approval, cement was to be circulated to surface on the intermediate casing string, the failure to follow a COA will result in review for potential compliance actions.	11/6/2024
keith.dziokonski	• Please submit pressure test for Production Casing on next Sundry, a CBL will also be required for approval to determine tie-back and zonal isolation.	11/6/2024