

Submit a Copy To Appropriate District

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. <b>30-015-37033</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>Myox 16 State Com</b>
8. Well Number <b>#7H</b>
9. OGRID Number <b>229137</b>
10. Pool name or Wildcat <b>San Lorenzo; Bone Spring</b>

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator <b>COG Operating, LLC</b>	
3. Address of Operator <b>2208 W. Main Street Artesia, NM 88210</b>	
4. Well Location Unit Letter <b>N</b> : <b>660</b> feet from the <b>S</b> line and <b>1650</b> feet from the <b>W</b> line Section <b>16</b> Township <b>25S</b> Range <b>28E</b> NMPM County <b>Eddy</b>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3000' GR</b>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b> PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		<b>SUBSEQUENT REPORT OF:</b> REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see page 2 for details

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jeanette Barron TITLE Regulatory Coordinator DATE 11.18.24

Type or print name Jeanette Barron E-mail address: jeanette.barron@conocophillips.com PHONE: 575-748-6974  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

**P&A Subsequent Report  
ConocoPhillips/COG Operating, LLC  
Myox 16 State Com #7H  
30-015-37033**

**10/28/24** MIRU plugging equipment.

**10/29/24** Checked pressures, 650 psi on tbg, 250 psi on csg. NU wellhead. Pumped 40 bbls 10# brine H2O down tbg & 40 bbls down csg. ND wellhead, NU BOP. POH w/ 204 jts 2 7/8" tbg & anchor. Set 5 1/2" CIBP @ 6509'. Loaded hole w/ 55 bbls H2O. Pressure tested csg, held 800 psi.

**10/30/24** Checked pressures, bled well to pit. Pumped 40 bbls H2O, pressured up to 1400 psi. Bled down well. Tagged CIBP @ 6509'. Circulated hole w/ 140 bbls 10# salt gel. RU TGW Wireline. Ran CBL from 6509' to surface.

**10/31/24** Checked pressures, 0 psi. Spotted 25 sx class H 15.6# 1.18 yield cmt @ 6509-6282'. Spotted 25 sx class H 15.6# 1.18 yield cmt @ 6210-5983'. WOC & tagged TOC @ 5973'. Spotted 25 sx class H 15.6# 1.18 yield cmt @ 5103-4849'. Spotted 25 sx class H 15.6# 1.18 yield cmt @ 3402-3148'.

**11/01/24** Checked pressures, 0 psi. Perf'd @ 2510'. Sqz'd 50 sx class C cmt @ 2510-2310'.

**11/04/24** Checked pressures, 0 psi. Tagged TOC @ 2218'. Spotted 25 sx class C cmt w/ 2% CACL @ 2205-1951'. WOC & tagged @ 1984'. Perf'd @ 540'. Established an injection rate of 1 bpm @ 1500 psi.


**11/05/24** Checked pressures. 200 psi on tbg. Bled off well. Sqz'd 50 sx class C cmt w/ 2% CACL @ 540' & displaced to 250'. WOC. Bled off tbg. Performed bubble test, tbg bubbling.

**11/06/24** Checked pressures, 50 psi on tbg. Bubble tested, no bubbles. Tagged TOC @ 242'. ND BOP. Spotted 25 sx class C cmt @ 242' & circulated to surface. RDMO.

**11/07/24** Moved in backhoe & welder. Dug out cellar & cut off wellhead. Verified cmt to surface. Installed an above ground DHM. Dug up anchors, backfilled cellar, cleaned location, & moved off.

COG Operating		PLUGGED	
Author:	Abby @ JMR	Well No.	7H
Well Name	Myox 16 State Com	API #:	30-015-37033
Field/Zone	San Lorenzo	Location	660' FSL & 1650' FWL
County	Eddy		Sec 16, T25S R28E
State	NM	GL/KB:	3000'
Spud Date	4/21/2009		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	13.325	H-40	48	370	17 1/2	400	Surf
Inter Csg	9.625	J55	36	2,377	12 1/4	670	Surf
Prod Csg	5.5	N-80	17	8,836	7 7/8	2,025	



Formation	Top
T sal	490
Bsalt	2240
Bell Canyon	2460
Cherry Cnyn	3336
Brushy Cnyn	5055
B Spring	6160

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 404747

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 404747
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	11/21/2024