

Submit 1 Copy To Appropriate District Office  
District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised July 18, 2013

|   |  |   |
|---|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)            |  | WELL API NO.<br><b>30-005-62637</b>   |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>  |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 2. Name of Operator<br><b>Endeavor Energy Resources, LP</b>   |  | 6. State Oil & Gas Lease No.<br><b>V-1229</b>   |
| 3. Address of Operator<br><b>110 North Marienfeld, Suite 200, Midland, TX 79701</b>   |  | 7. Lease Name or Unit Agreement Name<br><b>Ervin Ranch State</b>                                    |
| 4. Well Location<br>Unit Letter <b>G</b> : <b>1650</b> feet from the <b>S</b> line and <b>1650</b> feet from the <b>E</b> line<br>Section <b>5</b> Township <b>11S</b> Range <b>27E</b> NMPM County <b>Chaves</b> |  | 8. Well Number<br><b>#1</b>   |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br><b>3697.4' GR</b>   |  | 9. OGRID Number<br><b>190595</b>  |
|   |  | 10. Pool name or Wildcat<br><b>Comanche Spring; Pre-Permian (Gas)</b>                               |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                        |   | SUBSEQUENT REPORT OF:                            |   |
|--|---|--|---|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>           | ALTERING CASING <input type="checkbox"/>    |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/> | P AND A <input checked="" type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/>  | MULTIPLE COMPL <input type="checkbox"/>   | CASING/CEMENT JOB <input type="checkbox"/>       |   |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    |   |  |   |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    |   |  |   |
| OTHER: <input type="checkbox"/>                |   | OTHER: <input type="checkbox"/>                  |   |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


JMR Services/A-Plus P&A, LLC plugged this well from 10/18/2024-10/23/2024.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE Senior Regulatory Analyst

DATE 12/2/2024

Type or print name Jan South

E-mail address: jsouth@eeronline.com

PHONE: 432-687-1575

**For State Use Only**

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

**Ervin Ranch State Com #1  
30-005-62637  
Chavez County, NM**

**Note: All cement is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.**

**This well was previously TA'D on 10/08/2024 w/ a 5 ½" CIBP @ 6032' w/ 4 sx cmt on top. A CBL was run from CIBP to surface. TOC @ 3430'.**

**10/18/24** Moved plugging equipment to location.

**10/21/24** Rigged up. Checked pressures, 0 psi. ND well head, NU BOP. RIH to 5920'. Circ'd hole w/ 100 bbls of 10# salt gel. Pressure tested csg, held 500 psi. Spotted 25 sx class C cmt @ 5920-5673'. Spotted 25 sx class C cmt @ 4570-4323'. Spotted 25 sx class C cmt @ 3806-3559'.


**10/22/24** Checked pressures, 0 psi. Perf'd @ 2540'. Sqz'd 51 sx class C cmt @ 2540-2344'. WOC & tagged @ 2300'. Spotted 25 sx class C cmt @ 1134-884'. WOC.

**10/23/24** Checked pressures, 0 psi. Perf'd @ 600'. Sqz'd 51 sx class C cmt @ 600-400'. WOC & tagged @ 390'. Perf'd @ 200'. ND BOP, NU wellhead. Sqz'd 60 sx class C cmt @ 200' & circulated to surface.

**10/24/24** ND wellhead. Verified cmt at surface. RDMO.

**11/23/24** Moved in backhoe & welder. Dug out cellar. Cut off wellhead. Verified cmt at surface. Installed an above ground DHM. Dug up anchors, backfilled cellar, cleaned location, & moved off.












































|            |                                   |           |                     |
|------------|-----------------------------------|-----------|---------------------|
| Endeavor   |                                   | CURRENT   |                     |
| Author:    | Abby @ JMR                        |           |                     |
| Well Name  | Ervin Ranch St Com                | Well No.  | #1                  |
| Field/Pool | Comache Spring; Pre-Permian (Gas) | API #:    | 30-005-62637        |
| County     | Chaves                            | Location: | G-5-11S-27E         |
| State      | NM                                |           | 1650 FSL & 1650 FEL |
| Spud Date  | 10/21/1988                        | GL:       | 3697.4              |

| Description | O.D.  | Grade | Weight | Depth | Hole   | Cmt Sx | TOC  |
|-------------|-------|-------|--------|-------|--------|--------|------|
| Surface Csg | 8 5/8 |       | 24#    | 1,141 | 12 1/4 | 600    | Circ |
| Prod Csg    | 5 1/2 |       | 15.5#  | 6,564 | 7 7/8  | 935    |      |

| Formation   | Top   |
|-------------|-------|
| San Andres  | 1134  |
| Glorieta    | 2394  |
| B/Salt      | 2490+ |
| Tubb        | 3806  |
| Abo         | 4570  |
| Cisco       | 5808  |
| Penn        | 5920  |
| Montoya     | 6046  |
| Ellenburger | 6344  |
| Precambrian | 6522  |
|             |       |
|             |       |
|             |       |
|             |       |



8 5/8 24# CSG @ 1,141  
Hole Size: 12 1/4

Perfs @ 6048-6126'; 6164-6172'  
2 7/8" tbg & pkr @ 5906'

5 1/2 15.5# CSG @ 6,564  
Hole Size: 7 7/8

PBTD @ 6510  
TD @ 6564


33.3914719  
-104.2561722



|            |                                   |           |                     |
|------------|-----------------------------------|-----------|---------------------|
| Endeavor   | PLUGGED                           |           |                     |
| Author:    | Abby @ JMR                        |           |                     |
| Well Name  | Ervin Ranch St Com                | Well No.  | #1                  |
| Field/Pool | Comache Spring; Pre-Permian (Gas) | API #:    | 30-005-62637        |
| County     | Chaves                            | Location: | G-5-11S-27E         |
| State      | NM                                |           | 1650 FSL & 1650 FEL |
| Spud Date  | 10/21/1988                        | GL:       | 3697.4              |

| Description | O.D.  | Grade | Weight | Depth | Hole   | Cmt Sx | TOC       |
|-------------|-------|-------|--------|-------|--------|--------|-----------|
| Surface Csg | 8 5/8 |       | 24#    | 1,141 | 12 1/4 | 600    | Circ      |
| Prod Csg    | 5 1/2 |       | 15.5#  | 6,564 | 7 7/8  | 935    | 3430' CBL |

| Formation   | Top     |
|-------------|---------|
| San Andres  | 1134    |
| Glorieta    | 2394    |
| B/Salt      | 2490+/- |
| Tubb        | 3806    |
| Abo         | 4570    |
| Cisco       | 5808    |
| Penn        | 5920    |
| Montoya     | 6046    |
| Ellenburger | 6344    |
| Precambrian | 6522    |



Plug #7: Perf'd @ 200'. Sqz'd 60 sx class C cmt @ 200' & circulated to surface.

Plug #6: Perf'd @ 600'. Sqz'd 51 sx class C cmt @ 600-400'. WOC & tagged @ 390'.

8 5/8 24# CSG @ 1,141  
Hole Size: 12 1/4

Plug #5: Spotted 25 sx class C cmt @ 1134-884'.

Plug #4: Perf'd @ 2540'. Sqz'd 51 sx class C cmt @ 2540-2344'. WOC & tagged @ 2300'.

Plug #3: Spotted 25 sx class C cmt @ 3806-3559'.

Plug #2: Spotted 25 sx class C cmt @ 4570-4323'.

Plug #1: Spotted 25 sx class C cmt @ 5920-5673'.

This well was previously TA'D on 10/08/2024 w/ a 5 1/2" CIBP @ 6032' w/ 4 sx cmt on top.

Perfs @ 6048-6126'; 6164-6172'

5 1/2 15.5# CSG @ 6,564  
Hole Size: 7 7/8

33.3914719  
-104.2561722



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 407480

CONDITIONS

|   |  |
|---|--|
| Operator:<br>ENDEAVOR ENERGY RESOURCES, LP<br>110 North Marienfeld<br>Midland, TX 79701 | OGRID:<br>190595                               |
|   | Action Number:<br>407480                       |
|   | Action Type:<br>[C-103] Sub. Plugging (C-103P) |

CONDITIONS

| Created By | Condition                                  | Condition Date |
|------------|--|----------------|
| kfortner   | Submit C-103Q within one year of plugging. | 12/2/2024      |