

C-104 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
--	---	----------------------

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: OXY USA INC	OGRID: 16696
Property Name and Well Number: OLIVE WON UNIT 134H	Property Code: 336102
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-54749
Pool Name: WC 22S31E13; Wolfcamp	Pool Code: 98351

Section 2 – Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
O	25	22S	31E		490'FSL	2406'FEL	32.35655165	-103.73072235	EDDY

Section 3 – Completion Information

Producing Method	Ready Date	Perforations MD	Perforations TVD
Gas lift	06/18/24	11857-22048'MD	11767-11840' TVD

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW):	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 346558	Unit: ☒ Yes ☐ No, Order No. NMNM106319137
Intermediate 1 Casing Action ID: 346557	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID: NA	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 361220	Surface Commingling: ☒ Yes ☐ No, Order No. PLC-844-D
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID: NA	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Jana Mendiola	<i>Jana Mendiola</i>
Title Regulatory Advisor	Date 09/15/24

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals, & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
	Submittal Type: ☐ Initial Submittal ☐ Amended Report ☒ As Drilled	

WELL LOCATION INFORMATION

API Number 30-015-54749	Pool Code 98351	Pool Name WC 22S31E13; Wolfcamp
Property Code 336102	Property Name OLIVE WON UNIT	Well Number 134H
OGRID No. 16696	Operator Name OXY USA INC.	Ground Level Elevation 3511'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude (NAD83)	Longitude (NAD83)	County
O	25	22S	31E		490' FSL	2406' FEL	32.35655165	-103.73072235	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude (NAD83)	Longitude (NAD83)	County
B	24	22S	31E		55' FNL	2284' FEL	32.38409400	-103.73034736	EDDY

Dedicated Acres 320.00	Infill or Defining Well	Defining Well API	Overlapping Spacing Unit (Y/N)	Consolidation Code
Order Numbers:			Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude (NAD83)	Longitude (NAD83)	County
O	25	22S	31E		22' FSL	2325' FEL	32.35526571	-103.73045942	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude (NAD83)	Longitude (NAD83)	County
O	25	22S	31E		238' FSL	2306' FEL	32.35585920	-103.73039577	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude (NAD83)	Longitude (NAD83)	County
B	24	22S	31E		179' FNL	2285' FEL	32.38375316	-103.73034985	EDDY

Unitized Area or Area of Uniform Interest	Spacing Unit Type: ☒ Horizontal ☐ Vertical	Ground Floor Elevation 3511'
---	---	---------------------------------

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Jana Mendiola 09/15/24
Signature Date

Jana Mendiola
Printed Name

janalyn_mendiola@oxy.com
Email Address

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by Delta Field Services



Signature and Seal of Professional Surveyor

Certificate Number 21653	Date of Survey AUGUST 15, 2024
------------------------------------	--

ACREAGE DEDICATION PLATS

NOW I WON 25_24 FED COM 34H

BHL (NAD83)
X:727474.02' / Y:503989.51'
LAT:32.38409400 / LON:-103.73034736

BHL (NAD27)
X:686291.66' / Y:503929.09'
LAT:32.38397135 / LON:-103.72985864

LTP (NAD83)
X:727473.95' / Y:503865.51'
LAT:32.38375316 / LON:-103.73034985

LTP (NAD27)
X:686291.58' / Y:503805.10'
LAT:32.38363051 / LON:-103.72986114

PPP-1 (NAD83)
X:727516.44' / Y:498766.34'
LAT:32.36973647 / LON:-103.73030531

PPP-1 (NAD27)
X:686333.92' / Y:498706.06'
LAT:32.36961375 / LON:-103.72981716

FTP (NAD83)
X:727516.95' / Y:493717.66'
LAT:32.35585920 / LON:-103.73039577

FTP (NAD27)
X:686334.29' / Y:493657.52'
LAT:32.35573640 / LON:-103.72990816

KOP (NAD83)
X:727498.51' / Y:493501.64'
LAT:32.35526571 / LON:-103.73045942

KOP (NAD27)
X:686315.84' / Y:493441.50'
LAT:32.35514291 / LON:-103.72997183

SHL (NAD83)
X:727414.69' / Y:493969.00'
LAT:32.35655165 / LON:-103.73072235


SHL (NAD27)
X:686232.03' / Y:493908.86'
LAT:32.35642886 / LON:-103.73023470

CORNER COORDINATES NAD 83, SPCS NM EAST	CORNER COORDINATES NAD 27, SPCS NM EAST
A - X: 728436.32' / Y: 504049.62'	A - X: 687253.96' / Y: 503989.20'
B - X: 728466.38' / Y: 498770.37'	B - X: 687283.86' / Y: 498710.09'
C - X: 728503.11' / Y: 493480.62'	C - X: 687320.44' / Y: 493420.48'
D - X: 727182.06' / Y: 493478.71'	D - X: 685999.39' / Y: 493418.57'
E - X: 727145.91' / Y: 498764.76'	E - X: 685963.39' / Y: 498704.49'
F - X: 727114.76' / Y: 504042.53'	F - X: 685932.40' / Y: 503982.11'

○ Drill Line Events ● Section Corners — Drill Line — Dimension Lines — Federal Leases — HSU ○ HSU Corners

All bearings and coordinates refer to New Mexico State Plane Coordinate System, East Zone, U.S. Survey Feet.

Distances/areas relative to NAD 83 grid measurements. Combined Scale Factor: 0.99978405 and a Convergence Angle: 0.31759444°



*FTP TO LTP LEASE DISTANCES

FEDERAL LEASE ID	LENGTH
NMNM025365	5049.34'
NMNM025876	5099.61'
TOTAL	10148.95'



JOB No. OXY_0008_NW02
REV 1 NDS 8/6/2024




Oxy



Borehole:				Well:		Field:			Structure:						
Now I Won 25-24 Fed Com 34H				Now I Won 25-24 Fed Com 34H				NM Eddy County (NAD 83)			Oxy Now I Won 25-24 Fed Com Pad				
Gravity & Magnetic Parameters						Surface Location			NAD83 New Mexico State Plane, Eastern Zone, US Feet			Miscellaneous			
Model: IFR1		Dip: 60.001°		Date: 15-Apr-2024		Lat: N 32 21 23.59		Northing: 493969RUS		Grid Conv: 0.3225°		Slot: Now I Won 25-24 Fed Com 34H		TVD Ref: RKB (3535.000 ft above MSL)	
MagDec: 6.58°		FS: 47592.4nT		Gravity FS: 998.459mgn (9.80665 Based)		Lon: W 103 43 50.60		Easting: 727414.69RUS		Scale Fact: 0.99994875		Plan: Oxy Now I Won 25-24 Fed Com 34H Rev3 AR 27Apr24			

Critical Points								
Comments	Survey MD(ft)	Inclination(deg)	Azimuth(deg)	TVD(ft)	VS(ft)	NS(ft)	EW(ft)	Sub-Sea TVD DLS(°/100ft)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3,535.00
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-3,511.00
First 3rd Party Survey	174.00	0.10	272.66	174.00	0.01	0.01	-0.13	-3,361.00
Enter Lateral Window	8,271.00	7.43	170.92	8,250.87	-303.22	-303.47	73.55	4,715.87
Last 3rd Party Survey	11,023.00	0.13	327.79	10,996.08	-468.14	-468.44	87.30	7,461.08
First SLB Survey	11,213.00	0.94	243.31	11,186.07	-468.67	-468.95	85.79	7,651.07
Actual KOP	11,367.00	3.89	10.20	11,340.01	-467.08	-467.36	83.82	7,805.01
FTP / 100ft FSL	11,633.00	28.26	4.31	11,591.44	-389.42	-389.76	101.15	8,056.44
Wolfcamp Intersection	11,689.00	32.85	358.19	11,639.67	-361.02	-361.36	101.57	8,104.67
Section 25-24 Line Cross	16,948.00	90.45	359.69	11,889.05	4,797.55	4,797.24	101.75	8,354.05
LTP / 100ft FNL	22,127.50	90.17	0.02	11,839.91	9,976.15	9,976.01	59.31	8,304.91
Final Survey	22,133.00	90.15	0.02	11,839.89	9,981.65	9,981.51	59.31	8,304.89
Projection to Total Depth	22,172.00	90.15	0.02	11,839.79	10,020.65	10,020.51	59.33	8,304.79





Oxy Now I Won 25-24 Fed Com 34H MWD+IFR1 Surveys to 22172ft

Survey Geodetic Report

Definitive Survey



Report Date: May 13, 2024 - 04:06 PM (UTC 0)
Client: Oxy
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Now I Won 25-24 Fed Com Pad / Now I Won 25-24 Fed Com 34H
Well: Now I Won 25-24 Fed Com 34H
Borehole: Now I Won 25-24 Fed Com 34H
UBHI / API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: Oxy Now I Won 25-24 Fed Com 34H MWD+IFR1 Surveys to 22172ft / 1
Survey Date: April 15, 2024
Tort / AHD / DDI / ERD Ratio: 193.712' +/- 11067.716 ft / 6.600 / 0.926
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°21'23.5889", W 103°43'50.60042"
Location Grid N/E Y/X: N 493969.000 RUS, E 727414.690 RUS
CRS Grid Convergence Angle: 0.3323"
Grid Scale Factor: 0.99994875(Applied)
Engine Version: 2024.1.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 0.190 °(Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3535.000 ft above MSL
Seabed / Ground Elevation: 3511.000 ft above MSL
Magnetic Declination: 6.580°
Total Gravity Field Strength: 998.4589mgn (9.80665 Bessed)
Gravity Model: GARM
Total Magnetic Field Strength: 47592.4 nT
Magnetic Dip Angle: 60.001°
Declination Date: April 15, 2024
Magnetic Declination Model: IFR1
North Reference: Grid
Total Corr Mag: 6.257°
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDS (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth (°)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.535.00	0.00	493.969.00	727.414.69	N 32°21'23.59"	W 103°43'50.60"		
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	-3.511.00	0.15	493.969.00	727.414.69	N 32°21'23.59"	W 103°43'50.60"	0.00	0.00
First 3rd Party Survey	174.00	0.10	272.66	174.00	0.01	0.01	-0.13	-3.361.00	0.07	493.969.01	727.414.56	N 32°21'23.59"	W 103°43'50.60"	0.13	272.66
	261.00	0.12	31.44	261.00	0.09	0.09	-0.16	-3.274.00	0.22	493.969.09	727.414.53	N 32°21'23.59"	W 103°43'50.60"	0.18	298.77
	347.00	0.15	186.27	347.00	0.05	0.05	-0.12	-3.188.00	0.31	493.969.05	727.414.57	N 32°21'23.59"	W 103°43'50.60"	0.13	292.79
	434.00	0.36	110.03	434.00	-0.15	-0.15	0.12	-3.101.00	0.41	493.968.85	727.414.81	N 32°21'23.58"	W 103°43'50.60"	0.20	142.18
	521.00	0.43	521.68	521.00	-0.37	-0.38	0.68	-3.014.00	0.08	493.968.62	727.415.37	N 32°21'23.58"	W 103°43'50.59"	0.77	118.97
	607.00	0.57	88.50	608.00	-0.50	-0.50	1.03	-2.927.00	0.42	493.968.50	727.415.72	N 32°21'23.58"	W 103°43'50.59"	1.15	115.89
	694.00	0.21	145.01	694.00	-0.62	-0.63	1.17	-2.841.00	0.21	493.968.37	727.415.86	N 32°21'23.58"	W 103°43'50.59"	1.33	118.15
	781.00	0.15	106.72	781.00	-0.79	-0.79	1.37	-2.754.00	0.15	493.968.21	727.416.06	N 32°21'23.58"	W 103°43'50.58"	1.59	119.94
	867.00	0.55	138.55	866.99	-1.13	-1.13	1.76	-2.668.01	0.50	493.967.87	727.416.45	N 32°21'23.57"	W 103°43'50.58"	2.09	122.85
	954.00	0.60	140.34	953.99	-1.79	-1.80	2.32	-2.581.01	0.06	493.967.20	727.417.01	N 32°21'23.57"	W 103°43'50.57"	2.94	127.73
	1,000.00	0.54	126.06	999.99	-2.10	-2.11	2.65	-2.535.01	0.33	493.966.89	727.417.34	N 32°21'23.56"	W 103°43'50.57"	3.39	128.51
	1,084.00	0.47	169.94	1,083.98	-2.67	-2.68	3.03	-2.451.02	0.46	493.966.32	727.417.72	N 32°21'23.56"	W 103°43'50.57"	4.05	131.50
	1,178.00	0.44	169.69	1,177.98	-3.41	-3.42	3.16	-2.357.02	0.03	493.965.58	727.417.85	N 32°21'23.55"	W 103°43'50.56"	4.66	137.20
	1,273.00	0.47	172.19	1,272.98	-4.15	-4.16	3.28	-2.262.03	0.04	493.964.84	727.417.97	N 32°21'23.54"	W 103°43'50.56"	5.30	141.74
	1,367.00	0.46	164.86	1,366.97	-4.90	-4.91	3.43	-2.168.03	0.06	493.964.09	727.418.12	N 32°21'23.54"	W 103°43'50.56"	5.99	145.03
	1,462.00	0.53	161.50	1,461.97	-5.68	-5.69	3.67	-2.073.03	0.08	493.963.31	727.418.36	N 32°21'23.53"	W 103°43'50.56"	6.77	147.18
	1,557.00	0.52	174.97	1,556.97	-6.53	-6.54	3.85	-1.978.03	0.13	493.962.46	727.418.54	N 32°21'23.52"	W 103°43'50.56"	7.59	149.52
	1,651.00	0.61	177.82	1,650.96	-7.45	-7.46	3.91	-1.884.04	0.10	493.961.54	727.418.60	N 32°21'23.51"	W 103°43'50.56"	8.42	152.38
	1,746.00	0.60	169.71	1,745.96	-8.45	-8.46	4.01	-1.789.04	0.09	493.960.54	727.418.70	N 32°21'23.50"	W 103°43'50.55"	9.36	154.61
	1,840.00	0.61	184.46	1,839.95	-9.43	-9.44	4.06	-1.695.05	0.17	493.959.56	727.418.75	N 32°21'23.49"	W 103°43'50.55"	10.28	156.72
	1,935.00	0.65	192.86	1,934.95	-10.46	-10.47	3.90	-1.600.05	0.11	493.958.53	727.418.99	N 32°21'23.48"	W 103°43'50.55"	11.18	159.55
	2,030.00	0.55	184.66	2,029.94	-11.44	-11.45	3.75	-1.505.06	0.14	493.957.55	727.418.44	N 32°21'23.47"	W 103°43'50.56"	12.05	161.88
	2,124.00	0.62	195.34	2,123.94	-12.38	-12.39	3.58	-1.411.06	0.14	493.956.61	727.418.27	N 32°21'23.46"	W 103°43'50.56"	12.90	163.90
	2,219.00	0.76	198.68	2,218.93	-13.47	-13.48	3.24	-1.316.07	0.15	493.955.52	727.417.93	N 32°21'23.45"	W 103°43'50.55"	13.87	166.50
	2,313.00	0.98	196.70	2,312.92	-14.77	-14.78	2.83	-1.222.08	0.15	493.954.22	727.417.52	N 32°21'23.44"	W 103°43'50.57"	15.05	169.18
	2,408.00	1.24	194.21	2,407.91	-16.05	-16.06	2.47	-1.127.09	0.21	493.952.94	727.417.16	N 32°21'23.43"	W 103°43'50.57"	16.25	171.26
	2,503.00	0.65	198.98	2,502.90	-17.12	-17.13	2.15	-1.032.10	0.08	493.951.87	727.416.84	N 32°21'23.42"	W 103°43'50.58"	17.27	172.84
	2,597.00	0.62	204.59	2,596.90	-18.09	-18.10	1.77	-938.10	0.07	493.950.90	727.416.46	N 32°21'23.41"	W 103°43'50.58"	18.18	174.43
	2,692.00	0.42	209.98	2,691.89	-18.86	-18.87	1.38	-843.11	0.22	493.950.13	727.416.07	N 32°21'23.40"	W 103°43'50.59"	18.92	175.82
	2,786.00	0.26	245.87	2,785.89	-19.25	-19.25	0.01	-749.11	0.28	493.949.75	727.415.70	N 32°21'23.40"	W 103°43'50.59"	19.68	176.99
	2,881.00	0.24	224.47	2,880.89	-19.48	-19.48	0.68	-654.11	0.10	493.949.52	727.415.37	N 32°21'23.39"	W 103°43'50.59"	19.49	178.01
	2,976.00	0.12	246.64	2,975.89	-19.66	-19.66	0.44	-559.11	0.14	493.949.34	727.415.13	N 32°21'23.39"	W 103°43'50.60"	19.67	178.70
	3,071.00	0.20	281.95	3,070.89	-19.67	-19.67	0.19	-464.11	0.13	493.949.33	727.414.88	N 32°21'23.39"	W 103°43'50.60"	19.67	179.44
	3,165.00	0.84	263.50	3,164.89	-19.67	-19.67	-0.25	-370.11	0.17	493.949.33	727.414.44	N 32°21'23.39"	W 103°43'50.60"	18.67	180.72
	3,260.00	0.71	218.31	3,259.89	-20.16	-20.16	-0.89	-275.11	0.56	493.948.84	727.413.80	N 32°21'23.39"	W 103°43'50.61"	20.18	182.53
	3,354.00	0.99	209.66	3,353.88	-21.33	-21.32	-1.65	-181.12	0.33	493.947.68	727.413.04	N 32°21'23.38"	W 103°43'50.62"	21.39	184.44
	3,449.00	1.01	195.10	3,448.86	-22.85	-22.84	-2.28	-86.14	0.27	493.946.16	727.412.41	N 32°21'23.36"	W 103°43'50.63"	22.96	185.70
	3,543.00	1.15	181.67	3,542.84	-24.60	-24.59	-2.52	7.84	0.31	493.944.41	727.412.17	N 32°21'23.34"	W 103°43'50.63"	24.72	185.86
	3,638.00	2.33	148.91	3,637.80	-27.20	-27.19	-1.55	102.80	1.58	493.941.81	727.413.14	N 32°21'23.32"	W 103°43'50.62"	27.24	183.27
	3,733.00	3.97	141.94	3,732.65	-31.43	-31.44	1.47	197.65	1.77	493.937.56	727.416.16	N 32°21'23.27"	W 103°43'50.59"	31.47	177.32
	3,827.00	3.48	114.38	3,826.46	-35.16	-35.18	6.08	291.46	1.95	493.933.82	727.420.77	N 32°21'23.24"	W 103°43'50.53"	35.70	170.20
	3,922.00	3.45	67.50	3,921.31	-36.24	-36.24	386.31	1,135.36	0.89	493.933.72	727.420.72	N 32°21'23.24"	W 103°43'50.53"	37.06	166.17
	4,017.00	3.07	67.81	4,016.15	-33.17	-33.23	16.35	481.15	0.40	493.935.77	727.431.03	N 32°21'23.26"	W 103°43'50.51"	37.03	153.81
	4,111.00	2.66	202.93	4,110.11	-33.47	-33.53	18.15	575.11	4.69	493.935.47	727.432.84	N 32°21'23.25"	W 103°43'50.39"	38.13	151.58
	4,205.00	1.37	182.59	4,204.06	-36.67	-36.73	17.53	666.06	1.06	493.932.27	727.432.22	N 32°21'23.22"	W 103°43'50.40"	40.70	154.49
	4,300.00	0.34	132.83	4,299.03	-38.82	-38.86	764.03	1,735.65	0.28	493.930.12	727.432.34	N 32°21'23.20"	W 103°43'50.40"	42.70	154.10
	4,395.00	1.02	15.85	4,394.02	-38.20	-38.26	18.08	859.02	1.28	493.930.74	727.432.77	N 32°21'23.21"	W 103°43'50.39"	42.32	154.70
	4,489.00	1.13	8.39	4,488.00	-36.48	-36.54	18.45	953.00	0.19	493.932.46	727.433.14	N 32°21'23.22"	W 103°43'50.39"	40.93	153.21
	4,584.00	1.29	354.13	4,582.98	-34.49	-34.55	18.48	1,047.98	0.36	493.934.45	727.433.16	N 32°21'23.24"	W 103°43'50.39"	39.18	151.86
	4,679.00	1.85	358.06	4,677.95	-32.06	-32.12	18.32	1,142.95	0.39	493.936.89	727.433.01	N 32°21'23.27"	W 103°43'50.39"	36.97	150.30
	4,773.00	1.71	355.97	4,771.91	-29.30	-29.36	18.18	1,236.91	0.09	493.939.64	727.432.86	N 32°21'23.29"	W 103°43'50.39"	34.53	148.24
	4,868.00	1.98	359.52	4,866.86	-26.25	-26.31	18.06	1,331.86	0.31	493.942.69	727.432.75	N 32°21'23.32"	W 103°43'50.39"	31.91	145.53
	4,963.00	2.25	357.27	4,961.80	-22.75	-22.81	17.96	1,426.80	0.30	493.946.20	727.432.65	N 32°21'23.36"	W 103°43'50.39"	29.03	141.78
	5,058.00	2.11	358.11	5,056.73	-19.14	-19.20	17.81	1,521.73	0.15	493.948.81	727.432.50	N 32°21'23.39"	W 103°43'50.39"	26.19	137.14
	5,152.00	2.11	358.17	5,150.68	-15.68	-15.74	17.69	1,617.68	0.50	493.950.26	727.432.34	N 32°21'23.43"	W 103°43'50.40"	21.31	125.92
	5,247.00	1.85	346.34	5,245.61	-12.44	-12.50	17.26	1,710.61	0.50	493.956.50	727.431.95	N 32°21'23.46"	W 103°43'50.40"	26.19	125.92
	</														

Last 3rd Party Survey First SLB Survey Actual KOP	10,644.00	1.83	168.71	10,617.12	-464.78	-465.06	84.63	7,082.12	0.82	493,503.96	727,499.31	N 32°21'18.98"	W 103°43'49.64"	472.70	169.69
	10,739.00	0.94	126.21	10,712.09	-466.72	-467.01	85.55	7,177.09	1.37	493,502.01	727,500.24	N 32°21'18.96"	W 103°43'49.63"	474.78	169.62
	10,833.00	0.30	139.77	10,806.08	-467.74	-468.03	86.65	7,271.08	0.23	493,501.50	727,501.34	N 32°21'18.95"	W 103°43'49.62"	476.86	169.51
	10,928.00	0.14	71.87	10,901.08	-468.27	-468.56	87.24	7,366.08	0.90	493,500.46	727,501.91	N 32°21'18.94"	W 103°43'49.61"	478.98	169.45
	11,023.00	0.13	327.79	10,996.08	-468.14	-468.44	87.30	7,461.08	0.22	493,500.59	727,501.98	N 32°21'18.95"	W 103°43'49.61"	476.50	169.44
	11,213.00	0.13	243.31	11,186.07	-468.67	-468.95	85.79	7,651.07	0.49	493,500.07	727,500.47	N 32°21'18.94"	W 103°43'49.63"	476.74	169.63
	11,307.00	1.22	267.72	11,280.05	-469.06	-469.34	84.10	7,745.05	0.57	493,499.69	727,498.78	N 32°21'18.94"	W 103°43'49.65"	476.81	169.84
	11,367.00	3.89	10.20	11,340.01	-467.08	-467.36	83.82	7,805.01	7.20	493,501.66	727,498.51	N 32°21'18.96"	W 103°43'49.65"	474.82	169.83
	11,402.00	6.35	16.50	11,374.86	-464.05	-464.34	84.58	7,839.86	7.20	493,504.69	727,499.27	N 32°21'18.99"	W 103°43'49.64"	471.98	169.68
	11,497.00	20.05	16.16	11,467.13	-443.26	-443.56	90.63	7,932.13	14.42	493,525.46	727,505.32	N 32°21'19.19"	W 103°43'49.57"	452.72	168.45
FTP / 100% FSL	11,591.00	25.11	0.06	11,553.91	-408.12	-408.45	98.77	8,018.91	5.85	493,560.57	727,513.46	N 32°21'19.54"	W 103°43'49.54"	420.22	166.41
	11,633.00	28.26	4.31	11,591.44	-389.42	-389.76	100.15	8,056.44	10.03	493,579.26	727,515.84	N 32°21'19.72"	W 103°43'49.45"	402.67	165.45
	11,686.00	32.56	358.11	11,637.15	-362.64	-362.98	101.62	8,102.15	10.03	493,606.04	727,516.31	N 32°21'19.99"	W 103°43'49.44"	376.93	164.36
	11,689.00	32.85	358.19	11,639.67	-361.02	-361.36	101.57	8,104.67	9.63	493,607.66	727,516.26	N 32°21'20.00"	W 103°43'49.44"	375.36	164.30
	11,780.00	91.54	0.06	11,712.09	-306.07	-306.41	100.82	8,177.09	9.63	493,662.61	727,515.51	N 32°21'20.55"	W 103°43'49.45"	332.57	161.79
	11,875.00	49.95	2.74	11,778.34	-238.12	-238.46	102.60	8,243.34	9.08	493,730.55	727,512.28	N 32°21'21.22"	W 103°43'49.42"	259.60	156.72
	11,969.00	58.48	4.20	11,833.25	-162.07	-162.42	107.26	8,298.25	9.16	493,806.58	727,521.94	N 32°21'21.97"	W 103°43'49.36"	194.64	146.56
	12,064.00	65.57	3.56	11,875.55	-77.32	-77.69	112.98	8,340.55	10.64	493,891.31	727,527.67	N 32°21'22.81"	W 103°43'49.29"	137.12	124.51
	12,159.00	77.58	1.10	11,903.18	13.41	13.02	116.63	8,368.18	9.80	493,962.02	727,531.31	N 32°21'23.71"	W 103°43'49.24"	117.35	83.63
	12,253.00	88.69	1.63	11,924.91	104.04	103.44	118.48	8,394.44	2.08	494,073.44	727,533.49	N 32°21'24.61"	W 103°43'49.21"	158.19	48.68
Wolfcamp Intersection	12,348.00	86.15	0.43	11,939.88	198.50	198.11	120.48	8,404.88	11.08	494,167.09	727,535.16	N 32°21'25.54"	W 103°43'49.18"	231.86	31.31
	12,442.00	89.12	0.83	11,943.76	292.41	292.01	121.51	8,408.76	3.19	494,260.99	727,536.19	N 32°21'26.47"	W 103°43'49.16"	316.28	22.59
	12,537.00	88.78	1.30	11,945.50	387.38	386.98	123.27	8,410.50	0.61	494,355.96	727,537.96	N 32°21'27.41"	W 103°43'49.14"	406.14	17.67
	12,602.00	88.96	1.36	11,946.78	452.36	452.65	124.78	8,411.78	0.29	494,420.92	727,539.47	N 32°21'28.05"	W 103°43'49.12"	468.86	15.43
	12,697.00	90.36	0.69	11,947.35	547.34	546.93	126.48	8,412.35	1.63	494,515.90	727,541.16	N 32°21'28.99"	W 103°43'49.09"	561.36	13.02
	12,792.00	90.59	0.45	11,946.56	642.34	641.92	127.43	8,411.56	0.35	494,610.88	727,542.11	N 32°21'29.93"	W 103°43'49.07"	654.44	11.23
	12,886.00	91.44	0.56	11,944.90	736.32	735.90	128.25	8,409.90	0.91	494,704.86	727,542.96	N 32°21'30.86"	W 103°43'49.06"	746.99	9.89
	12,981.00	91.39	0.13	11,942.57	831.29	830.87	129.07	8,407.55	0.46	494,799.82	727,543.80	N 32°21'31.80"	W 103°43'49.04"	840.86	8.81
	13,076.00	91.60	359.58	11,940.07	926.26	925.83	128.59	8,405.07	0.62	494,894.79	727,543.27	N 32°21'32.74"	W 103°43'49.04"	934.72	7.91
	13,171.00	91.76	359.74	11,937.29	1,021.21	1,020.79	128.02	8,402.29	0.24	494,989.74	727,542.71	N 32°21'33.68"	W 103°43'49.04"	1,028.79	7.15
Section 25-24 Line Cross	13,266.00	91.62	359.94	11,934.48	1,116.17	1,115.75	127.76	8,399.48	0.26	495,084.69	727,542.44	N 32°21'34.62"	W 103°43'49.04"	1,123.04	6.53
	13,361.00	91.59	359.60	11,932.27	1,211.15	1,210.73	127.21	8,397.79	0.05	495,179.37	727,542.05	N 32°21'35.56"	W 103°43'49.06"	1,217.42	5.61
	13,455.00	90.42	359.58	11,932.10	1,304.73	1,304.73	126.77	8,397.10	0.06	495,273.66	727,541.45	N 32°21'36.49"	W 103°43'49.04"	1,310.87	5.55
	13,550.00	90.57	359.67	11,931.28	1,400.13	1,399.72	126.31	8,396.28	0.34	495,368.65	727,541.00	N 32°21'37.43"	W 103°43'49.04"	1,405.41	5.16
	13,645.00	90.88	359.51	11,930.08	1,495.12	1,494.71	125.80	8,395.08	0.50	495,463.63	727,540.48	N 32°21'38.37"	W 103°43'49.04"	1,500.00	4.81
	13,739.00	91.54	359.67	11,927.19	1,586.07	1,585.65	125.32	8,393.58	0.40	495,560.58	727,539.97	N 32°21'40.25"	W 103°43'49.06"	1,589.15	4.17
	13,834.00	91.07	359.27	11,925.59	1,779.03	1,778.64	121.29	8,390.59	0.59	495,747.55	727,535.97	N 32°21'41.18"	W 103°43'49.07"	1,782.77	3.90
	14,024.00	91.04	359.51	11,923.84	1,874.01	1,873.62	120.28	8,388.84	0.25	495,842.52	727,534.96	N 32°21'42.12"	W 103°43'49.08"	1,877.48	3.67
	14,213.00	91.35	359.57	11,919.90	2,062.95	2,062.57	118.76	8,384.90	0.17	496,031.46	727,533.45	N 32°21'43.99"	W 103°43'49.08"	2,065.99	3.30
	14,307.00	91.39	359.60	11,917.65	2,156.92	2,156.54	118.08	8,382.96	0.05	496,125.43	727,532.93	N 32°21'44.92"	W 103°43'49.08"	2,159.77	3.13
LTP / 100% FNL Final Survey	14,402.00	91.49	359.91	11,915.26	2,251.89	2,251.51	117.68	8,380.26	0.34	496,220.39	727,532.36	N 32°21'45.86"	W 103°43'49.08"	2,254.58	2.99
	14,497.00	91.05	359.50	11,913.16	2,346.86	2,346.49	117.19	8,378.16	0.63	496,315.36	727,531.87	N 32°21'46.80"	W 103°43'49.08"	2,349.41	2.86
	14,591.00	91.07	359.39	11,911.42	2,440.84	2,440.47	116.28	8,376.42	0.12	496,409.34	727,530.96	N 32°21'47.73"	W 103°43'49.08"	2,443.23	2.73
	14,686.00	90.65	359.56	11,909.74	2,535.82	2,535.45	115.41	8,374.74	0.22	496,504.31	727,530.09	N 32°21'48.67"	W 103°43'49.09"	2,538.07	2.61
	14,781.00	90.91	359.92	11,908.20	2,630.80	2,630.43	114.98	8,373.20	0.38	496,599.29	727,529.66	N 32°21'49.61"	W 103°43'49.05"	2,632.95	2.50
	14,876.00	91.07	359.69	11,906.56	2,725.78	2,725.42	114.65	8,371.56	0.29	496,694.27	727,529.34	N 32°21'50.55"	W 103°43'49.08"	2,727.83	2.41
	14,970.00	91.20	359.62	11,904.70	2,819.76	2,819.40	114.09	8,369.70	0.16	496,788.25	727,528.77	N 32°21'51.48"	W 103°43'49.09"	2,821.71	2.32
	15,065.00	91.03	359.12	11,902.85	2,914.73	2,914.37	113.04	8,367.85	0.56	496,883.22	727,527.73	N 32°21'52.42"	W 103°43'49.09"	2,916.57	2.22
	15,159.00	90.69	359.11	11,901.41	3,009.71	3,009.35	112.59	8,366.04	0.36	496,977.19	727,526.72	N 32°21'53.35"	W 103°43'49.10"	3,011.42	2.12
	15,254.00	90.82	0.04	11,900.19	3,103.69	3,103.34	110.89	8,365.19	0.99	497,072.18	727,525.57	N 32°21'54.29"	W 103°43'49.10"	3,105.32	2.05
Section 25-24 Line Cross	15,349.00	90.44	0.18	11,899.14	3,198.69	3,198.33	111.07	8,364.14	0.43	497,167.16	727,525.75	N 32°21'55.23"	W 103°43'49.10"	3,200.26	1.99
	15,443.00	90.99	359.57	11,898.79	3,292.68	3,292.33	110.86	8,363.79	0.81	497,261.16	727,525.55	N 32°21'56.16"	W 103°43'49.09"	3,294.20	1.73
	15,538.00	90.44	359.43	11,897.68	3,386.67	3,386.31	110.63	8,362.94	0.16	497,350.15	727,525.72	N 32°21'57.08"	W 103°43'49.10"	3,388.12	1.60
	15,633.00	91.13	359.31	11,896.62	3,482.67	3,482.32	108.99	8,363.62	0.16	497,451.14	727,52,				

C-105	State of New Mexico	Revised July 9, 2024
Submit Electronically Via OCD Permitting	Energy, Minerals & Natural Resources Department	
OIL CONSERVATION DIVISION		

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: OXY USA INC	OGRID: 16696
Property Name and Well Number: OLIVE WON UNIT 134H	Property Code: 336102
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-0 15-54749
Pool Name: WC 22S31E13; Wolfcamp	Pool Code: 98351

Section 2 – Well Location

	UI or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	O	25	22S	31E		490'	S	2406'	E	EDDY
BHL	B	24	22S	31E		55'	N	2284'	E	EDDY

Section 3 – Completion Information

Date T.D. Reached 05/10/24	Total Measured Depth of Well 22172'MD	Acid Volume (bbls)	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 05/13/24	Plug-Back Measured Depth 22127'MD	Completion Fluid Used (bbls) 364476	Were Logs Ran (Y/N) Y
Completion Date 06/18/24	Perforations (MD and TVD) 11857-22048'MD/11767-11840'TVD	Completion Proppant Used (lbs) 25526100#	List Type of Logs Ran if applicable: CBL

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 346558	UIC Permit/Order (UIC wells only) ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID: 346557	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID: NA	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 361220	Cement Squeeze Action ID (if applicable):
Tubing Action ID: 382933	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID: NA	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production 06/23/24	Production Method Gas lift	Well Status Producing	Gas – Oil Ratio 2163
Date of Test 07/14/24	Choke Size 52	Flowing Tubing Pressure	Casing Pressure 2098
24 hr Oil (bbls) 3548	24 hr Gas (MCF) 7674	24 hr Water (bbls) 5319	Oil Gravity - API
Disposition of Gas: sold			

Section 6 – Pits


☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: LONG:

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Jana Mendiola	
Title Regulatory Advisor	Date 09/15/24

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy	851'	851'	W	T. San Jose			
T. Salt	1128'	1128'		T. Nacimiento			
B. Salt	3531'	3531'		T. Ojo Alamo			
T. Yates				T. Kirtland			
T. 7 Rivers				T. Fruitland			
T. Queen				T. Pictured Cliffs			
T. Grayburg				T. Lewis Shale			
T. San Andres				T. Chacra			
T. Glorieta				T. Cliff House			
T. Yeso				T. Menefee			
T. Paddock				T. Point Lookout			
T. Blinebry				T. Mancos			
T.Tubb				T. Gallup			
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp	11705'	11653'	o/g	T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T.Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime	4502'	4501'	o/g				
T. Bell Canyon	4543'	4542'	o/g				
T. Cherry Canyon	5371'	5370'	o/g				
T. Brushy Canyon	6604'	6598'	o/g				
T. Bone Springs	8383'	8361'	o/g				
T. 1st BS Sand	9461'	9436'	o/g				
T. 2nd BS Carbonate							
T. 2nd BS Sand	10118'	10091'	o/g				
T. 3rd BS Carbonate							
T. 3rd BS Sand	11257'	11230'	o/g				

OXY USA Inc.
OLIVE WON UNIT 134H
API No. 30-015-54749



17-1/2" hole @ 1060'
13-3/8" csg @ 1050'
w/ 1390sx-TOC-Surf Circ.

9-7/8" hole @ 11272'
7-5/8" csg @ 11164'
w/ 2759sx-TOC-Surf Circ.

6-3/4" hole @ 22172'
5-1/2" csg @ 22152'
w/ 657sx-TOC @ 4215'

2-3/8" tbg & gas lift @ 11721'

Perfs @ 11857-22048' TD- 22172'M 11840'V

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 383641

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 383641
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 383641

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 383641
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days of BLM Approval.	12/3/2024