

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 711H

Sundry Print Report

Unit or CA Number:

Well Name: PEGASUS 3 FED COM Well Location: T24S / R32E / SEC 3 / County or Parish/State: LEA /

SESE / 32.2412687 / -103.6582054

Type of Well: OIL WELL Allottee or Tribe Name:

Unit or CA Name:

US Well Number: 3002547254 Operator: EOG RESOURCES

INCORPORATED

Subsequent Report

Lease Number: NMNM94850

Sundry ID: 2806433

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 08/12/2024 Time Sundry Submitted: 12:11

Date Operation Actually Began: 02/16/2022

Actual Procedure: REVISED FOR INT CSG PSI RESULTS - NMOCD 2022 2-16-2022 20" Conductor @ 116' 2-21-2022 12 1/4" HOLE 2-21-2022 Surface Hole @ 1,300' MD, 1,280' TVD Casing shoe @ 1,283' MD, 1,263' TVD Ran 9-5/8" 40# J-55 LTC Cement w/ 355 sx Class C (1.82 yld, 13.5 ppg), followed by 95 sx Class C (1.35 yld, 14.8 ppg) Test casing to 1,500 psi for 30 min - OK. Circ 108 sx cement to surface. BOP/DIVERTERS/ROTATING HEAD - TEST BOP BREAKS 10K HIGH, 250# LOW 3-7-2022 8 3/4" hole 3-7-2022 Intermediate Hole @ 11,743' MD, 11,704' TVD Casing shoe @ 11,730' MD, 11,691' TVD Ran 7-5/8",29.7#, ECP-110 VAM Sprint FJ Stage 1: Cement w/ 485 sx Class H (1.21 yld, 15.6 ppg) Did not circ cement to surface, TOC @ 7,563' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg) Stage 3: Top out w/ 350 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @ 79' by Echometer. Test casing to 2,600 psi, 30 MINUITES - GOOD TEST BOP/DIVERTERS/ROTATING HEAD - TEST BOPS W/LONESTAR HYDROSTATIC AS PER BLM, TEST ALL RAMS, HCR, CHOKE MANIFOLD, TOP DRIVE VALVES, TIW, & INSIDE GREY TO 250 PSI LOW/10,000 PSI HIGH FOR 10 MINUTES EACH, TEST ANNULAR TO 250 PSI LOW/5,000 PSI HIGH FOR 10 MINUTES EACH, STANDPIPE BACK TO PUMPS TO 250 PSI LOW/7,500 PSI HIGH FOR 10 MINUTES EACH, TEST ROTATING HEAD/ORBIT VALVE TO 250 PSI LOW/500 PSI HIGH, R/D TESTERS 5-10-2022 6 3/4" hole 5-10-2022 Production Hole @ 22,592' MD, 12,395' TVD Casing shoe @ 22,577' MD, 12,395' TVD Ran 5.5", 20#, ICYP-110 TXP 0' - 11,418' (MJ @ 12,248' and 22,168') Ran 5.5", 20#, ICYP-110 VAM Sprint SF 11,418' -11,944' Ran 5.5", 20#, ICYP-110 TXP 11,944' - 22,577' Cement w/ 970 sx Class H (1.23 yld, 14.5 ppg) Did not test casing. Did not circ cement to surface, RR 5-11-2022 Waiting on CBL Production casing will be tested prior to fracing and reported on the completion sundry. If needed any C103A Sundries will be submitted on a different sundry

Page 1 of 2

eceived by OCD: 8/19/2024 7:11:46 AM Well Name: PEGASUS 3 FED COM

Well Location: T24S / R32E / SEC 3 /

SESE / 32.2412687 / -103.6582054

County or Parish/State: LEA?

Well Number: 711H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM94850

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002547254

Operator: EOG RESOURCES

INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EMILY FOLLIS Signed on: AUG 12, 2024 12:11 PM

Name: EOG RESOURCES INCORPORATED

Title: Sr. Regulatory Administrator

Street Address: 5509 Champions Drive

City: Midland State: TX

Phone: (432) 848-9163

Email address: emily_follis@eogresources.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition Date: 08/13/2024 **Disposition:** Accepted

Signature: Jonathon Shepard

Page 2 of 2

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 374835

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	374835
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
keith.dziokonski	For future reference, if not circulating cement to surface please list theoretical TOC per calculation on sundry. Thank you	12/10/2024