

|                                            |                                                                            |                                         |
|--------------------------------------------|----------------------------------------------------------------------------|-----------------------------------------|
| <b>Well Name:</b> MEAN GREEN 23-35 FED COM | <b>Well Location:</b> T26S / R34E / SEC 23 / NESW / 32.028872 / -103.44421 | <b>County or Parish/State:</b> LEA / NM |
| <b>Well Number:</b> 703H                   | <b>Type of Well:</b> OIL WELL                                              | <b>Allottee or Tribe Name:</b>          |
| <b>Lease Number:</b> NMNM100568            | <b>Unit or CA Name:</b>                                                    | <b>Unit or CA Number:</b>               |
| <b>US Well Number:</b> 3002553781          | <b>Operator:</b> DEVON ENERGY PRODUCTION COMPANY LP                        |                                         |

### Notice of Intent

**Sundry ID:** 2820203

**Type of Submission:** Notice of Intent

**Type of Action:** APD Change

**Date Sundry Submitted:** 10/31/2024

**Time Sundry Submitted:** 12:52

**Date proposed operation will begin:** 10/31/2024

**Procedure Description:** Devon Energy Production Company L.P. respectfully requests the following changes to the approved APD: BHL change from 20 FSL & 2108 FWL to 20 FSL & 2310 FWL, both 23-26S-34E Dedicated acreage change from 631.23 acs to 946.6 acs. Defining well change from Mean Green 23-35 Fed Com 702H to Mean Green 23-35 Fed Com 721H TVD/MD change from 12840'/22985' to 12840'/23028' Casing program change: Intermediate, and Production Casing depth changes. Cement volume changes to accommodate casing change. Please see attached revised C-102 and drilling & directional plans.

### NOI Attachments

#### Procedure Description

MEAN\_GREEN\_23\_35\_FED\_COM\_703H\_C\_102\_BHL\_Spacing\_NOI\_20241031124006.pdf

MEAN\_GREEN\_23\_35\_FED\_COM\_703H\_20241031124002.pdf

MEAN\_GREEN\_23\_35\_FED\_COM\_703H\_Directional\_Plan\_10\_22\_24\_20241031124002.pdf

Well Name: MEAN GREEN 23-35 FED  
COMWell Location: T26S / R34E / SEC 23 /  
NESW / 32.028872 / -103.44421County or Parish/State: LEA /  
NM

Well Number: 703H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM100568

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002553781

Operator: DEVON ENERGY  
PRODUCTION COMPANY LP**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: REBECCA DEAL

Signed on: OCT 31, 2024 12:40 PM

Name: DEVON ENERGY PRODUCTION COMPANY LP

Title: Regulatory Professional

Street Address: 333 W SHERIDAN AVE

City: OKLAHOMA CITY

State: OK

Phone: (405) 228-8429

Email address: REBECCA.DEAL@DVN.COM

**Field**

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

**BLM Point of Contact**

BLM POC Name: LONG VO

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5759885402

BLM POC Email Address: LVO@BLM.GOV

Disposition: Approved

Disposition Date: 11/07/2024

Signature: Long Vo

Form 3160-5  
(June 2019)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: October 31, 2021

|                     |            |
|---------------------|------------|
| 5. Lease Serial No. | NMNM100568 |
|---------------------|------------|

6. If Indian, Allottee or Tribe Name

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE** - Other instructions on page 2

### 1. Type of Well

☒ Oil Well      ☐ Gas Well      ☐ Other

2. Name of Operator **DEVON ENERGY PRODUCTION COMPANY LP**

|             |                                       |                                   |
|-------------|---------------------------------------|-----------------------------------|
| 3a. Address | 333 WEST SHERIDAN AVE, OKLAHOMA CITY, | 3b. Phone No. (include area code) |
|             |                                       | (405) 235-3611                    |

4. Location of Well (*Footage, Sec., T.,R.,M., or Survey Description*)  
SEC 23/T26S/R34E/NMP

| 7. If Unit of CA/Agreement, Name and/or No. |
|---------------------------------------------|
|                                             |

8. Well Name and No.  
MEAN GREEN 23-35 FED COM/703H

|                 |            |
|-----------------|------------|
| 9. API Well No. | 3002553781 |
|-----------------|------------|

10. Field and Pool or Exploratory Area  
JABALINA/WOLFCAMP, SOUTHWEST

|                              |
|------------------------------|
| 11. Country or Parish, State |
| LEA/NM                       |

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA.

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                   |                                               |                                                    |                                         |  |
|------------------------------------------------------|--------------------------------------------------|-----------------------------------------------|----------------------------------------------------|-----------------------------------------|--|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize                 | <input type="checkbox"/> Deepen               | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |  |
|                                                      | <input type="checkbox"/> Alter Casing            | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity |  |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Casing Repair           | <input type="checkbox"/> New Construction     | <input type="checkbox"/> Recomplete                | <input type="checkbox"/> Other          |  |
|                                                      | <input checked="" type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon     | <input type="checkbox"/> Temporarily Abandon       |                                         |  |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Convert to Injection    | <input type="checkbox"/> Plug Back            | <input type="checkbox"/> Water Disposal            |                                         |  |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleting horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleting in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Devon Energy Production Company L.P. respectfully requests the following changes to the approved APD:

BHL change from 20 FSL & 2108 FWL to 20 FSL & 2310 FWL, both 23-26S-34E

Dedicated acreage change from 631.23 acs to 946.6 acs.

Defining well change from Mean Green 23-35 Fed Com 702H to Mean Green 23-35 Fed Com 721H

TVD/MD change from 12840/22985 to 12840/23028'

Casing program change: Intermediate, and Production Casing depth changes. Cement volume changes to accommodate casing change. Please see attached revised C-102 and drilling & directional plans.

14. I hereby certify that the foregoing is true and correct. Name *(Printed/Typed)*  
REBECCA DEAL / Ph: (405) 228-8429

|       |                         |
|-------|-------------------------|
| Title | Regulatory Professional |
|-------|-------------------------|

Signature (Electronic Submission)

Date 10/31/2024

**THE SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by \_\_\_\_\_

LONG VO / Ph: (575) 988-5402 / Approved

Title Petroleum Engineer

|      |            |
|------|------------|
| Date | 11/07/2024 |
|------|------------|

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

## GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

## SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13*: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

## NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## Additional Information

### Location of Well

0. SHL: NESW / 2637 FSL / 1591 FWL / TWSP: 26S / RANGE: 34E / SECTION: 23 / LAT: 32.028872 / LONG: -103.44421 ( TVD: 0 feet, MD: 0 feet )

PPP: NESW / 2553 FSL / 2108 FWL / TWSP: 26S / RANGE: 34E / SECTION: 23 / LAT: 32.028629 / LONG: -103.44245 ( TVD: 12645 feet, MD: 12723 feet )

BHL: LOT 3 / 20 FSL / 2108 FWL / TWSP: 26S / RANGE: 34E / SECTION: 35 / LAT: 32.000341 / LONG: -103.442452 ( TVD: 12840 feet, MD: 22985 feet )

CONFIDENTIAL

|                                                          |                                                                                                            |                                     |                    |                                                    |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------|--------------------|----------------------------------------------------|
| C-102<br><br>Submit Electronically<br>Via OCD Permitting | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br><b>OIL CONSERVATION DIVISION</b> |                                     | Revised July, 2024 |                                                    |
|                                                          |                                                                                                            |                                     | Submittal<br>Type: | <input type="checkbox"/> Initial Submittal         |
|                                                          |                                                                                                            |                                     |                    | <input checked="" type="checkbox"/> Amended Report |
|                                                          |                                                                                                            | <input type="checkbox"/> As Drilled |                    |                                                    |

## WELL LOCATION INFORMATION

|                                                                                                                                                        |                                                        |                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| API Number<br>30-025-53781                                                                                                                             | Pool Code<br>96776                                     | Pool Name<br>JABALINA;WOLFCAMP, SOUTHWEST                                                                                                              |
| Property Code<br>320992                                                                                                                                | Property Name<br>MEAN GREEN 23-35 FED COM              | Well Number<br>703H                                                                                                                                    |
| OGRID No.<br>6137                                                                                                                                      | Operator Name<br>DEVON ENERGY PRODUCTION COMPANY, L.P. | Ground Level Elevation<br>3125.7'                                                                                                                      |
| Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |                                                        | Mineral Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |

## Surface Location

| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude  | Longitude  | County |
|----|---------|----------|-------|-----|--------------|--------------|-----------|------------|--------|
| K  | 23      | 26-S     | 34-E  |     | 2637' S      | 1591' W      | 32.028872 | 103.444120 | LEA    |

## Bottom Hole Location

| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude  | Longitude  | County |
|----|---------|----------|-------|-----|--------------|--------------|-----------|------------|--------|
|    | 35      | 26-S     | 34-E  | 3   | 20' S        | 2310' W      | 32.000341 | 103.441801 | LEA    |

|                                   |                                   |                                   |                                                                                                    |                         |
|-----------------------------------|-----------------------------------|-----------------------------------|----------------------------------------------------------------------------------------------------|-------------------------|
| Dedicated Acres<br>946.6          | Infill or Defining Well<br>Infill | Defining Well API<br>30-025-53786 | Overlapping Spacing Unit (Y/N)<br>N                                                                | Consolidation Code<br>C |
| Order Numbers<br>Pending CA & NSP |                                   |                                   | Well setbacks are under Common Ownership: <input type="checkbox"/> Yes <input type="checkbox"/> No |                         |

## Kick Off Point (KOP)

| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | Longitude | County |
|----|---------|----------|-------|-----|--------------|--------------|----------|-----------|--------|
|    | 23      | 26S      | 34E   |     | 2625 FSL     | 2310 FWL     | 32.0288  | -103.4419 | LEA    |


## First Take Point (FTP)

| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude  | Longitude  | County |
|----|---------|----------|-------|-----|--------------|--------------|-----------|------------|--------|
| K  | 23      | 26-S     | 34-E  |     | 2555' S      | 2310' W      | 32.028627 | 103.441798 | LEA    |

## Last Take Point (LTP)

| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude  | Longitude  | County |
|----|---------|----------|-------|-----|--------------|--------------|-----------|------------|--------|
|    | 35      | 26-S     | 34-E  | 3   | 100' S       | 2310' W      | 32.000561 | 103.441800 | LEA    |

|                   |  |            |          |                         |
|-------------------|--|------------|----------|-------------------------|
| Spacing Unit Type |  | Horizontal | Vertical | Ground Floor Elevation: |
|                   |  | HZ         |          |                         |



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                    |                                                                                                                                                                                                                                              |                           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| <b>OPERATOR CERTIFICATIONS</b><br>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.<br><br>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. |                    | <b>SURVEYOR CERTIFICATIONS</b><br>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under supervision, and that the same is true and correct to the best of my belief. |                           |
| Signature<br>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Date<br>10/21/2024 |                                                                                                                                                         |                           |
| Printed Name<br>Rebecca Deal, Regulatory Analyst                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    |                                                                                                                                                                                                                                              |                           |
| Email Address<br>Rebecca.deal@dvn.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    | Certificate Number<br>23261                                                                                                                                                                                                                  | Date of Survey<br>10/2023 |

## ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

|                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><u>SURFACE HOLE LOCATION</u><br/>           GEODETIC COORDINATES NAD 83<br/>           NMSP EAST SURFACE LOCATION<br/>           2637' FSL 1591' FWL SECTION 23<br/>           EL: 3125.7'<br/>           N:375376.46/E:816901.57<br/>           LAT:32.028872/LON:103.444120</p> |
| <p><u>KICK OFF POINT</u><br/>           CALLS: 2625' FSL, 2310' FWL<br/>           N: 375376 / E: 817621<br/>           LAT: 32.0288 / LON: 103.4419</p>                                                                                                                             |
| <p><u>FIRST TAKE POINT</u><br/>           2555' FSL 2310' FWL SECTION 23<br/>           N:375293.32/E:817621.83<br/>           LAT:32.028627/LON:103.441798</p>                                                                                                                      |
| <p><u>LAST TAKE POINT</u><br/>           100' FSL 2310' FWL SECTION 35<br/>           N:365083.15/E:817705.30<br/>           LAT:32.000561/LON:103.441800</p>                                                                                                                        |
| <p><u>BOTTOM HOLE LOCATION</u><br/>           20' FSL 2310' FWL SECTION 35<br/>           N:365003.16/E:817705.93<br/>           LAT:32.000341/LON:103.441801</p>                                                                                                                    |
| <p><u>PPP 2</u><br/>           0' FNL 2309' FWL SECTION 35<br/>           N:367473.58/E:817685.76<br/>           LAT:32.007132/LON:103.441800</p>                                                                                                                                    |



A=N:378020.71 E:815288.72  
 B=N:378032.11 E:817938.39  
 C=N:378049.79 E:820586.29  
 D=N:375409.24 E:820608.84  
 E=N:372765.50 E:820632.33  
 F=N:370132.77 E:820655.60  
 G=N:367488.61 E:820677.80  
 H=N:365010.92 E:820699.66  
 I=N:364961.74 E:815396.18  
 J=N:367462.64 E:815376.57  
 K=N:370101.40 E:815354.84  
 L=N:372740.00 E:815333.32  
 M=N:375381.00 E:815311.00  
 N=N:372738.66 E:817985.32  
 O=N:367475.17 E:818020.30

1. Geologic Formations

|               |       |                              |     |
|---------------|-------|------------------------------|-----|
| TVD of target | 12840 | Pilot hole depth             | N/A |
| MD at TD:     | 23028 | Deepest expected fresh water |     |

Basin

| Formation       | Depth (TVD) from KB | Water/Mineral Bearing/Target Zone? | Hazards* |
|-----------------|---------------------|------------------------------------|----------|
| Rustler         | 946                 |                                    |          |
| Salt            | 1294                |                                    |          |
| Base of Salt    | 5038                |                                    |          |
| Delaware        | 5317                |                                    |          |
| Cherry Canyon   | 6372                |                                    |          |
| Brushy Canyon   | 7840                |                                    |          |
| Bone Spring 1st | 10637               |                                    |          |
| Bone Spring 2nd | 11168               |                                    |          |
| Bone Spring 3rd | 12256               |                                    |          |
| Wolfcamp        | 12645               |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |
|                 |                     |                                    |          |

\*H2S, water flows, loss of circulation, abnormal pressures, etc.

## MEAN GREEN 23-35 FED COM 703H

**2. Casing Program (Primary Design)**

| Hole Size | Csg. Size | Wt (PPF) | Grade | Conn        | Casing Interval |         | Casing Interval |          |
|-----------|-----------|----------|-------|-------------|-----------------|---------|-----------------|----------|
|           |           |          |       |             | From (MD)       | To (MD) | From (TVD)      | To (TVD) |
| 14 3/4    | 10 3/4    | 45 1/2   | J-55  | BTC         | 0               | 971     | 0               | 971      |
| 9 7/8     | 8 5/8     | 32       | P110  | Sprint FJ   | 0               | 12236   | 0               | 12236    |
| 7 7/8     | 5 1/2     | 17       | P110  | DWC / C-IS+ | 0               | 23028   | 0               | 12840    |

•All casing strings will be tested in accordance with 43 CFR 3172. Must have table for contingency casing.

**3. Cementing Program (Primary Design)**

| Casing                           | # Sks | TOC   | Wt. ppg | Yld (ft3/sack) | Slurry Description                       |
|----------------------------------|-------|-------|---------|----------------|------------------------------------------|
| Surface                          | 589   | Surf  | 13.2    | 1.44           | Lead: Class C Cement + additives         |
| Int 1                            | 404   | Surf  | 9       | 3.27           | Lead: Class C Cement + additives         |
|                                  | 507   | 7867  | 13.2    | 1.44           | Tail: Class H / C + additives            |
| Int 1<br>Intermediate<br>Squeeze | 917   | Surf  | 13.2    | 1.44           | Squeeze Lead: Class C Cement + additives |
|                                  | 404   | Surf  | 9       | 3.27           | Lead: Class C Cement + additives         |
|                                  | 507   | 7867  | 13.2    | 1.44           | Tail: Class H / C + additives            |
| Production                       | 117   | 10327 | 9       | 3.27           | Lead: Class H / C + additives            |
|                                  | 1416  | 12327 | 13.2    | 1.44           | Tail: Class H / C + additives            |

Assuming no returns are established while drilling, Devon requests to pump a two stage cement job on the intermediate casing string with the first stage being pumped conventionally with the calculated top of cement at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy Canyon to surface. The final cement top will be verified by Echo-meter. Devon will include the Echo-meter verified fluid top and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program. Devon will report to the BLM the volume of fluid (limited to 1 bbls) used to flush intermediate casing valves following backside cementing procedures.

| Casing String              | % Excess |
|----------------------------|----------|
| Surface                    | 50%      |
| Intermediate 1             | 30%      |
| Intermediate 1 (Two Stage) | 25%      |
| Prod                       | 10%      |

MEAN GREEN 23-35 FED COM 703H

**4. Pressure Control Equipment (Three String Design)**

| BOP installed and tested before drilling which hole? |                                                                                                      | Size?   | Min. Required WP | Type         |  | ✓ | Tested to:                     |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------|------------------|--------------|--|---|--------------------------------|
| Int 1                                                |                                                                                                      | 13-5/8" | 5M               | Annular      |  | X | 50% of rated working pressure  |
|                                                      |                                                                                                      |         |                  | Blind Ram    |  | X | 5M                             |
|                                                      |                                                                                                      |         |                  | Pipe Ram     |  |   |                                |
|                                                      |                                                                                                      |         |                  | Double Ram   |  | X |                                |
|                                                      |                                                                                                      |         |                  | Other*       |  |   |                                |
| Production                                           |                                                                                                      | 13-5/8" | 10M              | Annular (5M) |  | X | 100% of rated working pressure |
|                                                      |                                                                                                      |         |                  | Blind Ram    |  | X | 10M                            |
|                                                      |                                                                                                      |         |                  | Pipe Ram     |  |   |                                |
|                                                      |                                                                                                      |         |                  | Double Ram   |  | X |                                |
|                                                      |                                                                                                      |         |                  | Other*       |  |   |                                |
|                                                      |                                                                                                      |         |                  | Annular (5M) |  |   |                                |
|                                                      |                                                                                                      |         |                  | Blind Ram    |  |   |                                |
|                                                      |                                                                                                      |         |                  | Pipe Ram     |  |   |                                |
|                                                      |                                                                                                      |         |                  | Double Ram   |  |   |                                |
|                                                      |                                                                                                      |         |                  | Other*       |  |   |                                |
| N                                                    | A variance is requested for the use of a diverter on the surface casing. See attached for schematic. |         |                  |              |  |   |                                |
| Y                                                    | A variance is requested to run a 5 M annular on a 10M system                                         |         |                  |              |  |   |                                |

## MEAN GREEN 23-35 FED COM 703H

**5. Mud Program (Three String Design)**

| Section      | Type            | Weight (ppg) |
|--------------|-----------------|--------------|
| Surface      | FW Gel          | 8.5-9        |
| Intermediate | DBE / Cut Brine | 10-10.5      |
| Production   | OBM             | 10-10.5      |

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

|                                                         |                             |
|---------------------------------------------------------|-----------------------------|
| What will be used to monitor the loss or gain of fluid? | PVT/Pason/Visual Monitoring |
|---------------------------------------------------------|-----------------------------|

**6. Logging and Testing Procedures**

| Logging, Coring and Testing |                                                                                                                                                             |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| X                           | Will run GR/CNL from TD to surface (horizontal well - vertical portion of hole). Stated logs run will be in the Completion Report and submitted to the BLM. |
|                             | No logs are planned based on well control or offset log information.                                                                                        |
|                             | Drill stem test? If yes, explain.                                                                                                                           |
|                             | Coring? If yes, explain.                                                                                                                                    |

| Additional logs planned |             | Interval                |
|-------------------------|-------------|-------------------------|
|                         | Resistivity | Int. shoe to KOP        |
|                         | Density     | Int. shoe to KOP        |
| X                       | CBL         | Production casing       |
| X                       | Mud log     | Intermediate shoe to TD |
|                         | PEX         |                         |

**7. Drilling Conditions**

| Condition                  | Specify what type and where? |
|----------------------------|------------------------------|
| BH pressure at deepest TVD | 7011                         |
| Abnormal temperature       | No                           |

Mitigation measure for abnormal conditions. Describe. Lost circulation material/sweeps/mud scavengers.

|                                                                                                                                                                                                                                                                                                                                             |                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| Hydrogen Sulfide (H <sub>2</sub> S) monitors will be installed prior to drilling out the surface shoe. If H <sub>2</sub> S is detected in concentrations greater than 100 ppm, the operator will comply with the provisions of 43 CFR 3176.. If Hydrogen Sulfide is encountered measured values and formations will be provided to the BLM. |                                 |
| N                                                                                                                                                                                                                                                                                                                                           | H <sub>2</sub> S is present     |
| Y                                                                                                                                                                                                                                                                                                                                           | H <sub>2</sub> S plan attached. |

## MEAN GREEN 23-35 FED COM 703H

**8. Other facets of operation**

Is this a walking operation? Potentially

- 1 If operator elects, drilling rig will batch drill the surface holes and run/cement surface casing; walking the rig to next wells on the pad.
- 2 The drilling rig will then batch drill the intermediate sections and run/cement intermediate casing; the wellbore will be isolated with a blind flange and pressure gauge installed for monitoring the well before walking to the next well.
- 3 The drilling rig will then batch drill the production hole sections on the wells with OBM, run/cement production casing, and install TA caps or tubing heads for completions.

NOTE: During batch operations the drilling rig will be moved from well to well however, it will not be removed from the pad until all wells have production casing run/cemented.

Will be pre-setting casing? Potentially

- 1 Spudder rig will move in and batch drill surface hole.
  - a. Rig will utilize fresh water based mud to drill surface hole to TD. Solids control will be handled entirely on a closed loop basis.,
- 2 After drilling the surface hole section, the spudder rig will run casing and cement following all of the applicable rules and regulations (43 CFR 3172, all COAs and NMOCD regulations).
- 3 The wellhead will be installed and tested once the surface casing is cut off and the WOC time has been reached.
- 4 A blind flange with the same pressure rating as the wellhead will be installed to seal the wellbore. Pressure will be monitored with a pressure gauge installed on the wellhead.
- 5 Spudder rig operations is expected to take 4-5 days per well on a multi-well pa.
- 6 The NMOCD will be contacted and notified 24 hours prior to commencing spudder rig operations.
- 7 Drilling operations will be performed with drilling rig. At that time an approved BOP stack will be nipped up and tested on the wellhead before drilling operations commences on each well.
  - a. The NMOCD will be contacted / notified 24 hours before the drilling rig moves back on to the pad with the pre-set surface casing.

Attachments

X Directional Plan  
           Other, describe


MEAN GREEN 23-35 FED COM 703H



Well: MEAN GREEN 23-35 FED COM 703H  
County: Lea  
Wellbore: Permit Plan  
Design: Permit Plan #1

Geodetic System: US State Plane 1983  
Datum: North American Datum 1927  
Ellipsoid: Clarke 1866  
Zone: 3001 - NM East (NAD83)

| MD<br>(ft) | INC<br>(°) | AZI<br>(°) | TVD<br>(ft) | NS<br>(ft) | EW<br>(ft) | VS<br>(ft) | DLS<br>(°/100ft) | Comment          |
|------------|------------|------------|-------------|------------|------------|------------|------------------|------------------|
| 0.00       | 0.00       | 0.00       | 0.00        | 0.00       | 0.00       | 0.00       | 0.00             | SHL              |
| 2000.00    | 0.00       | 90.00      | 2000.00     | 0.00       | 0.00       | 0.00       | 0.00             | Start Tangent    |
| 2500.00    | 10.00      | 90.00      | 2497.47     | 0.00       | 43.52      | 3.36       | 2.00             | Hold Tangent     |
| 6140.81    | 10.00      | 90.00      | 6082.96     | 0.00       | 675.74     | 52.24      | 0.00             | Drop to Vertical |
| 6640.81    | 0.00       | 90.00      | 6580.43     | 0.00       | 719.27     | 55.61      | 2.00             | Hold Vertical    |
| 12327.42   | 0.00       | 179.53     | 12267.04    | 0.00       | 719.27     | 55.61      | 0.00             | KOP              |
| 13227.42   | 90.00      | 179.53     | 12840.00    | -572.94    | 723.97     | 627.19     | 10.00            | Landing Point    |
| 23028.11   | 90.00      | 179.53     | 12840.00    | -10373.30  | 804.36     | 10404.44   | 0.00             | BHL              |



| Key Depths                      | MD<br>(ft) | TVD<br>(ft) |
|---------------------------------|------------|-------------|
| Rustler                         | 946.00     | 946.00      |
| Salt                            | 1294.00    | 1294.00     |
| Base of Salt                    | 5079.73    | 5038.00     |
| Delaware                        | 5363.03    | 5317.00     |
| Cherry Canyon                   | 6432.20    | 6372.00     |
| Brushy Canyon                   | 7900.38    | 7840.00     |
| Bone Spring 1st                 | 10697.38   | 10637.00    |
| Bone Spring 2nd                 | 11228.38   | 11168.00    |
| Bone Spring 3rd                 | 12316.38   | 12256.00    |
| Wolfcamp / Point of Penetration | 12740.16   | 12645.00    |
| exit                            | 22948.11   | 12840.01    |

SHL  
KOP  
Point of Penetration  
Exit  
BHL

| MD<br>(ft) | TVD<br>(ft) | Lat<br>(°) | Long<br>(°) | Section Footages                             |
|------------|-------------|------------|-------------|----------------------------------------------|
| 0.00       | 0.00        | 32.0288    | -103.4442   | 2637' FSL, 1591' FWL of Sec 23 in T26S, R34E |
| 12327.42   | 12267.04    | 32.0288    | -103.4419   | 2625' FSL, 2310' FWL of Sec 23 in T26S, R34E |
| 12740.16   | 12645.00    | 32.0286    | -103.4418   | 2555' FSL, 2310' FWL of Sec 23 in T26S, R34E |
| 22948.11   | 12840.01    | 32.0006    | -103.4418   | 100' FSL, 2310' FWL of Sec 35 in T26S, R34E  |
| 23028.11   | 12840.00    | 32.0002    | -103.4419   | 20' FSL, 2310' FWL of Sec 35 in T26S, R34E   |

|     | Y      | X      | MD       |
|-----|--------|--------|----------|
| KOP | 375376 | 817621 | 12327.42 |

MEAN GREEN 23-35 FED COM 703H



Well: MEAN GREEN 23-35 FED COM 703H  
County: Lea  
Wellbore: Permit Plan  
Design: Permit Plan #1

Geodetic System: US State Plane 1983  
Datum: North American Datum 1927  
Ellipsoid: Clarke 1866  
Zone: 3001 - NM East (NAD83)

| MD<br>(ft) | INC<br>(°) | AZI<br>(°) | TVD<br>(ft) | NS<br>(ft) | EW<br>(ft) | VS<br>(ft) | DLS<br>(°/100ft) | Comment          |
|------------|------------|------------|-------------|------------|------------|------------|------------------|------------------|
| 0.00       | 0.00       | 0.00       | 0.00        | 0.00       | 0.00       | 0.00       | 0.00             | SHL              |
| 100.00     | 0.00       | 90.00      | 100.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 200.00     | 0.00       | 90.00      | 200.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 300.00     | 0.00       | 90.00      | 300.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 400.00     | 0.00       | 90.00      | 400.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 500.00     | 0.00       | 90.00      | 500.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 600.00     | 0.00       | 90.00      | 600.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 700.00     | 0.00       | 90.00      | 700.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 800.00     | 0.00       | 90.00      | 800.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 900.00     | 0.00       | 90.00      | 900.00      | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 946.00     | 0.00       | 90.00      | 946.00      | 0.00       | 0.00       | 0.00       | 0.00             | Rustler          |
| 1000.00    | 0.00       | 90.00      | 1000.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1100.00    | 0.00       | 90.00      | 1100.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1200.00    | 0.00       | 90.00      | 1200.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1294.00    | 0.00       | 90.00      | 1294.00     | 0.00       | 0.00       | 0.00       | 0.00             | Salt             |
| 1300.00    | 0.00       | 90.00      | 1300.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1400.00    | 0.00       | 90.00      | 1400.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1500.00    | 0.00       | 90.00      | 1500.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1600.00    | 0.00       | 90.00      | 1600.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1700.00    | 0.00       | 90.00      | 1700.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1800.00    | 0.00       | 90.00      | 1800.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 1900.00    | 0.00       | 90.00      | 1900.00     | 0.00       | 0.00       | 0.00       | 0.00             |                  |
| 2000.00    | 0.00       | 90.00      | 2000.00     | 0.00       | 0.00       | 0.00       | 0.00             | Start Tangent    |
| 2100.00    | 2.00       | 90.00      | 2099.98     | 0.00       | 1.75       | 0.13       | 2.00             |                  |
| 2200.00    | 4.00       | 90.00      | 2199.84     | 0.00       | 6.98       | 0.54       | 2.00             |                  |
| 2300.00    | 6.00       | 90.00      | 2299.45     | 0.00       | 15.69      | 1.21       | 2.00             |                  |
| 2400.00    | 8.00       | 90.00      | 2398.70     | 0.00       | 27.88      | 2.16       | 2.00             |                  |
| 2500.00    | 10.00      | 90.00      | 2497.47     | 0.00       | 43.52      | 3.36       | 2.00             | Hold Tangent     |
| 2600.00    | 10.00      | 90.00      | 2595.95     | 0.00       | 60.89      | 4.71       | 0.00             |                  |
| 2700.00    | 10.00      | 90.00      | 2694.43     | 0.00       | 78.25      | 6.05       | 0.00             |                  |
| 2800.00    | 10.00      | 90.00      | 2792.91     | 0.00       | 95.62      | 7.39       | 0.00             |                  |
| 2900.00    | 10.00      | 90.00      | 2891.39     | 0.00       | 112.98     | 8.73       | 0.00             |                  |
| 3000.00    | 10.00      | 90.00      | 2989.87     | 0.00       | 130.35     | 10.08      | 0.00             |                  |
| 3100.00    | 10.00      | 90.00      | 3088.35     | 0.00       | 147.71     | 11.42      | 0.00             |                  |
| 3200.00    | 10.00      | 90.00      | 3186.83     | 0.00       | 165.08     | 12.76      | 0.00             |                  |
| 3300.00    | 10.00      | 90.00      | 3285.31     | 0.00       | 182.44     | 14.10      | 0.00             |                  |
| 3400.00    | 10.00      | 90.00      | 3383.79     | 0.00       | 199.81     | 15.45      | 0.00             |                  |
| 3500.00    | 10.00      | 90.00      | 3482.27     | 0.00       | 217.17     | 16.79      | 0.00             |                  |
| 3600.00    | 10.00      | 90.00      | 3580.75     | 0.00       | 234.54     | 18.13      | 0.00             |                  |
| 3700.00    | 10.00      | 90.00      | 3679.23     | 0.00       | 251.90     | 19.47      | 0.00             |                  |
| 3800.00    | 10.00      | 90.00      | 3777.72     | 0.00       | 269.27     | 20.82      | 0.00             |                  |
| 3900.00    | 10.00      | 90.00      | 3876.20     | 0.00       | 286.63     | 22.16      | 0.00             |                  |
| 4000.00    | 10.00      | 90.00      | 3974.68     | 0.00       | 303.99     | 23.50      | 0.00             |                  |
| 4100.00    | 10.00      | 90.00      | 4073.16     | 0.00       | 321.36     | 24.84      | 0.00             |                  |
| 4200.00    | 10.00      | 90.00      | 4171.64     | 0.00       | 338.72     | 26.19      | 0.00             |                  |
| 4300.00    | 10.00      | 90.00      | 4270.12     | 0.00       | 356.09     | 27.53      | 0.00             |                  |
| 4400.00    | 10.00      | 90.00      | 4368.60     | 0.00       | 373.45     | 28.87      | 0.00             |                  |
| 4500.00    | 10.00      | 90.00      | 4467.08     | 0.00       | 390.82     | 30.21      | 0.00             |                  |
| 4600.00    | 10.00      | 90.00      | 4565.56     | 0.00       | 408.18     | 31.56      | 0.00             |                  |
| 4700.00    | 10.00      | 90.00      | 4664.04     | 0.00       | 425.55     | 32.90      | 0.00             |                  |
| 4800.00    | 10.00      | 90.00      | 4762.52     | 0.00       | 442.91     | 34.24      | 0.00             |                  |
| 4900.00    | 10.00      | 90.00      | 4861.00     | 0.00       | 460.28     | 35.58      | 0.00             |                  |
| 5000.00    | 10.00      | 90.00      | 4959.48     | 0.00       | 477.64     | 36.93      | 0.00             |                  |
| 5079.73    | 10.00      | 90.00      | 5038.00     | 0.00       | 491.49     | 38.00      | 0.00             | Base of Salt     |
| 5100.00    | 10.00      | 90.00      | 5057.97     | 0.00       | 495.01     | 38.27      | 0.00             |                  |
| 5200.00    | 10.00      | 90.00      | 5156.45     | 0.00       | 512.37     | 39.61      | 0.00             |                  |
| 5300.00    | 10.00      | 90.00      | 5254.93     | 0.00       | 529.74     | 40.95      | 0.00             |                  |
| 5363.03    | 10.00      | 90.00      | 5317.00     | 0.00       | 540.68     | 41.80      | 0.00             | Delaware         |
| 5400.00    | 10.00      | 90.00      | 5353.41     | 0.00       | 547.10     | 42.30      | 0.00             |                  |
| 5500.00    | 10.00      | 90.00      | 5451.89     | 0.00       | 564.47     | 43.64      | 0.00             |                  |
| 5600.00    | 10.00      | 90.00      | 5550.37     | 0.00       | 581.83     | 44.98      | 0.00             |                  |
| 5700.00    | 10.00      | 90.00      | 5648.85     | 0.00       | 599.20     | 46.32      | 0.00             |                  |
| 5800.00    | 10.00      | 90.00      | 5747.33     | 0.00       | 616.56     | 47.67      | 0.00             |                  |
| 5900.00    | 10.00      | 90.00      | 5845.81     | 0.00       | 633.93     | 49.01      | 0.00             |                  |
| 6000.00    | 10.00      | 90.00      | 5944.29     | 0.00       | 651.29     | 50.35      | 0.00             |                  |
| 6100.00    | 10.00      | 90.00      | 6042.77     | 0.00       | 668.66     | 51.69      | 0.00             |                  |
| 6140.81    | 10.00      | 90.00      | 6082.96     | 0.00       | 675.74     | 52.24      | 0.00             | Drop to Vertical |
| 6200.00    | 8.82       | 90.00      | 6141.36     | 0.00       | 685.42     | 52.99      | 2.00             |                  |
| 6300.00    | 6.82       | 90.00      | 6240.42     | 0.00       | 699.02     | 54.04      | 2.00             |                  |
| 6400.00    | 4.82       | 90.00      | 6339.90     | 0.00       | 709.15     | 54.82      | 2.00             |                  |

MEAN GREEN 23-35 FED COM 703H



Well: MEAN GREEN 23-35 FED COM 703H  
County: Lea  
Wellbore: Permit Plan  
Design: Permit Plan #1

Geodetic System: US State Plane 1983  
Datum: North American Datum 1927  
Ellipsoid: Clarke 1866  
Zone: 3001 - NM East (NAD83)

| MD       | INC   | AZI    | TVD      | NS      | EW     | VS     | DLS       | Comment         |
|----------|-------|--------|----------|---------|--------|--------|-----------|-----------------|
| (ft)     | (°)   | (°)    | (ft)     | (ft)    | (ft)   | (ft)   | (°/100ft) |                 |
| 6432.20  | 4.17  | 90.00  | 6372.00  | 0.00    | 711.67 | 55.02  | 2.00      | Cherry Canyon   |
| 6500.00  | 2.82  | 90.00  | 6439.68  | 0.00    | 715.81 | 55.34  | 2.00      |                 |
| 6600.00  | 0.82  | 90.00  | 6539.62  | 0.00    | 718.97 | 55.58  | 2.00      |                 |
| 6640.81  | 0.00  | 90.00  | 6580.43  | 0.00    | 719.27 | 55.61  | 2.00      | Hold Vertical   |
| 6700.00  | 0.00  | 179.53 | 6639.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 6800.00  | 0.00  | 179.53 | 6739.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 6900.00  | 0.00  | 179.53 | 6839.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7000.00  | 0.00  | 179.53 | 6939.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7100.00  | 0.00  | 179.53 | 7039.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7200.00  | 0.00  | 179.53 | 7139.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7300.00  | 0.00  | 179.53 | 7239.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7400.00  | 0.00  | 179.53 | 7339.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7500.00  | 0.00  | 179.53 | 7439.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7600.00  | 0.00  | 179.53 | 7539.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7700.00  | 0.00  | 179.53 | 7639.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7800.00  | 0.00  | 179.53 | 7739.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7900.00  | 0.00  | 179.53 | 7839.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 7900.38  | 0.00  | 179.53 | 7840.00  | 0.00    | 719.27 | 55.61  | 0.00      | Brushy Canyon   |
| 8000.00  | 0.00  | 179.53 | 7939.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8100.00  | 0.00  | 179.53 | 8039.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8200.00  | 0.00  | 179.53 | 8139.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8300.00  | 0.00  | 179.53 | 8239.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8400.00  | 0.00  | 179.53 | 8339.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8500.00  | 0.00  | 179.53 | 8439.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8600.00  | 0.00  | 179.53 | 8539.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8700.00  | 0.00  | 179.53 | 8639.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8800.00  | 0.00  | 179.53 | 8739.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 8900.00  | 0.00  | 179.53 | 8839.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9000.00  | 0.00  | 179.53 | 8939.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9100.00  | 0.00  | 179.53 | 9039.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9200.00  | 0.00  | 179.53 | 9139.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9300.00  | 0.00  | 179.53 | 9239.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9400.00  | 0.00  | 179.53 | 9339.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9500.00  | 0.00  | 179.53 | 9439.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9600.00  | 0.00  | 179.53 | 9539.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9700.00  | 0.00  | 179.53 | 9639.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9800.00  | 0.00  | 179.53 | 9739.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 9900.00  | 0.00  | 179.53 | 9839.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10000.00 | 0.00  | 179.53 | 9939.62  | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10100.00 | 0.00  | 179.53 | 10039.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10200.00 | 0.00  | 179.53 | 10139.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10300.00 | 0.00  | 179.53 | 10239.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10400.00 | 0.00  | 179.53 | 10339.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10500.00 | 0.00  | 179.53 | 10439.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10600.00 | 0.00  | 179.53 | 10539.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10697.38 | 0.00  | 179.53 | 10637.00 | 0.00    | 719.27 | 55.61  | 0.00      | Bone Spring 1st |
| 10700.00 | 0.00  | 179.53 | 10639.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10800.00 | 0.00  | 179.53 | 10739.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 10900.00 | 0.00  | 179.53 | 10839.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11000.00 | 0.00  | 179.53 | 10939.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11100.00 | 0.00  | 179.53 | 11039.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11200.00 | 0.00  | 179.53 | 11139.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11228.38 | 0.00  | 179.53 | 11168.00 | 0.00    | 719.27 | 55.61  | 0.00      | Bone Spring 2nd |
| 11300.00 | 0.00  | 179.53 | 11239.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11400.00 | 0.00  | 179.53 | 11339.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11500.00 | 0.00  | 179.53 | 11439.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11600.00 | 0.00  | 179.53 | 11539.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11700.00 | 0.00  | 179.53 | 11639.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11800.00 | 0.00  | 179.53 | 11739.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 11900.00 | 0.00  | 179.53 | 11839.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 12000.00 | 0.00  | 179.53 | 11939.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 12100.00 | 0.00  | 179.53 | 12039.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 12200.00 | 0.00  | 179.53 | 12139.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 12300.00 | 0.00  | 179.53 | 12239.62 | 0.00    | 719.27 | 55.61  | 0.00      |                 |
| 12316.38 | 0.00  | 179.53 | 12256.00 | 0.00    | 719.27 | 55.61  | 0.00      | Bone Spring 3rd |
| 12327.42 | 0.00  | 179.53 | 12267.04 | 0.00    | 719.27 | 55.61  | 0.00      | KOP             |
| 12400.00 | 7.26  | 179.53 | 12339.42 | -4.59   | 719.30 | 60.19  | 10.00     |                 |
| 12500.00 | 17.26 | 179.53 | 12437.02 | -25.79  | 719.48 | 81.34  | 10.00     |                 |
| 12600.00 | 27.26 | 179.53 | 12529.45 | -63.62  | 719.79 | 119.08 | 10.00     |                 |
| 12700.00 | 37.26 | 179.53 | 12613.91 | -116.92 | 720.22 | 172.26 | 10.00     |                 |

|  |       | <b>Well:</b> MEAN GREEN 23-35 FED COM 703H |          |          |        |         |           | <b>Geodetic System:</b> US State Plane 1983 |  |
|-----------------------------------------------------------------------------------|-------|--------------------------------------------|----------|----------|--------|---------|-----------|---------------------------------------------|--|
|                                                                                   |       | <b>County:</b> Lea                         |          |          |        |         |           | <b>Datum:</b> North American Datum 1927     |  |
|                                                                                   |       | <b>Wellbore:</b> Permit Plan               |          |          |        |         |           | <b>Ellipsoid:</b> Clarke 1866               |  |
|                                                                                   |       | <b>Design:</b> Permit Plan #1              |          |          |        |         |           | <b>Zone:</b> 3001 - NM East (NAD83)         |  |
| MD                                                                                | INC   | AZI                                        | TVD      | NS       | EW     | VS      | DLS       | Comment                                     |  |
| (ft)                                                                              | (°)   | (°)                                        | (ft)     | (ft)     | (ft)   | (ft)    | (°/100ft) |                                             |  |
| 12740.16                                                                          | 41.27 | 179.53                                     | 12645.00 | -142.34  | 720.43 | 197.61  | 10.00     | Wolfcamp / Point                            |  |
| 12800.00                                                                          | 47.26 | 179.53                                     | 12687.83 | -184.08  | 720.78 | 239.26  | 10.00     |                                             |  |
| 12900.00                                                                          | 57.26 | 179.53                                     | 12748.96 | -263.06  | 721.42 | 318.04  | 10.00     |                                             |  |
| 13000.00                                                                          | 67.26 | 179.53                                     | 12795.45 | -351.45  | 722.15 | 406.23  | 10.00     |                                             |  |
| 13100.00                                                                          | 77.26 | 179.53                                     | 12825.89 | -446.57  | 722.93 | 501.12  | 10.00     |                                             |  |
| 13200.00                                                                          | 87.26 | 179.53                                     | 12839.34 | -545.53  | 723.74 | 599.85  | 10.00     | Landing Point                               |  |
| 13227.42                                                                          | 90.00 | 179.53                                     | 12840.00 | -572.94  | 723.97 | 627.19  | 10.00     |                                             |  |
| 13300.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -645.51  | 724.56 | 699.60  | 0.00      |                                             |  |
| 13400.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -745.51  | 725.38 | 799.36  | 0.00      |                                             |  |
| 13500.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -845.51  | 726.20 | 899.12  | 0.00      |                                             |  |
| 13600.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -945.50  | 727.02 | 998.88  | 0.00      |                                             |  |
| 13700.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1045.50 | 727.84 | 1098.64 | 0.00      |                                             |  |
| 13800.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1145.50 | 728.66 | 1198.40 | 0.00      |                                             |  |
| 13900.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1245.49 | 729.48 | 1298.16 | 0.00      |                                             |  |
| 14000.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1345.49 | 730.30 | 1397.92 | 0.00      |                                             |  |
| 14100.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1445.49 | 731.13 | 1497.68 | 0.00      |                                             |  |
| 14200.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1545.48 | 731.95 | 1597.44 | 0.00      |                                             |  |
| 14300.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1645.48 | 732.77 | 1697.21 | 0.00      |                                             |  |
| 14400.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1745.48 | 733.59 | 1796.97 | 0.00      |                                             |  |
| 14500.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1845.47 | 734.41 | 1896.73 | 0.00      |                                             |  |
| 14600.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -1945.47 | 735.23 | 1996.49 | 0.00      |                                             |  |
| 14700.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2045.47 | 736.05 | 2096.25 | 0.00      |                                             |  |
| 14800.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2145.46 | 736.87 | 2196.01 | 0.00      |                                             |  |
| 14900.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2245.46 | 737.69 | 2295.77 | 0.00      |                                             |  |
| 15000.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2345.46 | 738.51 | 2395.53 | 0.00      |                                             |  |
| 15100.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2445.45 | 739.33 | 2495.29 | 0.00      |                                             |  |
| 15200.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2545.45 | 740.15 | 2595.05 | 0.00      |                                             |  |
| 15300.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2645.45 | 740.97 | 2694.81 | 0.00      |                                             |  |
| 15400.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2745.44 | 741.79 | 2794.57 | 0.00      |                                             |  |
| 15500.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2845.44 | 742.61 | 2894.33 | 0.00      |                                             |  |
| 15600.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -2945.44 | 743.43 | 2994.10 | 0.00      |                                             |  |
| 15700.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3045.43 | 744.25 | 3093.86 | 0.00      |                                             |  |
| 15800.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3145.43 | 745.07 | 3193.62 | 0.00      |                                             |  |
| 15900.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3245.43 | 745.90 | 3293.38 | 0.00      |                                             |  |
| 16000.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3345.42 | 746.72 | 3393.14 | 0.00      |                                             |  |
| 16100.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3445.42 | 747.54 | 3492.90 | 0.00      |                                             |  |
| 16200.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3545.42 | 748.36 | 3592.66 | 0.00      |                                             |  |
| 16300.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3645.41 | 749.18 | 3692.42 | 0.00      |                                             |  |
| 16400.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3745.41 | 750.00 | 3792.18 | 0.00      |                                             |  |
| 16500.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3845.41 | 750.82 | 3891.94 | 0.00      |                                             |  |
| 16600.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -3945.40 | 751.64 | 3991.70 | 0.00      |                                             |  |
| 16700.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -4045.40 | 752.46 | 4091.46 | 0.00      |                                             |  |
| 16800.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -4145.40 | 753.28 | 4191.22 | 0.00      |                                             |  |
| 16900.00                                                                          | 90.00 | 179.53                                     | 12840.00 | -4245.39 | 754.10 | 4290.99 | 0.00      |                                             |  |
| 17000.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4345.39 | 754.92 | 4390.75 | 0.00      |                                             |  |
| 17100.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4445.39 | 755.74 | 4490.51 | 0.00      |                                             |  |
| 17200.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4545.38 | 756.56 | 4590.27 | 0.00      |                                             |  |
| 17300.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4645.38 | 757.38 | 4690.03 | 0.00      |                                             |  |
| 17400.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4745.37 | 758.20 | 4789.79 | 0.00      |                                             |  |
| 17500.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4845.37 | 759.02 | 4889.55 | 0.00      |                                             |  |
| 17600.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -4945.37 | 759.84 | 4989.31 | 0.00      |                                             |  |
| 17700.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5045.36 | 760.67 | 5089.07 | 0.00      |                                             |  |
| 17800.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5145.36 | 761.49 | 5188.83 | 0.00      |                                             |  |
| 17900.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5245.36 | 762.31 | 5288.59 | 0.00      |                                             |  |
| 18000.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5345.35 | 763.13 | 5388.35 | 0.00      |                                             |  |
| 18100.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5445.35 | 763.95 | 5488.12 | 0.00      |                                             |  |
| 18200.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5545.35 | 764.77 | 5587.88 | 0.00      |                                             |  |
| 18300.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5645.34 | 765.59 | 5687.64 | 0.00      |                                             |  |
| 18400.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5745.34 | 766.41 | 5787.40 | 0.00      |                                             |  |
| 18500.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5845.34 | 767.23 | 5887.16 | 0.00      |                                             |  |
| 18600.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -5945.33 | 768.05 | 5986.92 | 0.00      |                                             |  |
| 18700.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6045.33 | 768.87 | 6086.68 | 0.00      |                                             |  |
| 18800.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6145.33 | 769.69 | 6186.44 | 0.00      |                                             |  |
| 18900.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6245.32 | 770.51 | 6286.20 | 0.00      |                                             |  |
| 19000.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6345.32 | 771.33 | 6385.96 | 0.00      |                                             |  |
| 19100.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6445.32 | 772.15 | 6485.72 | 0.00      |                                             |  |
| 19200.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6545.31 | 772.97 | 6585.48 | 0.00      |                                             |  |
| 19300.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6645.31 | 773.79 | 6685.24 | 0.00      |                                             |  |
| 19400.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6745.31 | 774.62 | 6785.01 | 0.00      |                                             |  |
| 19500.00                                                                          | 90.00 | 179.53                                     | 12840.01 | -6845.30 | 775.44 | 6884.77 | 0.00      |                                             |  |

MEAN GREEN 23-35 FED COM 703H



Well: MEAN GREEN 23-35 FED COM 703H

County: Lea

Wellbore: Permit Plan

Design: Permit Plan #1

Geodetic System: US State Plane 1983

Datum: North American Datum 1927

Ellipsoid: Clarke 1866

Zone: 3001 - NM East (NAD83)

| MD       | INC   | AZI    | TVD      | NS        | EW     | VS       | DLS       | Comment |
|----------|-------|--------|----------|-----------|--------|----------|-----------|---------|
| (ft)     | (°)   | (°)    | (ft)     | (ft)      | (ft)   | (ft)     | (°/100ft) |         |
| 19600.00 | 90.00 | 179.53 | 12840.01 | -6945.30  | 776.26 | 6984.53  | 0.00      |         |
| 19700.00 | 90.00 | 179.53 | 12840.01 | -7045.30  | 777.08 | 7084.29  | 0.00      |         |
| 19800.00 | 90.00 | 179.53 | 12840.01 | -7145.29  | 777.90 | 7184.05  | 0.00      |         |
| 19900.00 | 90.00 | 179.53 | 12840.01 | -7245.29  | 778.72 | 7283.81  | 0.00      |         |
| 20000.00 | 90.00 | 179.53 | 12840.01 | -7345.29  | 779.54 | 7383.57  | 0.00      |         |
| 20100.00 | 90.00 | 179.53 | 12840.01 | -7445.28  | 780.36 | 7483.33  | 0.00      |         |
| 20200.00 | 90.00 | 179.53 | 12840.01 | -7545.28  | 781.18 | 7583.09  | 0.00      |         |
| 20300.00 | 90.00 | 179.53 | 12840.01 | -7645.28  | 782.00 | 7682.85  | 0.00      |         |
| 20400.00 | 90.00 | 179.53 | 12840.01 | -7745.27  | 782.82 | 7782.61  | 0.00      |         |
| 20500.00 | 90.00 | 179.53 | 12840.01 | -7845.27  | 783.64 | 7882.37  | 0.00      |         |
| 20600.00 | 90.00 | 179.53 | 12840.01 | -7945.27  | 784.46 | 7982.13  | 0.00      |         |
| 20700.00 | 90.00 | 179.53 | 12840.01 | -8045.26  | 785.28 | 8081.90  | 0.00      |         |
| 20800.00 | 90.00 | 179.53 | 12840.01 | -8145.26  | 786.10 | 8181.66  | 0.00      |         |
| 20900.00 | 90.00 | 179.53 | 12840.01 | -8245.26  | 786.92 | 8281.42  | 0.00      |         |
| 21000.00 | 90.00 | 179.53 | 12840.01 | -8345.25  | 787.74 | 8381.18  | 0.00      |         |
| 21100.00 | 90.00 | 179.53 | 12840.01 | -8445.25  | 788.56 | 8480.94  | 0.00      |         |
| 21200.00 | 90.00 | 179.53 | 12840.01 | -8545.25  | 789.39 | 8580.70  | 0.00      |         |
| 21300.00 | 90.00 | 179.53 | 12840.01 | -8645.24  | 790.21 | 8680.46  | 0.00      |         |
| 21400.00 | 90.00 | 179.53 | 12840.01 | -8745.24  | 791.03 | 8780.22  | 0.00      |         |
| 21500.00 | 90.00 | 179.53 | 12840.01 | -8845.24  | 791.85 | 8879.98  | 0.00      |         |
| 21600.00 | 90.00 | 179.53 | 12840.01 | -8945.23  | 792.67 | 8979.74  | 0.00      |         |
| 21700.00 | 90.00 | 179.53 | 12840.01 | -9045.23  | 793.49 | 9079.50  | 0.00      |         |
| 21800.00 | 90.00 | 179.53 | 12840.01 | -9145.23  | 794.31 | 9179.26  | 0.00      |         |
| 21900.00 | 90.00 | 179.53 | 12840.01 | -9245.22  | 795.13 | 9279.02  | 0.00      |         |
| 22000.00 | 90.00 | 179.53 | 12840.01 | -9345.22  | 795.95 | 9378.79  | 0.00      |         |
| 22100.00 | 90.00 | 179.53 | 12840.01 | -9445.22  | 796.77 | 9478.55  | 0.00      |         |
| 22200.00 | 90.00 | 179.53 | 12840.01 | -9545.21  | 797.59 | 9578.31  | 0.00      |         |
| 22300.00 | 90.00 | 179.53 | 12840.01 | -9645.21  | 798.41 | 9678.07  | 0.00      |         |
| 22400.00 | 90.00 | 179.53 | 12840.01 | -9745.21  | 799.23 | 9777.83  | 0.00      |         |
| 22500.00 | 90.00 | 179.53 | 12840.01 | -9845.20  | 800.05 | 9877.59  | 0.00      |         |
| 22600.00 | 90.00 | 179.53 | 12840.01 | -9945.20  | 800.87 | 9977.35  | 0.00      |         |
| 22700.00 | 90.00 | 179.53 | 12840.01 | -10045.20 | 801.69 | 10077.11 | 0.00      |         |
| 22800.00 | 90.00 | 179.53 | 12840.01 | -10145.19 | 802.51 | 10176.87 | 0.00      |         |
| 22900.00 | 90.00 | 179.53 | 12840.01 | -10245.19 | 803.33 | 10276.63 | 0.00      |         |
| 22948.11 | 90.00 | 179.53 | 12840.01 | -10293.30 | 803.73 | 10324.63 | 0.00      | exit    |
| 23000.00 | 90.00 | 179.53 | 12840.01 | -10345.19 | 804.16 | 10376.39 | 0.00      |         |
| 23028.11 | 90.00 | 179.53 | 12840.00 | -10373.30 | 804.36 | 10404.44 | 0.00      | BHL     |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 400365

CONDITIONS

|                                                                                                       |                                                      |
|-------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                       |
|                                                                                                       | Action Number:<br>400365                             |
|                                                                                                       | Action Type:<br>[C-103] NOI Change of Plans (C-103A) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| pkautz     | None      | 12/19/2024     |