

Santa Fe Main Office Phone: (505) 476-3441 Fax: (505) 476-3462 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-104 Revised July 9, 2024 Submit Electronically Via OCD Permitting
---	--	---

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: DJR OPERATING LLC	OGRID: 371838
Property Name and Well Number: N ALAMITO UNIT 565H	Property Code: 325267
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-043-21485
Pool Name: N ALAMITO UNIT MANCOS OIL	Pool Code: 98174

Section 2 – Surface Location

UL D	Section 29	Township 23N	Range 7W	Lot	Ft. from N/S 1170' NORTH	Ft. from E/W 818' WEST	Latitude 36.201969	Longitude -107.603775	County SANDOVAL
---------	---------------	-----------------	-------------	-----	-----------------------------	---------------------------	-----------------------	--------------------------	--------------------

Section 3 – Completion Information

Producing Method FLOWING	Ready Date 7/24/2024	Perforations MD 5291' – 11954'	Perforations TVD 5132' – 5218'
-----------------------------	-------------------------	-----------------------------------	-----------------------------------

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW): 363252	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 178348	Unit: ☒ Yes ☐ No, Order No. R-14081 / R-14081A
Intermediate 1 Casing Action ID: 184241	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 189214	Surface Commingling: ☐ Yes ☒ No, Order No.
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☐ Yes ☒ No ☐ Common ownership Order No.
Liner 1 Action ID: 189214	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N): N	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Shaw-Marie Ford	
Title Regulatory Specialist	Date 10/14/2024

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal ☐ Amended Report ☒ As Drilled

WELL LOCATION INFORMATION

API Number 30-043-21485	Pool Code 98174	Pool Name NORTH ALAMITO UNIT MANCOS OIL POOL
Property Code 325267	Property Name NORTH ALAMITO UNIT	Well Number 565H
OGRID No. 371838	Operator Name DJR OPERATING, LLC	Ground Level Elevation 6902'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location (SHL)

UL	Section	Township	Range	Lot	Ft from the N/S	Ft from the E/W	Latitude	Longitude	County
D	29	23N	7W		1170' NORTH	818' WEST	36.201969° N	107.603775° W	SANDOVAL

Bottom Hole Location (BHL)

UL	Section	Township	Range	Lot	Ft from the N/S	Ft from the E/W	Latitude	Longitude	County
E	19	23N	7W		1514' NORTH	1009' WEST	36.215643° N	107.620863° W	SANDOVAL

Dedicated Acres PENETRATED SPACING UNIT; SEC 29: NW/NW (40 AC.); SEC 20: SW/SW (40 AC.); SEC 30: NE/NE (40 AC.); SEC. 19: SW/4, SW/NE, NE/SW & NW/4 (401.62 AC.) = 521.62 ACRES	Infill or Defining Well	Defining Well API	Overlapping Spacing Unit (Y/N) N	Consolidation Code Unit
Order Numbers: R-14081 R-14081A		Well Setbacks are under Common Ownership: ☐ Yes ☐ No		

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft from the N/S	Ft from the E/W	Latitude	Longitude	County
D	29	23N	7W		846' NORTH	1037' WEST	36.203844° N	107.604028° W	SANDOVAL

Fist Take Point (FTP)

UL	Section	Township	Range	Lot	Ft from the N/S	Ft from the E/W	Latitude	Longitude	County
D	29	23N	7W		487' NORTH	745' WEST	36.203844° N	107.604028° W	SANDOVAL

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft from the N/S	Ft from the E/W	Latitude	Longitude	County
E	19	23N	7W		1553' NORTH	1057' WEST	36.215538° N	107.620702° W	SANDOVAL


Unitized Area or Area of Uniform Interest NORTH ALAMITO	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation
--	--	------------------------

OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division. Shaw-Marie Ford Signature 9/24/2024 Date Shaw-Marie Ford Printed Name sford@enduringresources.com E-mail Address	SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  Signature and Seal of Professional Surveyor: Certificate Number 11393 Date of Survey FEBRUARY 17, 2023
---	---

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FND 2½" BC
GLO 1947

FND 2½" BC
GLO 1948



SURFACE LOCATION (SHL) ●
1170' FNL 818' FWL
SEC. 29, T23N, R7W
LAT. 36.201969° N (NAD83)
LONG. 107.603775° W (NAD83)

KICK OFF POINT (KOP) ▲
846' FNL 1037' FWL
SEC. 29, T23N, R7W
LAT. 36.203844° N (NAD83)
LONG. 107.604028° W (NAD83)

FIRST TAKE POINT (FTP) ◆
487' FNL 745' FWL
SEC. 29, T23N, R7W
LAT. 36.203844° N (NAD83)
LONG. 107.604028° W (NAD83)

LAST TAKE POINT (LTP) □
1553' FNL 1057' FWL
SEC. 19, T23N, R7W
LAT. 36.215538° N (NAD83)
LONG. 107.620702° W (NAD83)

BOTTOM HOLE LOCATION (BHL) ○
1514' FNL 1009' FWL
SEC. 19, T23N, R7W
LAT. 36.215643° N (NAD83)
LONG. 107.620863° W (NAD83)



DJR
North Alamito
D29 2307
565H

End of Well Report



www.scientificdrilling.com





Company Name: DJR Operating
 Project: North Alamito Unit
 Site: D29 2307 Pad
 Well: # 565H
 Wellbore: Original Drilling



WELL DETAILS: # 565H

GL 6902' & RKB 26' @ 6928ft (H&P 443) 6902
 +N/-S +E/-W Northing Easting Latitude Longitude
 0 0 1892894.34 2790818.62 36.20196900 -107.60377500

1



Design: Original Drilling (# 565H/Original Drilling)

Created By: Janie Collins Date: 8:36, February 15 2023

PROJECT DETAILS: North Alamito Unit

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Western Zone

System Datum: Mean Sea Level
 Local North: True



DJR Operating

North Alamito Unit

D29 2307 Pad

565H - Slot 1

Original Drilling

Design: Original Drilling

Standard Survey Report

15 February, 2023



www.scientificdrilling.com





Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 565H - Slot 1
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 565H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Project	North Alamito Unit		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Western Zone		

Site		D29 2307 Pad			
Site Position:		Northing:	1,892,894.34 usft	Latitude:	36.20196900
From:	Lat/Long	Easting:	2,790,818.63 usft	Longitude:	-107.60377500
Position Uncertainty:	0 ft	Slot Radius:	13.20 in	Grid Convergence:	0.14 °

Well	# 565H - Slot 1					
Well Position	+N/-S	0 ft	Northing:	1,892,894.34 usft	Latitude:	36.20196900
	+E/-W	0 ft	Easting:	2,790,818.63 usft	Longitude:	-107.60377500
Position Uncertainty		0 ft	Wellhead Elevation:	ft	Ground Level:	6902 ft

Wellbore	Original Drilling				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2023	1/31/2023	8.43	62.65	48,998.10000000

Design	Original Drilling				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0	0	0		314.74

Survey Program	Date	2/15/2023			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
436	4626	Survey #1 - Surface MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
4721	5385	Survey #2 - Curve MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	
5461	12,029	Survey #3 - Lateral MWD Survey (Original)	MWD+HDGM	OWSG MWD + HDGM	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0	0.00	0.00	0	0	0	0	0.00	0.00	0.00	
100	0.19	202.20	100	0	0	0	0.19	0.19	0.00	
200	0.39	202.20	200	-1	0	0	0.19	0.19	0.00	
300	0.58	202.20	300	-1	-1	-1	0.19	0.19	0.00	
400	0.77	202.20	400	-2	-1	-1	0.19	0.19	0.00	
500	1.44	54.34	500	-3	-1	-2	2.13	0.67	-147.86	
600	3.67	50.80	600	0	3	-2	2.23	2.23	-3.54	
700	4.93	44.28	700	5	9	-2	1.35	1.26	-6.52	
800	4.75	36.58	799	12	14	-2	0.67	-0.17	-7.69	



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 565H - Slot 1
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 565H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
900	5.89	44.78	899	19	20	-1	1.37	1.14	8.20	
1000	5.68	43.66	998	26	27	-1	0.25	-0.22	-1.13	
1100	5.67	42.21	1098	33	34	-1	0.14	-0.01	-1.45	
1200	5.34	39.04	1197	40	40	0	0.45	-0.33	-3.17	
1300	5.26	38.68	1297	47	46	1	0.08	-0.08	-0.35	
1400	5.17	38.26	1396	55	52	2	0.10	-0.09	-0.42	
1500	5.20	39.82	1496	62	57	3	0.14	0.02	1.55	
1600	4.96	42.42	1596	68	63	3	0.33	-0.23	2.60	
1700	6.74	44.94	1695	76	70	3	1.79	1.77	2.53	
1800	5.93	40.96	1795	84	78	4	0.92	-0.81	-3.98	
1900	4.92	30.96	1894	91	83	5	1.38	-1.01	-10.00	
2000	4.22	26.86	1994	98	87	7	0.77	-0.70	-4.10	
2100	5.20	34.07	2093	105	91	9	1.14	0.98	7.21	
2200	4.76	32.90	2193	112	96	11	0.46	-0.45	-1.16	
2300	5.19	38.13	2293	119	101	12	0.63	0.43	5.22	
2400	5.13	33.84	2392	127	106	14	0.39	-0.06	-4.29	
2500	5.32	32.78	2492	134	111	16	0.21	0.19	-1.05	
2600	5.01	33.25	2591	142	116	17	0.31	-0.31	0.47	
2700	4.94	38.34	2691	149	121	19	0.45	-0.06	5.09	
2800	5.01	43.37	2791	156	127	19	0.44	0.06	5.03	
2900	4.56	44.39	2890	162	133	19	0.45	-0.44	1.02	
3000	5.76	47.01	2990	168	139	19	1.22	1.20	2.62	
3100	5.97	49.07	3089	175	147	19	0.30	0.21	2.06	
3200	5.50	46.88	3189	181	154	18	0.52	-0.47	-2.19	
3300	5.30	46.08	3288	188	161	18	0.21	-0.20	-0.79	
3400	5.66	36.09	3388	195	167	18	1.01	0.35	-9.99	
3500	5.12	35.18	3488	203	173	20	0.55	-0.54	-0.91	
3600	4.70	31.52	3587	210	177	22	0.52	-0.41	-3.67	
3700	4.02	37.72	3687	216	182	23	0.83	-0.68	6.20	
3800	5.17	44.46	3787	222	187	23	1.27	1.15	6.75	
3900	4.98	41.14	3886	228	193	24	0.35	-0.19	-3.32	
4000	6.20	44.48	3986	236	200	24	1.26	1.22	3.34	
4100	5.47	42.34	4085	243	207	24	0.76	-0.73	-2.14	
4200	4.47	38.28	4185	250	213	25	1.06	-1.00	-4.07	
4300	3.60	32.37	4285	255	217	26	0.97	-0.88	-5.91	
4400	2.95	23.48	4384	260	219	27	0.82	-0.65	-8.89	
4500	3.75	23.72	4484	265	221	30	0.80	0.80	0.24	
4600	3.91	23.66	4584	272	224	32	0.16	0.16	-0.06	
4700	11.37	6.96	4683	283	227	38	7.71	7.46	-16.71	
4800	18.56	344.07	4780	309	225	58	9.18	7.19	-22.88	
4900	26.70	333.93	4872	344	210	93	9.00	8.14	-10.14	
5000	34.94	326.43	4958	388	185	142	9.08	8.24	-7.51	
5100	45.51	323.96	5034	441	148	206	10.69	10.57	-2.47	



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 565H - Slot 1
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 565H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5200	59.28	321.79	5095	504	100	284	13.88	13.77	-2.17
5300	72.65	316.17	5136	573	40	375	14.32	13.37	-5.62
5400	85.19	313.22	5153	642	-30	473	12.86	12.53	-2.95
5500	85.43	311.78	5162	709	-104	572	1.46	0.24	-1.44
5600	87.10	311.50	5168	775	-178	672	1.70	1.68	-0.28
5700	88.31	310.60	5172	841	-254	772	1.51	1.21	-0.90
5800	89.66	309.68	5174	905	-330	871	1.63	1.35	-0.92
5900	90.41	309.51	5174	969	-407	971	0.76	0.74	-0.17
6000	90.21	308.96	5173	1032	-484	1071	0.59	-0.20	-0.55
6100	89.73	308.76	5173	1095	-562	1170	0.52	-0.48	-0.20
6200	89.63	309.99	5174	1158	-640	1270	1.24	-0.10	1.24
6300	89.13	309.90	5175	1222	-716	1369	0.51	-0.50	-0.09
6400	88.86	309.37	5177	1286	-793	1469	0.60	-0.27	-0.53
6500	88.86	310.38	5179	1350	-870	1568	1.01	0.00	1.01
6600	88.82	311.06	5181	1415	-946	1668	0.68	-0.04	0.68
6700	88.63	310.63	5183	1481	-1021	1768	0.47	-0.19	-0.43
6800	89.89	310.38	5184	1546	-1097	1868	1.29	1.27	-0.25
6900	89.63	310.06	5184	1610	-1174	1967	0.42	-0.26	-0.32
7000	89.20	309.91	5185	1675	-1250	2067	0.45	-0.43	-0.15
7100	89.42	310.03	5187	1739	-1327	2167	0.25	0.22	0.11
7200	89.47	309.89	5188	1803	-1404	2266	0.15	0.05	-0.14
7300	90.32	309.95	5188	1867	-1481	2366	0.85	0.85	0.06
7400	90.54	310.11	5187	1932	-1557	2466	0.27	0.21	0.16
7500	90.32	310.52	5186	1996	-1633	2565	0.47	-0.22	0.41
7600	91.05	312.29	5185	2062	-1708	2665	1.92	0.74	1.78
7700	90.19	311.82	5184	2129	-1783	2765	0.98	-0.86	-0.47
7800	89.26	311.02	5185	2195	-1858	2865	1.23	-0.93	-0.81
7900	90.17	311.73	5185	2261	-1933	2965	1.15	0.90	0.72
8000	90.62	312.47	5185	2328	-2007	3064	0.87	0.46	0.73
8100	90.67	312.90	5183	2396	-2080	3164	0.44	0.05	0.44
8200	90.25	312.66	5183	2464	-2154	3264	0.49	-0.43	-0.24
8300	89.63	312.32	5183	2532	-2227	3364	0.71	-0.62	-0.34
8400	89.04	311.97	5184	2599	-2302	3464	0.69	-0.59	-0.35
8500	88.52	312.09	5186	2666	-2376	3564	0.54	-0.52	0.12
8600	88.16	311.45	5189	2732	-2450	3664	0.73	-0.36	-0.64
8700	88.39	311.66	5192	2799	-2525	3764	0.31	0.23	0.21
8800	89.04	311.24	5194	2865	-2600	3863	0.77	0.65	-0.42
8900	89.50	310.67	5195	2931	-2676	3963	0.73	0.46	-0.56
9000	89.49	310.77	5196	2995	-2752	4063	0.10	-0.01	0.10
9100	90.39	311.63	5196	3061	-2827	4163	1.24	0.90	0.86
9200	89.43	310.87	5196	3128	-2902	4263	1.23	-0.96	-0.77
9300	88.90	309.92	5198	3192	-2978	4362	1.09	-0.53	-0.95
9400	89.43	309.73	5199	3256	-3055	4462	0.57	0.54	-0.19



Scientific Drilling Survey Report



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 565H - Slot 1
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 565H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9500	89.43	310.30	5200	3321	-3131	4562	0.58	0.00	0.58
9600	89.79	309.85	5201	3385	-3208	4661	0.58	0.36	-0.46
9700	89.57	309.21	5202	3448	-3285	4761	0.67	-0.22	-0.64
9800	90.14	310.33	5202	3513	-3362	4860	1.25	0.57	1.11
9900	90.02	310.64	5202	3577	-3438	4960	0.34	-0.12	0.32
10,000	89.93	311.57	5202	3643	-3513	5060	0.93	-0.09	0.92
10,100	90.40	312.04	5202	3710	-3588	5160	0.67	0.47	0.47
10,200	90.52	311.87	5201	3777	-3662	5260	0.20	0.12	-0.17
10,300	90.64	311.62	5200	3843	-3737	5360	0.28	0.12	-0.25
10,400	89.93	311.99	5199	3910	-3811	5459	0.80	-0.71	0.36
10,500	88.52	311.68	5200	3977	-3886	5559	1.44	-1.41	-0.31
10,600	88.56	311.55	5203	4043	-3961	5659	0.13	0.04	-0.13
10,700	88.72	311.38	5205	4109	-4036	5759	0.24	0.16	-0.18
10,800	89.09	311.68	5207	4175	-4110	5859	0.47	0.37	0.30
10,900	88.59	311.75	5209	4242	-4185	5959	0.51	-0.50	0.07
11,000	88.53	311.22	5212	4308	-4260	6058	0.53	-0.06	-0.53
11,100	89.21	311.13	5214	4374	-4335	6158	0.69	0.68	-0.09
11,200	89.72	311.52	5215	4440	-4410	6258	0.65	0.51	0.40
11,300	89.94	311.71	5215	4507	-4485	6358	0.29	0.22	0.18
11,400	89.79	311.31	5215	4573	-4560	6458	0.43	-0.15	-0.40
11,500	89.56	310.62	5216	4638	-4635	6557	0.73	-0.23	-0.69
11,600	89.65	310.73	5216	4704	-4711	6657	0.14	0.09	0.11
11,700	89.83	310.52	5217	4769	-4787	6757	0.28	0.18	-0.21
11,800	89.57	309.87	5217	4833	-4863	6857	0.69	-0.26	-0.64
11,900	89.39	309.24	5218	4897	-4941	6956	0.66	-0.18	-0.64
12,000	89.46	308.94	5219	4960	-5018	7056	0.31	0.07	-0.30

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
565H 85° Casing	0.00	0.00	5166	642	-134	1,893,535.75	2,790,682.79	36.20373190	-107.60423029
- actual wellpath misses target center by 71ft at 5478ft MD (5160 TVD, 694 N, -87 E)									
- Point									
565H Heel Rev 1	0.00	0.00	5181	794	-300	1,893,687.38	2,790,517.12	36.20414950	-107.60479060
- actual wellpath misses target center by 66ft at 5705ft MD (5172 TVD, 844 N, -257 E)									
- Circle (radius 50)									
565H Toe Rev 1	0.00	0.00	5228	4995	-5041	1,897,877.22	2,785,766.00	36.21568900	-107.62086360
- actual wellpath misses target center by 43ft at 12000ft MD (5219 TVD, 4960 N, -5018 E)									
- Circle (radius 100)									



Company:	DJR Operating	Local Co-ordinate Reference:	Well # 565H - Slot 1
Project:	North Alamito Unit	TVD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Site:	D29 2307 Pad	MD Reference:	GL 6902' & RKB 26' @ 6928ft (H&P 443)
Well:	# 565H	North Reference:	True
Wellbore:	Original Drilling	Survey Calculation Method:	Minimum Curvature
Design:	Original Drilling	Database:	Grand Junction

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment	
		+N/-S (ft)	+E/-W (ft)		
436	436	-3	-1	First Surface MWD Survey	
4626	4610	273	225	Last Surface MWD Survey	
4721	4704	287	227	First Curve MWD Survey	
5385	5152	631	-19	Last Curve MWD Survey	
5461	5159	683	-75	First Lateral MWD Survey	
11,968	5219	4940	-4993	Last Lateral MWD Survey	
12,029	5220	4978	-5041	Projection to TD	

Checked By: _____

Approved By: _____

Date: _____


Scientific Drilling

Directional Survey Certification

7237 Barton Drive
Casper, WY 82604
(307) 472-6621

Operator	DJR Operating
Well Name & No.	North Alamito D29 2307 565H
County & State	San Juan, NM
SDI Job No.	OP.038210
Rig	H&P 443

I, Janie Collins, having personal knowledge of all the facts, hereby
certify that the attached directional survey run from a measured depth of 436 feet to a
measured depth of 12,029 feet is true and correct as determined from all available records.

	<u>15-Feb-23</u>
Signature	Date

Janie Collins
Colorado District Well Planner
Scientific Drilling International

a Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-105 Revised July 9, 2024 Submit Electronically Via OCD Permitting
--	---	--

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: DJR OPERATING LLC	OGRID: 371838
Property Name and Well Number: N ALAMITO UNIT 565H	Property Code: 325267
Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	API Number: 30-043-21485
Pool Name: N ALAMITO UNIT MANCOS OIL	Pool Code: 98174

Section 2 – Well Location

	UL or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	D	29	23N	7W		1170	NORTH	818	WEST	SANDOVAL
BHL:	E	19	23N	7W		1514	NORTH	1009	WEST	SANDOVAL

Section 3 – Completion Information

Date TD Reached 2/6/2023	Total Measured Depth of Well 12029	Acid Volume (bbls) 0	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 2/7/2023	Plug-Back Measured Depth 12010	Completion Fluid Used (bbls) 86661	Were Logs Ran (Y/N): N
Completion Date 7/21/2024	Perforations (MD and TVD) 5291 – 11954 MD / 5132 - 5218 TVD	Completion Proppant Used (lbs) 6690912	List Type of Logs Ran if applicable: N/A

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 178348	UIC Permit/Order (UIC wells only) ☐ Yes ☐ No, Order No.
Intermediate 1 Casing Action ID: 184241	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID:	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 189214	Cement Squeeze Action ID (if applicable):
Tubing Action ID: 392372	All casing pressure was tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID: 189214	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production: 7/26/2024	Production Method: Flowing Gas Lift	Well Status: Active Producing	Gas – Oil Ratio: 1014
Date of Test: 7/28/2024	Choke Size: 62/64	Flowing Tubing Pressure: 256	Casing Pressure: 800
24 hr Oil (bbls): 543	24 hr Gas (MCF): 551	24 hr Water (bbls): 518	Oil Gravity – API:
Disposition of Gas: SOLD			

Section 6 – Pits

☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit. ☒ A Closed Loop System was used. ☐ If an on-site burial was used at the well, report the exact location of the on-site burial: LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name: Shaw-Marie Ford	
Title: Regulatory Specialist	Date: 10/14/2024

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy				T. San Jose	-	-	-
T. Salt				T. Nacimiento	-	-	-
B. Salt				T. Ojo Alamo	966	964	W
T. Yates				T. Kirtland	1065	1063	-
T. 7 Rivers				T. Fruitland	1251	1248	G
T. Queen				T. Pictured Cliffs	1545	1541	W
T. Grayburg				T. Lewis Shale	1659	1655	-
T. San Andres				T. Chacra	2365	2358	-
T. Glorieta				T. Cliff House	-	-	-
T. Yeso				T. Menefee	3079	3069	G
T. Paddock				T. Point Lookout	3931	3917	-
T. Blinebry				T. Mancos	4118	4104	O/G
T.Tubb				T. Gallup	4920	4882	O/G
T. Drinkard				T. Greenhorn			
T. Abo				T. Graneros			
T. Wolfcamp				T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T. Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime							
T. Bell Canyon							
T. Cherry Canyon							
T. Brushy Canyon							
T. Bone Springs							
T. 1st BS Sand							
T. 2nd BS Carbonate							
T. 2nd BS Sand							
T. 3rd BS Carbonate							
T. 3rd BS Sand							



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

08/01/2024

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

Section 1 - General

Well Completion Report Id: 92493**Submission Date:** 07-31-2024**BLM Office:** Farmington Field Office**User:** SHAW-MARIE FORD**Title:** Regulatory Specialist**Federal/Indian:** FEDERAL**Lease Number:** NMNM36943**Lease Acres:****Agreement in place?:** YES**Federal or Indian Agreement:** INDIAN**Agreement Number:****Agreement Name:** NORTH ALAMITO**Additional Information****Keep this Well Completion Report confidential?:** YES**APD Operator:** DJR OPERATING LLC

Section 2 - Well

Field/Pool or Exploratory:**Pool Name:** Alamito N; Mancos (Oil)**Field Name:** BASIN MANCOS**Well Type:** OIL WELL**Spud Date:** 01-09-2023**Date Total Measured Depth Reached:** 02-06-2023**Drill & Abandon or Ready To Produce:** READY TO PRODUCE**Well Class:** HORIZONTAL

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
OJO ALAMAO	SANDSTONE		0	964	966	USEABLE WATER	
KIRTLAND	SHALE		-1063	1063	1065	NONE	
FRUITLAND	COAL		-1248	1248	1251	NATURAL GAS	
PICTURED CLIFFS	SANDSTONE		-1541	1541	1545	USEABLE WATER	
LEWIS	SHALE		-1655	1655	1659	NONE	
CHACRA	SANDSTONE		-2358	2358	2365	NONE	
MENEFEE	COAL, SANDSTONE		-3069	3069	3079	NATURAL GAS	
POINT LOOKOUT	SANDSTONE		-3917	3917	3931	NONE	
MANCOS	SHALE		-4104	4104	4118	NONE	
GALLUP	SILTSTONE		-4882	4882	4920	NATURAL GAS, OIL	

Completion and Completed

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
---------------	-----------------	-----------------	-------------	--------------	----------------------	-------------------------------	-------------------	----------------	---------------------	-----------	-------------------	----------------------	----------------------	------------------	-----------------	--------------------

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	S1	1	NMNM135229A	NMNM36943	NEW		POW	07-21-2024	07-26-2024	GALLUP	5291	11954	Y	.3	990	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	S1	1	Y	FRAC	86661	6690912	Chemical Disclosure Uploaded to FracFocus on 7/2/24.

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	S1	1			GAS LIFT		SOLD	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	S1	1	07/28/2024	24	543	551	518	1014	62/64	256		800

Well Location

Survey Type: RECTANGULAR	Survey Number:	
Datum: NAD83	Vertical Datum: NAVD88	Reference Datum: GL

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/L of Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.201969	-107.603775	6902	N/A	N/A	FEDERAL	NMNM36943				1170	FNL	818	FWL	23N	7W	29	NWNW
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.201969	-107.603775	6493	409	409	FEDERAL	NMNM36943				1170	FNL	818	FWL	23N	7W	29	NWNW
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.205569	-107.606555	1683	11954	5219	FEDERAL	NMNM81638				0	FSL	0	FEL	23N	7W	19	SESE
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.205177	-107.6059798	1683	11954	5219	FEDERAL	NMNM81638				0	FSL	0	FWL	23N	7W	20	SWSW

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	MD (ft)	TVD (ft)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.203844	-107.604028	1770	5291	5132	FEDERAL	NMNM36943				487	FNL	745	FWL	23N	7W	29	NWNW
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.215538	-107.620702	1683	11954	5219	FEDERAL	NMNM81638				1553	FNL	1057	FWL	23N	7W	19	SWNW
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	SANDOVAL	36.215643	-107.620863	1683	12029	5219	FEDERAL	NMNM81638	5219	12010		1514	FNL	1009	FWL	23N	7W	19	SWNW

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	12.25	0	403	9.625	36	J-55		ST&C		

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	INTERMEDIATE	8.75	0	5432	7.0	26	J-55		LT&C		
00	LINER	6.125	5197	12024	4.5	11.6	P-110		BUTT		

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		I-II	109	1.61	0					31.3
00	INTERMEDIATE		G	458	1.51	0	POZ/G	138	1.51	4129	160.3
00	LINER		POZ/G	589	1.52	5197					159.4

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	2.875		5646	5219	6	L-80		ST&C	

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	NO	NO	NO	YES	NO	YES

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: DJR OPERATING LLC

Signed By: SHAW-MARIE FORD	Title: Regulatory Specialist	Signed on: 07/31/2024
Street Address: 1 ROAD 3263		
City: AZTEC	State: NM	Zip: 87410
Phone: (505)632-3476		
Email address: SFORD@ENDURINGRESOURCES.COM		

Field

Representative Name:

Street Address:

City:	State:	Zip:
Phone:	Extension:	
Email address:		

Attachments

Operator Name DJR OPERATING LLC	Well Name NORTH ALAMITO UNIT	Well Number 565H	US Well Number 3004321485
SHL NWNW Sec 29 23N 7W	County SANDOVAL	State NM	Lease Number(s) NMNM36943
Well Type OIL WELL	Well Status Producing Oil Well	Agreement Name NORTH ALAMITO UNIT	Agreement Number(s) NMNM135229A
Allottee/Tribe Name	Well Pad Name NORTH ALAMITO UNIT	Well Pad Number 320H, 565H	APD ID 10400068426

565H_Certified_DD_Survey_20240731104908.pdf

AsDrilled_C102_and_WBD_565H_20240731104917.pdf

CONFIDENTIAL

From: blm-afmss-notifications@blm.gov
To: [Shaw Ford](#)
Subject: Well Name: NORTH ALAMITO UNIT, Well Number: 565H, Notification of Well Completion Acceptance
Date: Thursday, August 1, 2024 9:03:47 AM


The Bureau of Land Management

Notice of Acceptance for Well Completion Report

- Operator Name: **DJR OPERATING LLC**
- Well Name: **NORTH ALAMITO UNIT**
- Well Number: **565H**
- US Well Number: **3004321485**
- Well Completion Report Id: **WCR2024080192493**

This notification is automatically generated. Please do not reply to this message as this account is not monitored.

FORMATION	MD	TVD
Ojo Alamo	966'	964'
Kirtland	1065'	1063'
Fruitland	1251'	1248'
Pictured Cliffs	1545'	1541'
Lewis	1659'	1655'
Chacra	2365'	2358'
Menefee	3079'	3069'
Point Lookout	3931'	3917'
Mancos	4118'	4104'
KOP~	4643'	4626'
Gallup	4920'	4882'



Perf:	33 Stages	Frac:	33 Stages
Depth:	5291' - 11954' MD	86,661	bbls of fluid
	5132' - 5218' TVD	6,690,912	lbs of proppant
		0	N2
Total of 990 Open Holes			

(NAD83)	LAT.	LONG.
SHL:	36.201969	-107.603775
FTP:	36.203844	-107.604028
LTP:	36.215538	-107.620702
BHL:	36.215643	-107.620863

BHL: SWNW E-19-23N-07W
1514' FNL x 1009' FWL

12,029'	TD
5,219'	TVD
12,010'	PBTD
11,973'	FracSleeve

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 392379

ACKNOWLEDGMENTS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 392379
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 392379

CONDITIONS

Operator: DJR OPERATING, LLC 200 Energy Court Farmington, NM 87401	OGRID: 371838
	Action Number: 392379
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	12/19/2024