

Santa Fe Main Office  
Phone: (505) 476-3441  
General Information  
Phone: (505) 629-6116

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

Online Phone Directory Visit:  
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                                                                                                                                                                                                                                                                 |  |                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------|
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)<br>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> |  | WELL API NO.<br><b>30-025-24541</b>                                                                 |
| 2. Name of Operator<br><b>Maverick Permian LLC</b>                                                                                                                                                                                                                                                                                              |  | 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 3. Address of Operator<br><b>1000 Main Street Ste 2900 Houston, TX 77002</b>                                                                                                                                                                                                                                                                    |  | 6. State Oil & Gas Lease No.                                                                        |
| 4. Well Location<br>Unit Letter <b>P</b> : <b>660</b> feet from the <b>South</b> line and <b>660</b> feet from the <b>East</b> line<br>Section <b>16</b> Township <b>17S</b> Range <b>33E</b> NMPM County                                                                                                                                       |  | 7. Lease Name or Unit Agreement Name<br><b>Leamex</b>                                               |
|                                                                                                                                                                                                                                                                                                                                                 |  | 8. Well Number <b>017</b>                                                                           |
|                                                                                                                                                                                                                                                                                                                                                 |  | 9. OGRID Number<br><b>331199</b>                                                                    |
|                                                                                                                                                                                                                                                                                                                                                 |  | 10. Pool name or Wildcat                                                                            |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)                                                                                                                                                                                                                                                                                              |  |                                                                                                     |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

|                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                       |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>NOTICE OF INTENTION TO:</b><br>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/><br>TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/><br>PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/><br>DOWNHOLE COMMINGLE <input type="checkbox"/><br>CLOSED-LOOP SYSTEM <input type="checkbox"/><br>OTHER: <input type="checkbox"/> |  | <b>SUBSEQUENT REPORT OF:</b><br>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/><br>COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/><br>CASING/CEMENT JOB <input type="checkbox"/><br>OTHER: <input type="checkbox"/> |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

Notify OCD 24 hrs. prior to any work done. gilbert.cordero@emnrd.nm.gov

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached P&A plan.

Spud Date:

Rig Release Date:

\*\*\*SEE ATTACHED COA'S\*\*\*

MUST BE PLUGGED BY 12/4/25

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Nicole Lee TITLE Regulatory Lead DATE 12/17/2024

Type or print name Nicole Lee E-mail address: nicole.lee@mavresources.com PHONE: 713-437-8097  
**For State Use Only**

APPROVED BY: [Signature] TITLE Staff Manager DATE 1/2/25  
 Conditions of Approval (if any):



1111 Bagby Street • Suite 1600  
Houston • Texas • 77002  
713-437-8000

## LEAMEX 17 P&A Procedure

1. MIRU WOR & equipment.
2. Lock out/tag out pumping unit. Kill well if necessary.
3. Unlatch rods. LD horse head.
4. PU rods to verify that pump will unseat.
5. If severe paraffin encountered, MIRU hot oil unit and pump hot lease salt water down tubing to wash rods. RDMO hot oil unit.
6. TOOH, visually inspecting, verifying count, and kicking out any rods with visible damage or pitting. Return good rods to inventory.
7. Send insert pump to pump shop.
8. ND WH. NU BOP's.
9. Release TAC.
10. Scan tubing out of hole and note condition of tubing and BHA.
11. Set CIBP @ 4,261'. Run CBL from 4,261' to surface.
12. Displace well with gel water.
13. Pressure test casing and CIBP 500psi/30min - Bubble Test.
14. **Grayburg Plug:**  
Spot 25 sx Class C cement plug on CIBP at 4,261'. WOC 4 hrs. Tag 4112' or higher and record cement plug top.
15. **Queen Plug:**  
Spot 25 sx Class C cement plug at 3,839'. WOC 4 hrs. Tag 3689' or higher and record cement plug top.
16. **Yates Plug:**  
Spot 25 sx Class C cement plug at 2,859'. WOC 4 hrs. Tag 2809' or higher and record cement plug top.
17. **Rustler & Salado Plug:**  
Perforate 4 ½" casing at 1,727' - Bubble Test. Squeeze 50 sx Class C cement plug at 1,727' and leave a cement plug from 1,347' – 1,727'. WOC 4 hrs. Tag and record cement plug top.
18. **Surface Plug:**  
Perforate 4 ½" casing at 465' - Bubble Test. Squeeze 55 sx Class C cement plug at 425'. Circulate cement to surface WOC and top fill.
19. Cut wellhead and install dry hole marker.
20. RDMO WOR & equipment.

State: New Mexico  
 County: Lea  
 Field:  
 Spud Date: 11/21/1973  
 KB:

MD

Maverick Permian LLC  
 Well: LEAMEX 17  
 API# 30-025-24541

PROPOSED P&A WBD  
 12/14/2024


Surface Casing:  
 8-5/8" 20# H-40  
 Cmt w/ 300 sx to Surf

414'

T. Any Rustler 1447'  
 T. Salt \_\_\_\_\_  
 B. Salt Salado 1627  
 T. Yates 2759  
 T. 7 Rivers \_\_\_\_\_  
 T. Queen 3739  
 T. Grayburg 4162  
 T. San Andres 4463  
 T. Glorieta \_\_\_\_\_  
 T. Paddock \_\_\_\_\_  
 T. Elinebry \_\_\_\_\_  
 T. Tubb \_\_\_\_\_  
 T. Drinkard \_\_\_\_\_  
 T. Abo \_\_\_\_\_  
 T. Wolfcamp \_\_\_\_\_  
 T. Penn \_\_\_\_\_  
 T. Cisco (Bough C) \_\_\_\_\_

Production Casing:  
 4-1/2" 11.6# N-80  
 Cmt w/ 300 sx to 2,650'

4,550'



MD

**SURFACE PLUG**  
 Perforate 4-1/2" casing @ 425'  
 Attempt sq. DO NOT exceed 500 psi.  
 Squeeze 55 sx Class C cement.  
 Circ cmt to surface and top fill.

465'

1,347'

**RUSTLER & SALADO PLUG**  
 Perforate 4-1/2" casing @ 1,727'  
 Attempt sq. DO NOT exceed 500 psi.  
 Squeeze 50 sx Class C cement.  
 WOC 4 hrs. Tag and record plug depth.

1,727'

2,659'

2,859'

**YATES PLUG**  
 Spot 25 sx of Class C cement @ 2,859'  
 WOC 4 hrs. Tag and record plug depth.

3,639'

3,839'

**QUEEN PLUG**  
 Spot 25 sx of Class C cement @ 3,839'  
 WOC 4 hrs. Tag and record plug depth.

4,061'

4,261'

4,423'

4,512'

**GRAYBURG PLUG**  
 Set CIBP @ 4,261'  
 Spot 25 sx of Class C cement @ 4,261'  
 WOC 4 hrs. Tag and record plug depth.  
**Grayburg Perforations**  
 4,311' - 4,428' (squeezed)  
**PBTD @ 4,512'**



# LEAMEX 17 Wellbore Diagram

| Well Header         |                                   |                     |                            |               |                            |                                  |
|---------------------|-----------------------------------|---------------------|----------------------------|---------------|----------------------------|----------------------------------|
| API #<br>3002524541 |                                   | State<br>NEW MEXICO |                            | County<br>LEA |                            | District<br>PERMIAN CONVENTIONAL |
| Division<br>PERMIAN | Business Unit<br>MAVERICK PERMIAN |                     | Region<br>RG_SE_NEW_MEXICO |               | Area<br>A_GEMSTONE_CAPROCK | Total Depth (ftKB)<br>4,552.0    |

## Wellbore Sections

| Section Des | Size (in) | Act Top (ftKB) | Act Top (TVD) (ftKB) | Act Btm (ftKB) | Act Btm (TVD) (ftKB) | Start Date | End Date   |
|-------------|-----------|----------------|----------------------|----------------|----------------------|------------|------------|
|             | 12 1/4    | 10.0           |                      | 414.0          |                      | 11/21/1973 | 11/21/1973 |
|             | 7 7/8     | 414.0          |                      | 4,552.0        |                      | 11/21/1973 | 12/18/1973 |

## Casing Strings

### Casing String: Surface 8 5/8" Set Depth: 414.0

| Casing Description | Run Date         | OD (in) | OD Nom Max (in) | ID (in) | ID Nom Min (in) | Wt/Len (lb/ft) | String Grade | Length (ft) | Top (ftKB) | Set Depth (TVD) |
|--------------------|------------------|---------|-----------------|---------|-----------------|----------------|--------------|-------------|------------|-----------------|
| Surface            | 11/22/1973 00:00 | 8 5/8   | 8 5/8           | 8.02    | 8.017           | 20.00          | H-40         | 404.00      | 10.0       |                 |

| Item Des      | Joints in Tally | OD (in) | ID (in) | Wt (lb/ft) | Grade | Len (ft) | Qty | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
|---------------|-----------------|---------|---------|------------|-------|----------|-----|------------|------------|------------------|------------------|
| Casing Joints | 0               | 8 5/8   | 8.017   | 20.00      | H-40  | 404.00   |     | 10.0       | 414.0      |                  |                  |

### Casing String: Production 4 1/2" Set Depth: 4,550.0

| Casing Description | Run Date         | OD (in) | OD Nom Max (in) | ID (in) | ID Nom Min (in) | Wt/Len (lb/ft) | String Grade | Length (ft) | Top (ftKB) | Set Depth (TVD) |
|--------------------|------------------|---------|-----------------|---------|-----------------|----------------|--------------|-------------|------------|-----------------|
| Production         | 12/19/1973 00:00 | 4 1/2   | 4 1/2           | 4.00    | 4               | 11.60          | N-80         | 4,540.00    | 10.0       |                 |

| Item Des      | Joints in Tally | OD (in) | ID (in) | Wt (lb/ft) | Grade | Len (ft) | Qty | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
|---------------|-----------------|---------|---------|------------|-------|----------|-----|------------|------------|------------------|------------------|
| Casing Joints | 0               | 4 1/2   | 4       | 11.60      | N-80  | 4,540.00 |     | 10.0       | 4,550.0    |                  |                  |

## Cement

### Surface

| Surface                                  |                 |                    |            |                              |                  |                  |
|------------------------------------------|-----------------|--------------------|------------|------------------------------|------------------|------------------|
| Cementing Start Date<br>11/22/1973 00:00 |                 | Cementing End Date |            | String<br>Surface, 414.0ftKB |                  |                  |
| Stg #                                    | Pump Start Date | Pump End Date      | Top (ftKB) | Btm (ftKB)                   | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
| 1                                        | 11/22/1973      |                    | 10.0       | 414.0                        |                  |                  |

### PBTD

| PBD                                      |                 |                    |            |            |                  |                  |
|------------------------------------------|-----------------|--------------------|------------|------------|------------------|------------------|
| Cementing Start Date<br>12/20/1973 00:00 |                 | Cementing End Date |            | String     |                  |                  |
| Stg #                                    | Pump Start Date | Pump End Date      | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
| 1                                        | 12/20/1973      |                    | 4,512.0    | 4,550.0    |                  |                  |

## Production

| Production                               |                 |                    |            |                                   |                  |                  |
|------------------------------------------|-----------------|--------------------|------------|-----------------------------------|------------------|------------------|
| Cementing Start Date<br>12/20/1973 00:00 |                 | Cementing End Date |            | String<br>Production, 4,550.0ftKB |                  |                  |
| Stg #                                    | Pump Start Date | Pump End Date      | Top (ftKB) | Btm (ftKB)                        | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
| 1                                        | 12/20/1973      |                    | 2,650.0    | 4,550.0                           |                  |                  |

## Bottom Hole Plug

| Bottom Hole Plug                         |                 |                    |            |            |                  |                  |
|------------------------------------------|-----------------|--------------------|------------|------------|------------------|------------------|
| Cementing Start Date<br>12/20/1973 00:00 |                 | Cementing End Date |            | String     |                  |                  |
| Stg #                                    | Pump Start Date | Pump End Date      | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
| 1                                        | 12/20/1973      |                    | 4,550.0    | 4,552.0    |                  |                  |

## Squeezed Perfs

| Cementing Start Date |                 | Cementing End Date | String     |            |                  |                  |
|----------------------|-----------------|--------------------|------------|------------|------------------|------------------|
| 12/22/1973 00:00     |                 |                    |            |            |                  |                  |
| Stg #                | Pump Start Date | Pump End Date      | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
| 1                    | 12/22/1973      |                    | 4,423.0    | 4,428.0    |                  |                  |

## Tubing Strings

### Set Depth: 4,408.0

| Run Job                             | String | String Max NOD | String Max ID (in) | ID Nom Min (in) | Wt/Len (lb/ft) | String Grade | Top (ftKB) | Set Depth (TVD) | Len (ft) |
|-------------------------------------|--------|----------------|--------------------|-----------------|----------------|--------------|------------|-----------------|----------|
| REPAIR DOWNHOLE FAILURE, <dtmstart> |        | 2 3/8          | 4                  | 2.00            | 1 25/32        | 4.70         | J-55       | 9.6             | 4,398.35 |

| Item Des                  | Len (ft) | OD (in) | ID (in) | Wt (lb/ft) | Grade | Tally Jts Run | Tally Len (ft) | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) |
|---------------------------|----------|---------|---------|------------|-------|---------------|----------------|------------|------------|------------------|------------------|
| Tubing                    | 4,026.85 | 2 3/8   | 2.00    | 4.70       | J-55  | 0             | 0              | 9.6        | 4,036.5    |                  |                  |
| TUBING ANCHOR             | 2.75     | 4       | 2.00    | 30.00      | TAC   | 0             | 0              | 4,036.5    | 4,039.2    |                  |                  |
| Tubing                    | 306.15   | 2 3/8   | 2.00    | 4.70       | J-55  | 0             | 0              | 4,039.2    | 4,345.4    |                  |                  |
| Tubing (IPC)              | 31.50    | 2 3/8   | 2.00    | 4.70       | J-55  | 0             | 0              | 4,345.4    | 4,376.9    |                  |                  |
| SEATING NIPPLE            | 1.10     | 2 3/8   | 1.78    | SN         |       | 0             | 0              | 4,376.9    | 4,378.0    |                  |                  |
| SOPMA 2 3/8 X 2 7/8 X 30" | 30.00    | 2 7/8   | 2.50    | 6.50       | J-55  | 0             | 0              | 4,378.0    | 4,408.0    |                  |                  |

## Rod Strings

### Set Depth: 4,388.0

| Rod Description | Set Depth | Run Date | Run Job                             | OD (in) | Wt (lb/ft) | String Grade | Top (ftKB) | Set Depth (TVD) | String Components                                                                                                                    |
|-----------------|-----------|----------|-------------------------------------|---------|------------|--------------|------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| PROPOSED Rods   | 4,388.0   | 6/1/2019 | REPAIR DOWNHOLE FAILURE, <dtmstart> | 5/8     |            | D            | 0.0        |                 | strainer nipple, Rod Insert Pump, Sinker Bar, Scraper Rod, Sinker Bar, Scraper Rod, Sucker Rod, Sucker Rod, Sucker Rod, Polished Rod |

| Length (ft) | OD Nominal (in) | Quantity | ID (in) | Weight/Length (lb/ft) | Grade     | Top Depth (ftKB) | Bottom Depth (ftKB) |
|-------------|-----------------|----------|---------|-----------------------|-----------|------------------|---------------------|
| 16.00       | 1 1/2           | 1        |         |                       |           | 0.0              | 16.0                |
| 10.00       | 3/4             | 1        |         |                       | D         | 16.0             | 26.0                |
| 915.00      | 3/4             | 38       |         |                       | D         | 26.0             | 941.0               |
| 3,250.00    | 5/8             | 130      |         |                       | D         | 941.0            | 4,191.0             |
| 25.00       | 3/4             | 1        |         |                       | D Spec KD | 4,191.0          | 4,216.0             |
| 75.00       | 1 1/2           | 1        |         |                       | K         | 4,216.0          | 4,291.0             |
| 25.00       | 3/4             | 1        |         |                       | D Spec KD | 4,291.0          | 4,316.0             |
| 50.00       | 1 1/2           | 1        |         |                       | K         | 4,316.0          | 4,366.0             |
| 12.00       | 1 1/4           | 1        |         |                       |           | 4,366.0          | 4,378.0             |
| 10.00       | 1               | 1        |         |                       |           | 4,378.0          | 4,388.0             |

## Perforations

| Date             | Top (ftKB) | Btm (ftKB) | Top (TVD) (ftKB) | Btm (TVD) (ftKB) | Shot Dens (shots/ft) | Calculated Shot Total | Btm - Top (ft) |
|------------------|------------|------------|------------------|------------------|----------------------|-----------------------|----------------|
| 12/22/1973 00:00 | 4311       | 4316       |                  |                  |                      | 1                     | 5              |
| 12/22/1973 00:00 | 4363       | 4368       |                  |                  |                      | 1                     | 5              |
| 12/22/1973 00:00 | 4388       | 4393       |                  |                  |                      | 1                     | 5              |
| 12/22/1973 00:00 | 4423       | 4428       |                  |                  |                      | 1                     | 5              |


## Deviation Surveys

| Date | Description | Job |
|------|-------------|-----|
|      |             |     |

## Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | Method | TVD (ftKB) | VS (ft) | Depart (ft) | NS (ft) | EW (ft) | DLS (°/100ft) | Build (°/100ft) | Turn (°/100ft) | Unwrap Displace (ft) |
|-----------|----------|---------|--------|------------|---------|-------------|---------|---------|---------------|-----------------|----------------|----------------------|
|           |          |         |        |            |         |             |         |         |               |                 |                |                      |

## VERTICAL, MAIN HOLE, 12/14/2024 9:49:57 AM



**State of New Mexico**  
**Energy, Minerals and Natural Resources Department**  
**Oil Conservation Division**  
**Standard Plugging Conditions**



This document provides OCD's general plugging conditions of approval. It should be noted that the list below may not cover special plugging programs in unique and unusual cases, and OCD expressly reserves the right to impose additional requirements to the extent dictated by project conditions. The OCD also reserves the right to approve deviations from the below conditions if field conditions warrant a change. A C-103F NOI to P&A must be approved prior to plugging operations. Failure to comply with the conditions attached to a plugging approval may result in a violation of 19.15.5.11 NMAC, which may result in enforcement actions, including but not limited to penalties and a requirement that the well be re-plugged as necessary.

1. Notify OCD office at least 24 hours before beginning work and seek prior approval to implementing any changes to the C-103 NOI to PA.
  - North Contact, Monica Kuehling, 505-320-0243, [monica.kuehling@emnrd.nm.gov](mailto:monica.kuehling@emnrd.nm.gov)
  - South Contact, Gilbert Cordero, 575-626-0830, [gilbert.cordero@emnrd.nm.gov](mailto:gilbert.cordero@emnrd.nm.gov)
2. A Cement Bond Log is required to ensure strata isolation of producing formations, protection of water and correlative rights. A CBL must be run or be on file that can be used to properly evaluate the cement behind the casing.

Note: Logs must be submitted to OCD via OCD permitting. A copy of the log may be emailed to OCD inspector for faster review times, but emailing does not relieve the operators obligation to submit through OCD permitting.

3. Once Plugging operations have commenced, the rig must not rig down until the well is fully plugged without OCD approval. If gap in plugging operations exceeds 30 days, the Operator must file a subsequent sundry of work performed and revised NOI for approval on work remaining. At no time shall the rig be removed from location if it will result in waste or contamination of fresh water.
4. Insure all bradenheads have been exposed, identified and valves are operational prior to rig up.
5. Fluids must be placed between all cement plugs mixed at 25 sacks per 100 bbls of water.
  - North, water or mud laden fluids
  - South, mud laden fluids
6. Closed loop system is to be used for entire plugging operation. Upon completion, contents of steel pits are to be hauled to an OCD permitted disposal facility.
7. Class of cement shall be used in accordance with the below table for depth allowed.

| Class          | TVD Lower Limit (feet) |
|----------------|------------------------|
| Class A/B      | 6,000                  |
| Class I/II     | 6,000                  |
| Class C or III | 6,000                  |
| Class G and H  | 8,000                  |
| Class D        | 10,000                 |

|         |        |
|---------|--------|
| Class E | 14,000 |
| Class F | 16,000 |

8. After cutting the well head any "top off cement jobs" must remain static for 30 minutes. Any gas bubbles or flow during this 30 minutes shall be reported to the OCD for approval of next steps.
9. Trucking companies being used to haul oilfield waste fluids (Commercial or Private) to a disposal facility shall have an approved OCD C-133 permit.
  - A copy of this permit shall be available in each truck used to haul waste products.
  - It is the responsibility of the Operator and Contractor to verify that this permit is in place prior to performing work.
  - Drivers shall be able to produce a copy upon request of an OCD Compliance Officer.
10. Filing a [C-103] Sub. Plugging (C-103P) will serve as notification that the well has been plugged.
11. A [C-103] Sub. Release After P&A (C-103Q) shall be filed no later than a year after plugging and a site inspection by OCD Compliance officer to determine if the location is satisfactorily cleaned, all equipment, electric poles and trash has been removed to meet OCD standards before bonding can be released.
12. Produced water or brine-based fluids **may not** be used during any part of plugging operations without **prior OCD approval**.
13. Cementing;
  - All cement plugs will be neat cement and a minimum of 100' in length. 50' of calculated cement excess required for inside casing plugs and 100% calculated cement excess required on outside casing plugs.
  - If cement does not exist between or behind the casing strings at recommended formation depths, the casing perforations will be shot at 50' below the formation top and the cement retainer shall be set no more than 50' from the perforations.
  - WOC (Wait on Cement) time will be:
    - 4 hours for accelerated (calcium chloride) cement.
    - 6 hours on regular cement.
  - Operator must tag all cement plugs unless it meets the below condition.
    - The operator has a passing pressure test for the casing annulus and the plug is only an inside plug.
  - If perforations are made operator must tag all plugs using the work string to tag unless given approval to tag with wireline by the correct contact from COA #1 of this document.
    - This includes plugs pumped underneath a cement retainer to ensure retainer seats properly after cement is pumped.
  - Cement can only be bull-headed with specific prior approval.
  - Squeeze pressures are not to exceed the exposed formations frac gradient or the burst pressure of the casing.
14. A cement plug is required to be set from 50' below to 50' above (straddling) formation tops, casing shoes, casing stubs, any attempted casing cut offs, anywhere the casing is perforated, DV tools.
  - Perforation/Formation top plug. (When there is less than 100ft between the top perforation to the formation top.) These plugs are required to be started no greater than

50ft from the top perforation. However, the plug should be set below the formation top or as close to the formation top as possible for the maximum isolation between the formations. The plug is required to be a 100ft cement plug plus excess.

- Perforation Plug when a formation top is not included. These plugs are required to be started within 50ft of the top perforation. The plug is required to be a 100ft cement plug plus excess.
- Cement caps on top of bridge plugs or cement retainers for perforation plugs, that are not straddling a formation top, may be set using a bailer with a minimum of 35' of cement in lieu of the 100' plug. The bridge plug or retainer must be set within 50ft of the perforations.
- Perforations are required below the surface casing shoe if cement does not exist behind the casing, a 30-minute minimum wait time will be required immediately after perforating to determine if gas and/or water flows are present. If flow is present, the well will be shut-in for a minimum of one hour and the pressure recorded. If gas is detected contact the OCD office for directions.

15. No more than 3000 feet is allowed between cement plugs in cased hole and no more than 2000 feet is allowed in open hole.

16. Formation Tops to be isolated with cement plugs, but not limited to are:

- Northwest See Figure A
- South (Artesia) See Figure B
- Potash See Figure C
  - In the R-111-P (Or as subsequently revised) Area a solid cement plug must be set across the salt section. Fluid used to mix the cement shall be saturated with the salts that are common to the section penetrated and in suitable proportions, not more than 3% calcium chloride (by weight of cement) will be considered the desired mixture whenever possible, woe 4 hours and tag, this plug will be 50' below the bottom and 50' above the top of the Formation.
- South (Hobbs) See Figure D1 and D2
- Areas not provided above will need to be reviewed with the OCD on a case by case basis.

17. Markers

- Dry hole marker requirements 19.15.25.10.  
The operator shall mark the exact location of plugged and abandoned wells with a steel marker not less than four inches in diameter set in cement and extending at least four feet above mean ground level. The marker must include the below information:
  1. Operator name
  2. Lease name and well number
  3. API number
  4. Unit letter
  5. Section, Township and Range
- AGRICULTURE (Below grade markers)  
In Agricultural areas a request can be made for a below ground marker. For a below ground marker the operator must file their request on a C-103 notice of intent, and it must include the following;
  - A) Aerial photo showing the agricultural area
  - B) Request from the landowner for the below ground marker.

C) Subsequent plugging report for a well using a below ground marker must have an updated C-102 signed by a certified surveyor for SHL.

Note: A below ground marker is required with all pertinent information mentioned above on a plate, set 3' below ground level, a picture of the plate will be supplied to OCD for record, the exact location of the marker (longitude and latitude by GPS) will be provided to OCD. OCD requires a current survey to verify the location of the below ground marker, however OCD will accept a GPS coordinate that were taken with a GPS that has an accuracy of within 15 feet.

18. If work has not commenced within 1 year of the approval of this procedure, the approval is automatically expired. After 1 year a new [C-103] NOI Plugging (C-103F) must be submitted and approved prior to work.

Figure A

North Formations to be isolated with cement plugs are:

- San Jose
- Nacimiento
- Ojo Alamo
- Kirtland
- Fruitland
- Picture Cliffs
- Chacra (if below the Chacra Line)
- Mesa Verde Group
- Mancos
- Gallup
- Basin Dakota (plugged at the top of the Graneros)
- Deeper formations will be reviewed on a case-by-case basis

Figure B

South (Artesia) Formations to be isolated with cement plugs are:

- Fusselman
- Montoya
- Devonian
- Morrow
- Strawn
- Atoka
- Permo-Penn
- Wolfcamp
- Bone Springs
- Delaware , in certain areas where the Delaware is subdivided into;
  - 1. Bell Canyon
  - 2. Cherry Canyon
  - 3. Brushy Canyon
- Any salt sections
- Abo
- Yeso
- Glorieta
- San Andres
- Greyburg
- Queen
- Yates

Figure D1 and D2

South (Hobbs) Formations to be isolated with cement plugs are:

The plugging requirements in the Hobbs Area are based on the well location within specific areas of the Area (See Figure D1). The Formations in the Hobbs Area to be isolated with cement plugs are (see Figure D2)

Figure D1 Map



Figure D2 Formation Table

| 100' Plug to isolate upper and lower fresh water zones (typically 250' to 350')   |                      |                     |                   |                        |                                                   |                                                                                                                        |
|-----------------------------------------------------------------------------------|----------------------|---------------------|-------------------|------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Northwest Shelf                                                                   | Captan Reef Area     | Transition Zone     | San Simon Channel | South Vacuum Structure | Delaware Basin                                    | Central Basin Platform                                                                                                 |
| Granit Wash (Detrital basement material and fractured pre-Cambrian basement rock) | Siluro-Devonian      | Morrow              | Siluro-Devonian   | Ellenburger            | Siluro-Devonian                                   | Granit Wash (Detrital basement material, fractured pre-Cambrian basement rock and fracture Mafic Volcanic intrusives). |
| Montoya                                                                           | Mississippian        | Atoka               | Morrow            | McKee                  | Morrow                                            | Ellenburger                                                                                                            |
| Fusselman                                                                         | Morrow               | Strawn              | Wolfcamp          | Siluro-Devonian        | Atoka                                             | Connell                                                                                                                |
| Woodford                                                                          | Atoka                | Cisco               | Abo Reef          | Woodford               | Strawn                                            | Waddell                                                                                                                |
| Siluro-Devonian                                                                   | Strawn               | Pennsylvanian       | Bone Spring       | Mississippian          | Pennsylvanian                                     | McKee                                                                                                                  |
| Chester                                                                           | Pennsylvanian        | Wolfcamp            | Delaware          | Barnett Shale          | Lower Wolfcamp                                    | Simpson Group                                                                                                          |
| Austin                                                                            | Wolfcamp             | Bone Spring         | San Andres        | Morrow                 | Upper Wolfcamp                                    | Montoya                                                                                                                |
| Mississippian                                                                     | Abo Reef, if present | Delaware            | Queen             | Atoka                  | Wolfcamp                                          | Fusselman                                                                                                              |
| Morrow                                                                            | Abo, if present      | San Andres          | Yates             | Strawn                 | Third Bone Spring Sand (Top of Wolfbone)          | Silurian                                                                                                               |
| Atoka                                                                             | Queen, if present    | Grayburg-San Andres | Base of Salt      | Canyon                 | First Bone Spring Sand (Top of Lower Bone Spring) | Devonian                                                                                                               |
| Lower Pennsylvanian                                                               | Bone Spring          | Queen               | Rustler           | Pennsylvanian          | Bone Spring                                       | Strawn                                                                                                                 |
| Cisco-Canyon                                                                      | Delaware             | Seven Rivers        |                   | Blinbry                | Brushy Canyon                                     | Pennsylvanian                                                                                                          |
| Pennsylvanian                                                                     | Base Capitan Reef    | Yates               |                   | Bone Spring            | Delaware (Base of Salt)                           | Wolfcamp                                                                                                               |
| Bough                                                                             | Seven Rivers         | Base of Salt        |                   | San Andres             | Rustler                                           | Abo                                                                                                                    |
| Wolfcamp                                                                          | Yates                | Rustler             |                   | Queen                  |                                                   | Abo Reef                                                                                                               |
| Abo                                                                               | Top Capitan Reef     |                     |                   | Base of Salt           |                                                   | Drinkard                                                                                                               |
| Abo Reef, if present                                                              | Base of Salt         |                     |                   | Rustler                |                                                   | Tubb                                                                                                                   |
| Yeso (Township 15 South to Township 17 South)                                     | Rustler              |                     |                   |                        |                                                   | Blinbry                                                                                                                |
| Drinkard or Lower Yeso (Township 15 South to Township 17 South)                   |                      |                     |                   |                        |                                                   | Paddock                                                                                                                |
| Tubb (Township 15 South to Township 17 South)                                     |                      |                     |                   |                        |                                                   | Glorieta                                                                                                               |
| Blinbry (Township 15 South to Township 17 South)                                  |                      |                     |                   |                        |                                                   | San Andres                                                                                                             |
| Paddock (Township 15 South to Township 17 South)                                  |                      |                     |                   |                        |                                                   | Grayburg                                                                                                               |
| Glorieta                                                                          |                      |                     |                   |                        |                                                   | Grayburg-San Andres                                                                                                    |
| San Andres                                                                        |                      |                     |                   |                        |                                                   | Queen                                                                                                                  |
| Queen (Township 15 South to Township 17 South)                                    |                      |                     |                   |                        |                                                   | Seven Rivers                                                                                                           |
| Seven Rivers (Township 15 South to Township 17 South)                             |                      |                     |                   |                        |                                                   | Yates                                                                                                                  |
| Yates (Township 15 South to Township 17 South)                                    |                      |                     |                   |                        |                                                   | Base of Salt                                                                                                           |
| Base of Salt                                                                      |                      |                     |                   |                        |                                                   | Rustler                                                                                                                |
| Rustler                                                                           |                      |                     |                   |                        |                                                   |                                                                                                                        |

EXHIBIT "A"  
CASE 9316  
ORDER R-111-P

CONSOLIDATED LAND **DESCRIPTION** OF THE KNOWN POTASH  
LEASING AREA, AS OF FEBRUARY 3, 1988

EDDY COUNTY, NEW MEXICO

TOWNSHIP 18 SOUTH, RANGE 30 EAST, NMPM

Section 10: SE/4 SE/4  
Section 11: S/2 SW/4  
Section 13: W/2 SW/4 and SE/4 SW/4  
Section 14: W/2 NE/4, NW/4 and S/2  
Section 15: E/2 NE/4, SE/4 SW/4 and SE/4  
Section 22: N/2, N/2 SW/4, SE/4 SW/4 and SE/4  
Section 23: All  
Section 24: N/2 NW/4, SW/4 NW/4 and NW/4 SW/4  
Section 26: NE/4, N/2 NW/4 and SE/4 NW/4  
Section 27: N/2 NE/4 and NE/4 NW/4

TOWNSHIP 19 SOUTH, RANGE 29 EAST, NMPM

Section 11: SE/4 SE/4  
Section 12: SE/4 NE/4 and S/2  
Section 13: All  
Section 14: NE/4, SE/4 NW/4 and S/2  
Section 15: SE/4 SE/4  
Section 22: NE/4, E/2 W/2 and SE/4  
Section 23: All  
Section 24: All  
Section 25: NW/4 NW/4  
Section 26: N/2 NE/4 AND NW/4  
Section 27: NE/4 AND E/2 NW/4

TOWNSHIP 19 SOUTH, RANGE 30 EAST, NMPM

Section 2: SW/4  
Section 3: W/2 SW/4, SE/4 SW/4, S/2 SE/4 and  
NE/4 SE/4  
Section 4: Lots 3 and 4. SW/4 NE/4, S/2 NW/4  
and S/2  
Section 5: Lots 1, 2. and 3, S/2 NE/4,  
S/2 NW/4 and S/2  
Section 6: S/2 SE/4 and NE/4 SE/4  
Sections 7 to 10 inclusive  
Section 11: S/2 NE/4, NW/4 NW/4 and S/2  
Section 12: NE/4, S/2 NW/4 and S/2  
Section 13: NE/4, W/2, N/2 SE/4 and SW/4 SE/4  
Sections 14 to 18 inclusive  
Section 19: Lots 1, 2, and 3, NE/4, E/2 NW/4,  
NE/4 SW/4, E/2 SE/4 and  
NW/4 SE/4  
Sections 20 to 23 inclusive

Section 24: NW/4. NW/4 SW/4 and S/2 SW/4

Section 25: NW/4 NW/4  
 Section 26: NE/4 NE/4, W/2 NE/4, W/2, W/2 SE/4  
 and SE/4 SE/4  
 Section 27: All  
 Section 28: All  
 Section 29: E/2, E/2 NW/4 and NW/4 NW/4  
 Section 32: E/2 and SE/4 SW/4  
 Section 33 to 35 inclusive  
 Section 36: NW/4 NW/4, S/2 NW/4 and S/2

**TOWNSHIP 19 SOUTH, RANGE 31 EAST, NMPM**

Section 7: Lots 1, 2, and 3 and E/2 NW/4  
 Section 18: Lots 1, 2, and 3 and SW/4 NE/4,  
 E/2 NW/4 and NE/4 SW/4  
 Section 31: Lot 4  
 Section 34: SE/4 SE/4  
 Section 35: S/2 SW/4 and SW/4 SE/4  
 Section 36: S/2 SE/4

**LEA COUNTY, NEW MEXICO**

**TOWNSHIP 19 SOUTH, RANGE 32 EAST, NMPM**

Section 31: Lot 4  
 Section 33: Lots 1 to 4 inclusive and N/2 S/2  
 Section 34: Lots 1 to 4 inclusive and N/2 S/2  
 Section 35: Lots 1 to 4 inclusive and N/2 S/2  
 Section 36: Lots 1 to 4 inclusive, SE/4 NE/4,  
 NW/4 SW/4 and NE/4 SE/4

**TOWNSHIP 19 SOUTH, RANGE 33 EAST, NMPM**

Section 22: SE/4 NE/4, E/2 SW/4 and SE/4  
 Section 23: S/2 NW/4, SW/4, W/2 SE/4 and  
 SE/4 SE/4  
 Section 25: SW/4 NW/4, W/2 SW/4 and SE/4 SW/4  
 Section 26: All  
 Section 27: All  
 Section 28: S/2 SE/4 and NE/4 SE/4  
 Section 30: Lots 2 to 4 inclusive, S/2 NE/4,  
 SE/4 NW/4, E/2 SW/4 and SE/4  
 Section 31: All  
 Section 32: NE/4, S/2 NW/4 and S/2  
 Sections 33 to 35 inclusive  
 Section 36: W/2 NE/4, SE/4 NE/4, NW/4 and S/2

**TOWNSHIP 19 SOUTH, RANGE 34 EAST, NMPM**

Section 31: Lots 3 and 4

## EDDY COUNTY, NEW MEXICO

**TOWNSHIP 20 SOUTH, RANGE 29 EAST, NMPM**

Section 1: SE/4 NE/4 and E/2 SE/4  
 Section 13: SW/4 NW/4, W/2 SW/4 AND SE/4 SW/4  
 Section 14: NW/4 NE/4, S/2 NE/4, NW/4 and S/2  
 Section 15: E/2 E/2, SE/4 SW/4 and W/2 SE/4  
 Section 22: E/2 and E/2 NW/4  
 Section 23: All  
 Section 24: SW/4 NE/4, W/2, W/2 SE/4  
                     and SE/4 SE/4  
 Section 25: N/2, SW/4, W/2 SE/4 and NE/4 SE/4  
 Section 26: All  
 Section 27: E/2  
 Section 34: NE/4  
 Section 35: N/2  
 Section 36: W/2 NE/4 AND NW/4

**TOWNSHIP 20 SOUTH, RANGE 30 EAST, NMPM**

Sections 1 to 4 inclusive  
 Section 5: Lots 1 to 3 inclusive, S/2 N/2  
                     and S/2  
 Section 6 Lots 5, 6, and 7, S/2 NE/4, E/2 SW/4  
                     and SE/4  
 Section 7 Lots 1 and 2. E/2 and E/2 NW/4  
 Sections 8 to 17 inclusive  
 Section 18 E/2  
 Section 19 E/2 and SE/4 SW/4  
 Sections 20 to 29 inclusive  
 Section 30: Lots 1 to 3 inclusive, E/2 and  
                     E/2 W/2  
 Section 31 E/4 and E/2 SE/4  
 Sections 32 to 35 inclusive

**TOWNSHIP 20 SOUTH, RANGE 31 EAST, NMPM**

Section 1 Lots 1 to 3 inclusive, S/2 N/2  
                     and S/2  
 Section 2: All  
 Section 3: Lots 1 and 2, S/2 NE/4 and SE/4  
 Section 6: Lots 4 to 7 inclusive, SE/4 NW/4,  
                     E/2 SW/4, W/2 SE/4 and  
                     SE/4 SE/4  
 Section 7: All  
 Section 8: S/2 N/2 and S/2  
 Section 9: S/2 NW/4, SW/4, W/2 SE/4 and SE/4 SE/4  
 Section 10: E/2 and SW/4  
 Section 11 to 36 inclusive

## LEA COUNTY, NEW MEXICO

**TOWNSHIP 20 SOUTH, RANGE 32 EAST, NMPM**

Sections 1 to 4 inclusive

Section 5: S/2 SE/4

Section 6: Lots 4 to 7 inclusive, SE/4 NW/4,  
E/2 SW/4 and SW/4 SE/4

Sections 7 to 36 inclusive

**TOWNSHIP 20 SOUTH, RANGE 33 EAST, NMPM**

Sections 1 to 36 inclusive

**TOWNSHIP 20 SOUTH, RANGE 34 EAST, NMPM**Section 6: Lots 3 to 7 inclusive, SE/4 NE/4,  
E/2SW/4, W/2 SE/4 AND  
SE/4 SE/4

Section 7: All

Section 8: SW/4, S/2 NW/4, W/2 SE/4 and  
SE/4 SE/4Section 16: W/2 NW/4, SE/4 NW/4, SW/4 and  
S/2 SE/4

Sections 17 to 21 inclusive

**Section 22:** N/2 NW/4, SW/4 NW/4, W/2 SE/4,  
and SE/4 SE/4

Section 26: SW/4, W/2 SE/4 and SE/4 SE/4

Sections 27 to 35 inclusive

Section 36: SW/4 NW/4 and W/2 SW/4

## EDDY COUNTY, NEW MEXICO

**TOWNSHIP 21 SOUTH, RANGE 29 EAST, NMPM**

Sections 1 to 3 inclusive

Section 4: Lots 1 through 16, NE/4 SW/4 and  
SE/4

Section 5: Lot 1

Section 10: N/2 NE/4, SE/4 NE/4 and SE/4 SE/4

Sections 11 to 14 inclusive

**Section 15:** E/2 NE/4 and NE/4 SE/4

Section 23: N/2 NE/4

Section 24: E/2, N/2NW/4 and SE/4NW/4

Section 25: NE/4 NE/4 and S/2 SE/4

Section 35: Lots 2 to 4 inclusive, S/2 NE/4,  
NE/4 SW/4 and N/2 SE/4Section 36: Lots 1 to 4 inclusive, NE/4,  
E/2 NW/4 AND N/2 S/2**TOWNSHIP 21 SOUTH, RANGE 30 EAST, NMPM**

Sections 1 to 36 inclusive

**TOWNSHIP 21 SOUTH, RANGE 31 EAST, NMPM**  
Sections 1 to 36 inclusive**LEA COUNTY, NEW MEXICO****TOWNSHIP 21 SOUTH, RANGE 32 EAST, NMPM**

Sections 1 to 27 inclusive

Section 28: N/2 and N/2 S/2

Sections 29 to 31 inclusive

**Section 32:** NW/4 NE/4, NW/4 and NW/4 SW/4

Section 34: N/2 NE/4

Section 35: N/2 N/2

Section 36: E/2, N/2 NW/4, SE/4 NW/4 and  
NE/4 SW/4**TOWNSHIP 21 SOUTH, RANGE 33 EAST, NMPM**Section 1: Lots 2 to 7 inclusive, Lots 10  
to 14 inclusive, N/2 SW/4 and  
SW/4 SW/4

Sections 2 to 11 inclusive

**Section 12:** NW/4 NW/4 and SW/4 SW/4

Section 13: N/2 NW/4, S/2 N/2 and S/2

Sections 14 to 24 inclusive

Section 25: N/2. SW/4 and W/2 SE/4

Sections 26 to 30 inclusive

Section 31: Lots 1 to 4 inclusive, NE/4,  
E/2 W/2, N/2 SE/4 and  
SW/4 SE/4

Section 32: N/2 and NW/4 SW/4

Section 33: N/2

Section 34: NE/4, N/2 NW/4 and E/2 SE/4

**Section 35:** All

Section 36: W/2 NE/4, NW/4 and S/2

**TOWNSHIP 21 SOUTH, RANGE 34 EAST, NMPM****Section 17:** W/2**Section 18:** AllSection 19: Lots 1 to 4 inclusive, NE/4,  
E/2 W/2, N/2 SE/4 and  
SW/4 SE/4**Section 20:** NW/4 NW/4

Section 30: Lots 1 and 2 and NE/4 NW/4

Section 31: Lots 3 and 4

**EDDY COUNTY, NEW MEXICO****TOWNSHIP 22 SOUTH, RANGE 28 EAST, NMPM**

Section 36: E/2 E/2

**TOWNSHIP 22 SOUTH, RANGE 29 EAST, NMPM**

Sections 1 and 2 inclusive

Section 3 SE/4 SW/4 and SE/4

Section 9 S/2 NE/4 and S/2

Sections 10 to 16 inclusive

Section 17 S/2 SE/4

Section 19 SE/4 NE/4 and E/2 SE/4

Sections 20 to 28 inclusive

Section 29 N/2 N/2, S/2 NE/4 and SE/4

Section 30 NE/4 NE/4

Section 31 Lots 1 to 4 inclusive, S/2 NE/4,  
E/2 W/2 and SE/4

Sections 32 to 36 inclusive

**TOWNSHIP 22 SOUTH, RANGE 30 EAST, NMPM**

Sections 1 to 36 inclusive

**TOWNSHIP 22 SOUTH, RANGE 31 EAST, NMPM**

Sections 1 to 11 inclusive

Section 12: NW/4 NE/4, NW/4 and NW/4 SW/4

Section 13: S/2 NW/4 and SW/4

Sections 14 through 23 inclusive

Section 24: W/2

Section 25: NW/4

Section 26: NE/4 AND N/2 NW/4

Sections 27 to 34 inclusive

**LEA COUNTY, NEW MEXICO****TOWNSHIP 22 SOUTH, RANGE 32 EAST, NMPM**

Section 1: Lot 1

Section 6: Lots 2 to 7 inclusive and SE/4 NW/4

**TOWNSHIP 22 SOUTH, RANGE 33 EAST NMPM**Section 1: Lots 1 to 4 inclusive, S/2 N/2 and  
N/2 S/2

Section 2: All

Section 3: Lot 1, SE/4 NE/4 and SE/4

Section 6: Lot 4

Section 10: NE/4

Section 11: NW/4 NE/4 AND NW/4

**TOWNSHIP 22 SOUTH, RANGE 34 EAST NMPM**

Section 6: Lots 4 to 6 inclusive

## EDDY COUNTY, NEW MEXICO

**TOWNSHIP 23 SOUTH, RANGE 28 EAST, NMPM**

Section 1: Lot 1

**TOWNSHIP 23 SOUTH, RANGE 29 EAST, NMPM**

Sections 1 to 5 inclusive

**Section 6:** Lots 1 to 6 inclusive, S/2 NE/4,  
SE/4 NW/4, E/2 SW/4 and SE/4

Section 7: NE/4 and NE/4 NW/4

**Section 8:** N/2, N/2 SW/4, SE/4 SW/4 and SE/4

Sections 9 to 16 inclusive

Section 17: NE/4 and E/2 SE/4

Sections 21 to 23 inclusive

Section 24: N/2, SW/4 and N/2 SE/4

Section 25: W/2 NW/4 and NW/4 SW/4

Section 26: All

Section 27: All

Section 28: N/2, N/2 SW/4, SE/4 SW/4 and SE/4

Section 33: N/2 NE/4 and NE/4 NW/4

Section 34: NE/4, E/2 NW/4, NW/4 NW/4,  
NE/4 SW/4 and SE/4

Section 35: All

Section 36: W/2 NE/4, NW/4 and N/2 SW/4

**TOWNSHIP 23 SOUTH, RANGE 30 EAST, NMPM**

Sections 1 to 18 inclusive

Section 19: N/2, N/2 SW/4, SE/4 SW/4 and SE/4

Section 20: All

Section 21: All

Section 22: N/2, S/2 SW/4, N/2 S/2 and SE/4 SE/4

Sections 23 to 25 inclusive

Section 26: E/2, SE/4 NW/4 and SW/4

Section 27: N/2 NW/4, SW/4 NW/4, SE/4 SW/4,  
S/2 SE/4 and NE/4 SE/4

Section 28: N/2 and SW/4 Section 29 N/2 and SE/4

Section 30: N/2 NE/4

Section 32: N/2 NE/4

Section 33: SE/4 NE/4, N/2 NW/4, NE/4 SE/4  
and S/2 SE/4

Sections 34 to 36 inclusive

**TOWNSHIP 23 SOUTH, RANGE 31 EAST, NMPM****Section 2:** Lot 4, SW/4 NW/4 and W/2 SE/4

Sections 3 to 7 inclusive

Section 8: NE/4 NE/4, W/2 NE/4 and W/2

**Section 9:** N/2 N/2

Section 10: NW/4 NW/4 and SE/4 SE/4

Section 11: S/2 NE/4, S/2 SW/4 and SE/4

**Section 12:** SW/4 NW/4 and SW/4  
**Section 13:** SW/4 **NE/4**, W/2 and W/2 SE/4  
**Section 14:** All  
**Section 15:** E/2, SE/4 NW/4 and **SW/4**  
**Section 16:** SW/4 and S/2 SE/4  
**Section 17:** NW/4 and S/2  
**Sections 18 to 23 inclusive**  
**Section 24:** W/2 NE/4 and W/2  
**Section 25:** W/2 NE/4, NW/4, N/2 SW/4 and  
 NW/4 SE/4  
**Section 26 to 34 inclusive**  
**Section 35:** N/2 NW/4 and SW/4 NW/4

**TOWNSHIP 24 SOUTH, RANGE 29 EAST, NMPM**

**Section 2:** Lots 2 to 4 inclusive  
**Section 3:** Lot 1

**TOWNSHIP 24 SOUTH, RANGE 30 EAST, NMPM**

**Section 1:** Lots 1 to 4 inclusive, S/2 N/2,  
 SW/4 and NW/4 SE/4  
**Section 2:** All  
**Section 3:** All  
**Section 4:** Lots 1 and 2, S/2 NE/4, SE/4 NW/4,  
 SW/4 SW/4, E/2 SW/4 and SE/4  
**Section 9:** N/2, N/2 SW/4, SE/4 SW/4 and SE/4  
**Section 10:** All  
**Section 11:** All  
**Section 12:** W/2 NW/4 and NW/4 SW/4  
**Section 14:** W/2 NE/4 and **NW/4**  
**Section 15:** NE/4 and N/2 NW/4

**TOWNSHIP 24 SOUTH, RANGE 31 EAST, NMPM**

**Section 3:** Lots 2 to 4 inclusive, SW/4 NE/4,  
 S/2 NW/4, SW/4 and W/2 SE/4  
**Section 4:** All  
**Section 5:** Lots 1 to 4 inclusive, S/2 N/2,  
 N/2 S/2 and SE/4 SE/4  
**Section 6:** Lots 1 to 6 inclusive, S/2 NE/4,  
 SE/4 NW/4, NE/4 SW/4 and  
 N/2 SE/4  
**Section 9:** E/2 and NW/4  
**Section 10:** W/2 NE/4 and W/2  
**Section 35:** Lots 1 to 4 inclusive, S/2 N/2 and  
 N/2 S/2  
**Section 36:** Lots 1 and 2, SW/4 NW/4 and N/2 SW/4

**TOWNSHIP 25 SOUTH, RANGE 31 EAST, NMPM**

**Section 1:** Lots 3 and 4 and S/2 NW/4  
**Section 2:** Lots 1 to 4 inclusive and S/2 N/2

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 412722

CONDITIONS

|                                                                                        |                                                     |
|----------------------------------------------------------------------------------------|-----------------------------------------------------|
| Operator:<br>Maverick Permian LLC<br>1000 Main Street, Suite 2900<br>Houston, TX 77002 | OGRID:<br>331199                                    |
|                                                                                        | Action Number:<br>412722                            |
|                                                                                        | Action Type:<br>[C-103] NOI Plug & Abandon (C-103F) |

CONDITIONS

| Created By | Condition                                                                     | Condition Date |
|------------|-------------------------------------------------------------------------------|----------------|
| gcordero   | Adhere to current Plug & Abandon (P&A) Conditions Of Approvals (COA).         | 1/2/2025       |
| gcordero   | A Cement Bond Log (CBL) is required to be submitted to electronic permitting. | 1/2/2025       |
| gcordero   | Submit Cement Bond Logs (CBL) prior to submittal of C-103P.                   | 1/2/2025       |