

Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-25133
5. Indicate Type of Lease
STATE [checked] FEE []
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
7. Lease Name or Unit Agreement Name
IB 32 STATE
8. Well Number #001Y
9. OGRID Number
192463
10. Pool name or Wildcat
[33685] INDIAN BASIN;UPPER PENN (ASSOC); [79040] INDIAN BASIN;UPPER PENN (PRO GAS)
1. Type of Well: Oil Well [] Gas Well [checked] Other []
2. Name of Operator
OXY USA WTP LP
3. Address of Operator
P.O. BOX 4294 HOUSTON, TX 77210
4. Well Location
Unit Letter M : 1270 feet from the SOUTH line and 660 feet from the WEST line
Section 32 Township 21S Range 24E NMPM County EDDY
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [checked]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THE FINAL WELLBORE AND PA JOB NOTES ARE ATTACHED. THE WELLHEAD WAS CUT AND CAPPED ON 11/11/2024.

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Stephen Janacek] TITLE REGULATORY ENGINEER DATE 12/12/2024

Type or print name STEPHEN JANACEK E-mail address: STEPHEN_JANACEK@OXY.COM PHONE: 713-493-1986

For State Use Only

APPROVED BY: [] TITLE [] DATE []

Conditions of Approval (if any):

API#: 30-015-25133
 Lease Name: Indian Basin 32 State
 Well No: 1-Y
 County: Eddy
 Location: Section 32, Township 21S, Range 24E, Unit Letter M
 Section Lines: 1270' FSL and 660' FWL
 RKB Elevation: 4310'
 DF Elevation:
 Ground Elevation: 4295'
 Date Drilled: 12/10/1984



FINAL WELLBORE
 12/12/2024

PERF AT 350'. NO RATE. SPOT 80 SX CMT
 400'-SURFACE.

PERF AT 574'. NO RATE. SPOT 30 SX CMT
 624'-440'. TAG AT 434'.

PERF AT 1150'. SQZ 50 SX CMT 1150'-1025'.
 TAG AT 1089'.

SPOT 25 SX CMT 2488'-2335'. TAG AT 2327'.

SPOT 25 SX CMT 2844'-2691'. TAG AT 2701'.

SPOT 25 SX CMT 3426'-3272'. TAG AT 3263'

SPOT 25 SX CMT 5350'-5197' ACROSS CASING
 DAMAGE. TAG AT 5185'.


SPOT 25 SX CMT 7050'-6913'. TAG AT 6904'.

SPOT 25 SX CMT AT 7278'-7141' ACROSS
 CASING DAMAGE. TAG AT 7168'.

SET CIBP AT 7750'. DUMP BAIL 7 SX CMT ON
 TOP OF CIBP. TAG AT 7710'.

Perforations (ft)	
7800 to 7908	(Upper Penn)

Perforations (ft)	
9,678 to 10,078	(Morrow)



Surface Casing

13 3/8 "	54.5#	K55	-	@	524'	
17 1/2 "	Hole			TOC @	350	Temp Survey
				cmt'd w/	900	sks

Top Job from 350' w/ 1300 sx Class H, TOC @ 53'

Intermediate Casing

9 5/8 "	32.3# & 36#	H40 & J55	-	@	2405'	
12 1/4 "	Hole			TOC @	1,175	Temp Survey
				cmt'd w/	1,200	sks

Top Job from 580' w/ 440 sx Class H, TOC @ Surface

Stage Cementing Tool @ 2,430'

8 1/2 "	Hole			TOC @	Surface	Circulated
				cmt'd w/	500	sks

Stage Cementing Tool @ 7,000 w/ ECP @ 7,003'

8 1/2 "	Hole			TOC @	2,430	Circulated
				cmt'd w/	700	sks

Production Casing

7 "	26#		-	@	8132'	
8 1/2 "	Hole			TOC @	Unknown	Did Not Circulate
				cmt'd w/	250	sks

7" Shoe squeezed w/ 500 sx 50-50 Poz-H w/ retainer @ 7741' (27 Feb 1985)

5" Liner milled to 7994'

Fill @ 8280' (tagged 25 January 2010)

RBP @ 8,621' w/ milled up cmt retainer on top

CIBP @ 9570' w/ 2 sx cmt 9,565' to 9,545' (07 May 1992)

Baker DB Packer @ 9800'

Liner

5 "				7560' to	10200'	
6 1/8 "	Hole			TOC @	Unknown	
				cmt'd w/	400	sks

TD @ 10,205 TVD
 TD @ 10,205 TMD
 PBTD @ 8,280 TVD
 PBTD @ 8,280 TMD

INDIAN BASIN 32 STATE #001Y

30-015-25133

PA JOB NOTES

17OCT2024 - RECEIVED PERMISSION FROM MR. DAVID ALVARADO WITH THE NMOC D TO SET CIBP INSTEAD OF CICR @ 7750, SET SAME @ 7750 ON WIRELINE. ATTEMPT TO FILL WELL WITH FW UNSUCCESSFUL DUE TO CSG LEAK @ 5000'.

18NOV2024 - RUN CBL FROM 7750' TO 5000' (UNABLE TO LOG ABOVE DUE TO LACK OF FLUID IN THE WELL).

18NOV2024 - DUMP BAIL 7 SXS OF CMT (40') ON TOP OF CIBP, TAG SAME @ 7710' (GOOD TAG).

22NOV2024 - CHANGE IN PROGRAM APPROVED FROM MR. ALAVARADO FROM PERF & SQUZ AT 7278' & 7050' TO SPOT 25SX CLASS H CEMENT AT 7278' & 7050' DUE TO HOLES IN CASING. SPOT 25 SXS CLASS H CMT FROM 7278' - 7141', WOC & TAG 7168' (GOOD TAG).

22NOV2024 - SPOT 25 SXS CLASS H CMT FROM 7050' - 6913', WOC 6 HOURS & TAG @ 6904' (GOOD TAG).

23NOV2024 - SPOT 25 SXS CLASS C CMT FROM 5350' - 5197', WOC & TAG @ 5185' (GOOD TAG).

24NOV2024 - LOAD WELL WITH FW, RUN CBL FROM 5185' - SURFACE. DISPLACE WELL TO BRINE/GEL WATER. GOOD CBL, APPROVAL FROM MR. ALVARADO TO CONTINUE P&A OPERATIONS.

25NOV2024 - SPOT 25 SXS CLASS C CMT W/2% CA CL FROM 3426' - 3272', WOC & TAG @ 3263' (GOOD TAG)

25NOV2024 - SPOT 25 SXS CLASS C CMT W/2% CA CL FROM 2844' - 2691', WOC & TAG @ 2701' (GOOD TAG).

28NOV2024 - SPOT 25 SXS CLASS C CMT WITH 2% CA CL FROM 2488' - 2335', WOC @ TAG @ 2327' (GOOD TAG).

28NOV2024 - PERF @ 1150', SQUEEZE 50 SXS OF CLASS C CMT FROM 1150' - 1025', WOC @ TAG @ 1089' (GOOD TAG).

29NOV2024 - PERF @ 574', ATTEMPT TO CIRC, NO SUCCESS. PERMISSION FROM MR. ALVARADO TO DROP 50' & SPOT 30 SXS. SPOT 30 SXS OF CLASS C CMT FROM 624' - 440', WOC & TAG @ 434' (GOOD TAG).

30NOV2024 - PERF @ 350', ATTEMPT TO CIRC, NO SUCCESS. PERMISSION FROM MR. ALVARADO TO DROP 50' AND SPOT CMT TO SURFACE. SPOT 80 SXS OF CLASS C CMT FROM 400' TO SURFACE.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 410935

CONDITIONS

Operator: OXY USA WTP LIMITED PARTNERSHIP P.O. Box 4294 Houston, TX 772104294	OGRID: 192463
	Action Number: 410935
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/3/2025
gcordero	Submit C-103Q within one year of plugging.	1/3/2025