Received by OCD: S2/9/2024 2:02:46 PM		Sundry Print Report
U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		12/09/2024
Well Name: SALADO DRAW 19 26 33 FED	Well Location: T26S / R33E / SEC 19 / NENW / 32.03559 / -103.612836	County or Parish/State: LEA / NM
Well Number: 4H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM27506	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002542281	Operator: CHEVRON USA INCORPORATED	

Notice of Intent

Sundry ID: 2825253

Type of Submission: Notice of Intent

Date Sundry Submitted: 12/03/2024

Date proposed operation will begin: 12/03/2024

Type of Action: Temporary Abandonment Time Sundry Submitted: 09:24

Procedure Description: SALADO DRAW 19 26 33 FED 4H (30-025-42281) is being proposed for temporary abandonment due to attempted MIT testing in which we suspect tubing integrity issues. The well has had water influx that has caused unexpected loss of hydrocarbon production, and thus is classified as inactive as a result. We have attempted one well water shut off and are aiming to test another. If this is successful, then this well would be a candidate for water shut off. This wellbore is in our proposed permitting for gas re-injection but with tubing integrity concerns. A TA of this wellbore allows us to progress water shut off and gas re-injection on other wells while preserving this wellbore. Procedure: Rig up pulling unit and prepare to pull out of hole with tbg. Rig up slickline and RIH with GR to ~8740'. RIH w/CIBP set @ 8740' w/slickline & dump bail 35' of class H cement. Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body. Rig down and release slickline and pulling unit. PLEASE SEE FOLLOWING ATTACHMENTS

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

SALADO_DRAW_19_26_33_FED_4H_NOI_TA_PKG_20241203065026.pdf

eceived by OCD: 12/9/2024 2:02:46 PM Well Name: SALADO DRAW 19 26 33 FED	Well Location: T26S / R33E / SEC 19 / NENW / 32.03559 / -103.612836	County or Parish/State: LER 2 of NM
Well Number: 4H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM27506	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002542281	Operator: CHEVRON USA INCORPORATED	,
Conditions of Approva	al	
Specialist Review		

TA_COA_20241205174206.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICOLE TAYLOR

Name: CHEVRON USA INCORPORATED

Title: Regulatory Coordinator

Street Address: 6301 DEAUVILLE BLVD

City: MIDLAND

Phone: (432) 687-7328

Email address: NICOLE.TAYLOR@CHEVRON.COM

Field

Representative Name: Street Address: City:

Phone:

Email address:

State:

State: TX

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Approved Signature: Jonathon Shepard

BLM POC Title: Petroleum Engineer

Zip:

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 12/05/2024

Signed on: DEC 03, 2024 09:22 AM

Received by OCD: 12/9/2024 2:02:46 PM

Form 3160-5 UNITED STATES (June 2019) DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB No. 1004-0137 pires: October 31, 2021
DEP	EAU OF LAND MANAGI			5. Lease Serial No.	A
	IOTICES AND REPORT		9		NMNM27506
Do not use this f	orm for proposals to d Use Form 3160-3 (APD)	rill or to re-	enter an	6. If Indian, Allottee or Tribe	ivame
	TRIPLICATE - Other instruction		10003013.	7. If Unit of CA/Agreement,	Name and/or No.
1. Type of Well		ne en page 2			
✓ Oil Well Gas W				8. Well Name and No. SALADO DRAW 19 26 33 FED/4H	
2. Name of Operator CHEVRON USA	INCORPORATED			9. API Well No. 300254228	1
3a. Address PO BOX 1392, BAKER	SFIELD, CA 93302 3b. 1	Phone No. <i>(incli</i>	ıde area code)	10. Field and Pool or Explora	
	`	1) 633-4000			RING/WC025G06S263319P-BONE SPRING
4. Location of Well (Footage, Sec., T., R SEC 19/T26S/R33E/NMP	.,M., or Survey Description)			11. Country or Parish, State LEA/NM	
12. CHE	CK THE APPROPRIATE BOX(E	ES) TO INDICA	TE NATURE C	DF NOTICE, REPORT OR OT	HER DATA
TYPE OF SUBMISSION			ТҮРЕ	OF ACTION	
✓ Notice of Intent	Acidize	Deepen	[Production (Start/Resume)	\equiv
	Alter Casing		Fracturing	Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Cons	-	Recomplete	Other
Final Abandonment Notice	Change Plans	Plug and A Plug Back	_	Temporarily Abandon Water Disposal	
completed. Final Abandonment Not is ready for final inspection.) SALADO DRAW 19 26 33 FEI suspect tubing integrity issues as inactive as a result. We hav candidate for water shut off. Th wellbore allows us to progress Procedure: Rig up pulling unit and prepare Rig up pulling unit and prepare Rig up slickline and RIH with C RIH w/CIBP set @ 8740' w/slic Rig up pump truck and chart re Rig down and release slickline Continued on page 3 additiona	D 4H (30-025-42281) is being p . The well has had water influx re attempted one well water sh his wellbore is in our proposed water shut off and gas re-inject to pull out of hole with tbg. GR to ~8740'. ckline & dump bail 35' of class ecorder and pressure test plug and pulling unit.	proposed for te that has cause out off and are a permitting for ction on other w H cement.	emporary abar ed unexpected aiming to test gas re-injectio wells while pre	ndonment due to attempted d loss of hydrocarbon produ another. If this is successful on but with tubing integrity co eserving this wellbore.	ction, and thus is classified I, then this well would be a
14. I hereby certify that the foregoing is		/Typed)			
NICOLE TAYLOR / Ph: (432) 687-7		Title	Regulatory (Coordinator	
(Electronic Submissic	n)	Date	2	12/03/2	2024
	THE SPACE FC		L OR STA	TE OFICE USE	
Approved by					
JONATHON W SHEPARD / Ph: (5	75) 234-5972 / Approved		Petrole Title	eum Engineer	12/06/2024 Date
Conditions of approval, if any, are attack certify that the applicant holds legal or e which would entitle the applicant to com	equitable title to those rights in the		Office CAR	LSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

PLEASE SEE FOLLOWING ATTACHMENTS

Location of Well

0. SHL: NENW / 200 FNL / 2018 FWL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 32.03559 / LONG: -103.612836 (TVD: 0 feet, MD: 0 feet) PPP: NENW / 200 FNL / 2018 FWL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) BHL: SESW / 280 FSL / 2252 FWL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) SALADO DRAW 19 26 33 FED 4H is being proposed for temporary abandonment due to attempted MIT testing in which we suspect tubing integrity issues. The well has had water influx that has caused unexpected loss of hydrocarbon production, and thus is classified as inactive as a result. We have attempted one well water shut off and are aiming to test another. If this is successful, then this well would be a candidate for water shut off. This wellbore is in our proposed permitting for gas re-injection but with tubing integrity concerns. A TA of this wellbore allows us to progress water shut off and gas re-injection on other wells while preserving this wellbore. Procedure below.

Procedure:

Rig up pulling unit and prepare to pull out of hole with tbg.


Rig up slickline and RIH with GR to ~8740'.

RIH w/CIBP set @ 8740' w/slickline & dump bail 35' of class H cement.

Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body. Rig down and release slickline and pulling unit.


SALADO DRAW 19 26 33 FED 4H CURRENT WELLBORE

API#:	30-025-42281	Spud	2/28/2015
Chevno:	PD1920	Complete	3/28/2016
Field:	Jennings	Elevation	3189
County	Lea County, NM	КВ	



Surface Casing 13-3/8" 54.5#/ft J-55 Set @ 844'

Intermediate Casing: 9-5/8" K55 40#/ft Set @ 4686'




	M + 7 V I III			
	SALADO D	RAW 19 26 33 FED 4H	H PROPOSED WELL	BORE
API#: Chevno: Field: County	30-025-42281 PD1920 Jennings Lea County, NM		Spud Complete Elevation KB	2/28/2015 3/28/2016 3189
		Surface Casing 13-3/8" 54.5#/ft J-55 Set @ 844'		

Intermediate Casing:

9-5/8" K55 40#/ft Set @ 4686'

	MD	TVD	Inclination
Top of Curve	8,700	8,686	16.49
Bottom of Curve	9,566	9,193	90.98
Top Perf	9,491	9,190	83.16
Plug Depth	8,740	8,723	21.63
PKR Depth	8,572	8,559	2.8



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:	
CHEVRON U S A INC	4323	
6301 Deauville Blvd	Action Number:	
Midland, TX 79706	410027	
	Action Type:	
	[C-103] NOI Temporary Abandonment (C-103])	

Created By	Condition	Condition Date
gcordero	Passing MIT test in accordance with 19.15.26.11 or 19.15.25.12-14 NMAC will be required at time of work.	1/3/2025

CONDITIONS

Page 10 of 10

Action 410027