Sante Fe Main Of Phone: (505) 476					Stat	e of N	ew M	exico						Αι	Form C-103 igust 1, 2011	
General Informati		Energy, Minerals and Natural Resources										Permit 337878				
Phone: (505) 629-	229-0110								W	WELL API NUMBER						
	Online Phone Directory ttps://www.emnrd.nm.gov/ocd/contact-us 1220 S. St Francis Dr.							5	30-025-51074 5. Indicate Type of Lease							
					1220	S. St	Franc	cis Dr.			6		State & Gas Leas	a Na		
					San	ıta Fe,	NM 8	37505			0	. State Oil	α Gas Leas	e No.		
(DO NOT USE TH (FORM C-101) FC		OR PROPOSALS TO D	_	TICES ANI			_	VOIR. USE "/	APPLICATIO	N FOR PER			me or Unit . PEBBLE 8			
1. Type of Well: Oil											8	. Well Num	nber 120H			
2. Name of Opera											9	OGRID N				
Spur E 3. Address of Ope		tners LLC									1		28947 me or Wildo	at		
		ay, Suite 500, Hou	ston, TX 7702	24								0. 1 001 Hu	ine or winde	uı		
4. Well Location Unit Le	etter <u>B</u> :	Township 17S	Range	33E	NMPM _	Cou	from the I	E	line							
		11	. Elevation (Sh 4210	ow whether DR GR	, KB, B1, GR	t, etc.)										
Pit or Below-grade	e Tank Appl	ication or Closure														
Pit Type	Depth to G	Groundwater	Distance from r	nearest fresh wa	ater well	Distance	from neare	st surface wat	er							
Pit Liner Thicknes	s:	mil Below-G	rade Tank: Vol	ume	bbls; (Construction I	Material		_							
12. Check Approp	priate Box to	Indicate Nature of No	tice, Report or			ĺ				SUBSEQU	IENT DED	ODT OF:				
PERFORM REM			PLUG	AND ABANDO			REMEDIA			SUBSEQU		ALTER (
TEMPORARILY A PULL OR ALTER				IGE OF PLANS IPLE COMPL	;			ICE DRILLING CEMENT JOB				PLUG A	ND ABANDO	N		
Other:	. 0, 1010							illing/Cement			_				\bowtie	
Attach wellbore di 04/05/2023 Spud class C w/ additive	iagram of pr well Drill 1 es 14.8ppg	npleted operations. (C oposed completion or 17-1/2" hole to 1390'. (1.33 yield. Full returns 022 RIH & set 9-5/8" 3	recompletion. 14/06/2023 RIH throughout job	l & set 13-3/8" { , circ 578 sxs ci	54.5# J-55 B mt to surface	TC csg @ 139 . 04/07/2022	90', pump 4 NU BOP, te	0bbl FWS, the	en cmt w/ 93 v 2500# high	5 sxs class good test.	C w/ additi	ves 12.4pp 3" csg to 1	ng 1.77 yield 500# for 30	followed b	oy 345 sxs ood test. Drill	
Casing and Ce	ment Prog	ıram														
Date	String	Fluid	Hole	Csg	Weight	Grade	Est TOC	Dpth	Sacks	Yield	Class	1" Doth	Pres	Pres	Open	
04/06/23	Surf	Type FreshWater	Size 17.5	Size 13.375	lb/ft 54.5	J-55	0	Set 1390	1280	1.77	С	Dpth 0	Held 2055	Drop 0	Hole N	
04/09/22	Int1	Brine	12.25	9.625	36	J-55	0	3208	1035	1.68	С	0	2816	0	N	
04/17/23	Prod	Brine	8.75	7	32	L-80	0	6401	2480	2.4	С	0	7272	0	N	
04/17/23	Prod	Brine	8.75	5.5	20	L-80	0	14507	2480	2.4	С	0	7352	0	N	
		rmation above is true eneral permit \square or an					further certi	ify that any pit	t or below-gra	ade tank ha	s been/will	be constru	ucted or clos	ed accord	ing to	
SIGNATURE		Electronically Sign	TITLE		Regulatory Director DATE					4/19/2023						
Type or print name		Sarah Chapman	E-mail add	dress	schapman@spurenergy.com Telephone No				one No.	832-930-8613						
For State Use	Only:															
APPROVED BY	' :	Keith Dziokonsk	i	TITLE		Petroleun	n Specialis	st A		DATE		1/3	/2025 12:1	0:50 PM		

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Action 337878

COMMENTS

Operator:	OGRID:				
Spur Energy Partners LLC	328947				
9655 Katy Freeway	Action Number:				
Houston, TX 77024	337878				
	Action Type:				
	[C-103] EP Drilling / Cement				

Comments

Created By	Comment	Comment Date
schapman01	class C w/ additives 14.8ppg 1.33 yield. Full returns throughout job, circ 85 sxs to surface.	4/10/2023
	Test 9-5/8" csg top 1500# for 30min, good test. Drill 8-3/4" hole to 6142'V/14507'M – TD reached on 04/17/2023. RIH & set 7" 32# L-80 BK-HT csg @ 6401' then crossover and set 5-1/2" 20# L-80 BK-HT csg @ 14507', pump 40bbl FWS, then cmt w/ 580 sxs class C w/ additives 11.4ppg 2.40 yield followed by tail job w/ 1900 sxs class C w/ additives 13.2ppg and 1.4 yield. Full returns throughout job, circ 601 sxs cmt to surface. Pressure test csg to 1500# for 30 minutes, good test. 04/19/2023 RD and rig release.	4/19/2023