J.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repo
Well Name: SAN JUAN 29-5 UNIT	Well Location: T29N / R5W / SEC 9 / SESE / 36.734676 / -107.356824	<b>County or Parish/State:</b> RIO ARRIBA / NM
Well Number: 61C	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078642	<b>Unit or CA Name:</b> SAN JUAN 29-5 UNITMV	Unit or CA Number: NMNM78415A
US Well Number: 3003929758	<b>Operator:</b> HILCORP ENERGY COMPANY	

### **Notice of Intent**

Sundry ID: 2830200

Type of Submission: Notice of Intent

Date Sundry Submitted: 01/07/2025

Date proposed operation will begin: 04/01/2025

Type of Action: Recompletion Time Sundry Submitted: 07:22

**Procedure Description:** Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and downhole commingle with the existing Mesaverde. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

**NOI Attachments** 

**Procedure Description** 

San\_Juan\_29\_5\_Unit\_61C\_RC\_NOI\_20250107072240.pdf

Received by OCD: 1/8/2025 9:43:59 AM Well Name: SAN JUAN 29-5 UNIT	Well Location: T29N / R5W / SEC 9 / SESE / 36.734676 / -107.356824	County or Parish/State: Rige 2 of 17 ARRIBA / NM
Well Number: 61C	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078642	<b>Unit or CA Name:</b> SAN JUAN 29-5 UNITMV	<b>Unit or CA Number:</b> NMNM78415A
US Well Number: 3003929758	<b>Operator:</b> HILCORP ENERGY COMPANY	

### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: AMANDA WALKER** 

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON

State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

## Field

Representative Name: Street Address: City: State: Phone: Email address:

**BLM Point of Contact** 

BLM POC Name: MATTHEW H KADE BLM POC Phone: 5055647736 Disposition: Approved Signature: Matthew Kade BLM POC Title: Petroleum Engineer BLM POC Email Address: MKADE@BLM.GOV

Zip:

Signed on: JAN 07, 2025 07:22 AM

Disposition Date: 01/07/2025

### Received by OCD: 1/8/2025 9:43:59 AM

					8 3
Form 3160-5 (June 2019)		UNITED STATI PARTMENT OF THE I EAU OF LAND MAN	INTERIOR	0	DRM APPROVED MB No. 1004-0137 res: October 31, 2021
	not use this i	NOTICES AND REPO form for proposals a Use Form 3160-3 (A	6. If Indian, Allottee or Tribe Name		
	SUBMIT IN	TRIPLICATE - Other instr	uctions on page 2	7. If Unit of CA/Agreement, Na	ame and/or No.
1. Type of Well	Vell 🗌 Gas V	Well Other	8. Well Name and No.		
2. Name of Operator	r			9. API Well No.	
3a. Address			3b. Phone No. (include area code)	10. Field and Pool or Explorate	ory Area
4. Location of Well	(Footage, Sec., T.,F	R.,M., or Survey Description)	)	11. Country or Parish, State	
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE (	OF NOTICE, REPORT OR OTH	ER DATA
TYPE OF SU	BMISSION		TYPI	E OF ACTION	
Notice of Inte	ent	Acidize	Deepen	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report Casing Repair		Casing Repair	New Construction	Recomplete Temporarily Abandon	Other
Final Abando	nment Notice	Convert to Injection	Plug Back	Water Disposal	
the proposal is to the Bond under completion of th	b deepen directiona which the work will be involved operation l Abandonment No	ally or recomplete horizontal Il be perfonned or provide th ons. If the operation results in	ly, give subsurface locations and me e Bond No. on file with BLM/BIA. n a multiple completion or recomple	asured and true vertical depths of Required subsequent reports mus ption in a new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been he operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			
	Title		
Signature	Date		
THE SPACE FOR FEDE	RAL OR STATE	OFICE USE	
Approved by			
	Title		Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lead which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		willfully to make to any d	lepartment or agency of the United States

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.


The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# **Additional Information**

### Location of Well

0. SHL: SESE / 680 FSL / 875 FEL / TWSP: 29N / RANGE: 5W / SECTION: 9 / LAT: 36.734676 / LONG: -107.356824 (TVD: 0 feet, MD: 0 feet) BHL: SESE / 680 FSL / 875 FEL / TWSP: 29N / SECTION: / LAT: 36.734676 / LONG: 107.356824 (TVD: 0 feet, MD: 0 feet)



Hilcorp

#### HILCORP ENERGY COMPANY SAN JUAN 29-5 UNIT 61C FRUITLAND COAL - RECOMPLETION SUNDRY

		ergy Company		nematic - Versio	n 3	
PI/UWI		SAN JUAN 29-5 UNIT #61	Field Name	Route	StateProvince	Well Configuration Type
0039297 round Eleva		Original K5/RT Elevation (#)	MV Tubing Hanger Elevation (#)	1208 RKB to GL (ft)	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)
.731.00 ubing \$	Strings	6,747.00		16.00		
un Date 1/6/2024	16:00	Set Depth (ftK5) 6,082.99	String Max Nominal OD (In) 2 3/8	String Min Nominal ID (in) 2.00	Weight/Length (Ibitt) 4.70	Original Spud Date 4/30/2007 09:30
			Original	Hole [Vertical]		
MD (ftKB)	TVD (ftKB)			Vertical schematic (act	ual)	
		7 1/16in, Tubing Hanger ; 7	1/16 in 16 00 BVP			
16.1 -		/ I/Tolit, Tubing Hanger, /	17.00 ftKB		1 1/4in Polished Ro	od; 22.00 ft
19.4	_			Ţ	ľ	
28.2 -		2 3/8in, Tubing BLUE ; 2 3/8	3 in; 4.70 lb/ft; J-55;		-7/8in Pony Rod; 14	.00 ft nent, Casing, 4/30/2007
49.5 -		2 3/8in, Tubing Pup Joint; 2	2023		14:00 (SURFACE CS	G CMT); 16.00-232.20; 2007 BBL'S CMT TO SURFACE
231.3 -			A9 100, 99,91 100		1; Surface, 232.24ft / Ib/ft; 16.00 ftKB; 232	KB; 9 5/8 in; 9.00 in; 32.30 2.24 ftKB
236.9 -		2 3/8in, Tubing BLUE ; 2 3/8 55.	3 in; 4.70 lb/ft; J-55;		7/8in Sucker Rod; 2	2,350.00 ft g Cement, Casing, 5/25/200
2.392.4		— Ojo (Ojo (final)) —			18:00; 16.00-4,000.0 20 BBL'S CMT TO S	0; 2007-05-25 18:00; CIRC URFACE
2,876.0 -		-Kirtland (Kirtland (final))			3/4in Guided Rod;	1,000.00 ft
3,392.4 -		2 3/8in, Tubing NEW & YELI Ib/ft; J-55; 727.56	OW ; 2 3/8 in; 4.70 ftKB; 6,050.79 ftKB			
3,698.2 -		Pictured Cliffs (Pictured Clif	ís (final))			
3,955.7 -		Lewis (Lewis (final))				00.000 T In C IC In 20.00
2,999.0					2; intermediate, 4,0 Ib/ft; 16.00 ftKB; 4,0 	
4,015.1						5/28/2007 14:45 (PERF -
4,425.9					Production Casing	Cement, Casing, 5/27/2007
4,706.0					TOC at 3544' per C	
5,320.9		Cliff House (Cliff House (fin	al))	<b>.</b>	CLIFF HOUSE / MEI	5/28/2007 11:45 (PERF - NEFEE UPPER); 2007-06-28
5,612.9		— Menefee (Menefee (final)) –				5/27/2007 09:00 (PERF -
5,770.0					27 09:00	MENEFEE LOWER); 2007-06
5,856.0		Point L2 3/8in, Pump Seatin 6,050.79	g Nipple ; 2 3/8 in; ftKB; 6,051.89 ftKB		1 1/4in Sinker Bar; 3/4in Shear Coupli	
6,042.3		2 3/8in, Price Type BHA v below upset ; 2 3/8 in; 4.70	lb/ft; J-55; 6,051.89		-3/4in Guided Rod; -1in LIFT SUB; 1.00 f	
6,050.9		Fill/Trash (PBTD); 6,192.00; A			1 1/4in Rod Insert RHAC-Z HVR; 16.00	Pump 2" X 1 1/4" X 12' X 16 ) ft
6,067.9		OUT FILL WITH SERVICE RI	ANY DEEPER		1in Strainer Nipple Cement Plug, Plug	; 1.00 ft 5/27/2007 23:01; 6,204.00-
6,083.0		3.99 in, Barrier - Oth			6,206.00; 2007-05-2	
6,204.1 -		TF	RASH/FILL IN HOLE		/ 10.50 lb/ft; 16.00 ft	
6,206.0					6,210.00; 2007-05-2	7 23:01



#### HILCORP ENERGY COMPANY SAN JUAN 29-5 UNIT 61C FRUITLAND COAL - RECOMPLETION SUNDRY

		ergy Company SAN JUAN 29-5 UNIT #6		sed Schematic		
PI/UWI 0039297	758	Surface Legal Location 009-029N-005W-P	Field Name MV	Route 1208	StateProvince NEW MEXICO	Well Configuration Type Vertical
round Eleva		Original K5/RT Elevation (ft)	Tubing Hanger Elevation (ft)	RKB to GL (ft)	KB-Casing Flange Distance (#)	KB-Tubing Hanger Distance (ft)
731.00 ubing	Strings	6,747.00		16.00		
un Date 1/6/2024	4 16:00	Set Depth (ftK5) 6,082.99	String Max Nominal OD (in) 2 3/8	String Min Nominal ID (in) 2.00	WeightLength (Ibit) 4.70	Original Spud Date 4/30/2007 09:30
			Original	Hole [Vertical]		
MD (ftKB)	TVD (ftKB)			Vertical schematic (actual)		
16.1 -			1/16 in: 16:00 ftKB	to distant the book shall		a adaption to a test this is a daption of the fact of
18.0			17.00 ftKB		1 1/4in Polished Roo	d; 22.00 ft
19.4			^			
28.2 -		2 3/8in, Tubing BLUE ; 2 3/ 1	8 in; 4.70 lb/ft; J-55; 7.00 ftKB; 49.45 ftKB			ent, Casing, 4/30/2007
49.5		2 3/8in, Tubing Pup Joint; 2	2323		04-30 14:00; CIRC 5	5 CMT); 16.00-232.20; 2007 BBL'S CMT TO SURFACE
231.3 -					/ lb/ft; 16.00 ftKB; 232	
236.9		2 3/8in, Tubing BLUE ; 2 3/	8 in; 4.70 lb/ft; J-55; 51 ftKB; 727.56 ftKB		7/8in Sucker Rod; 2,	350.00 ft Cement, Casing, 5/25/200
2,392.4		— Ojo (Ojo (final)) —			18:00; 16.00-4,000.00 20 BBL'S CMT TO SU	0; 2007-05-25 18:00; CIRC JRFACE
2,876.0 -		- Kirtland (Kirtland (final))			3/4in Guided Rod; 1	,000.00 ft
3,392.4 -		2 3/8in, Tubing NEW & YEL Ib/ft; J-55; 727.5	LOW ; 2 3/8 in; 4.70 6 ftKB; 6,050.79 ftKB	1006 2000		
3,698.2 -		— Pictured Cliffs (Pictured Cli	ffs (final))		-	
3,955.7		— Lewis (Lewis (final)) ———			2: Intermediate 4.00	00.00ftKB: 7 in: 6.46 in: 20.0
3,999.0						0.00 ftKB
4,015.1					4645-5096ftKB on 6	/28/2007 14:45 (PERF -
4,425.9						Cement, Casing, 5/27/2007
4,706.0		Chacra (Chacra (final))			TOC at 3544' per CB	
5,320.9		-Cliff House (Cliff House (fir	al))		CLIFF HOUSE / MEN	/28/2007 11:45 (PERF - EFEE UPPER); 2007-06-28
5,612.9		Menefee (Menefee (final)) -				/27/2007 09:00 (PERF -
5.770.0					27 09:00	MENEFEE LOWER); 2007-06
5,856.0		— Point L2 3/8in, Pump Seatin 6,050.7	ng Nipple ; 2 3/8 in; 9 ftKB; 6,051.89 ftKB		1 1/4in Sinker Bar; 2 3/4in Shear Couplin	
6,042.3 -		2 3/8in, Price Type BHA below upset ; 2 3/8 in; 4.70			- 3/4in Guided Rod;8	1.00 ft
6,050.9		Fill/Trash (PBTD); 6,192.00; A	ftKB; 6,082.99 ftKB			ump 2" X 1 1/4" X 12' X 16
6,067.9		OUT FILL WITH SERVICE R			1in Strainer Nipple;	1.00 ft
6,083.0		3.99 in, Barrier - Oti	THAN 6,192'.		6,206.00; 2007-05-2	
6,204.1 -			RASH/FILL IN HOLE		10.50 lb/ft; 16.00 ftK	
6,206.0 -				J	Cement Plug, Plug, 2 6,210.00; 2007-05-2	5/27/2007 23:01; 6,206.00- 7 23:01
		power		Page 1/1		Report Printed: 1/6/202

.

Santa Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/		State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Submittal Type:	A manded Papart	
		WELL LOCATION INFORMATION			
API Number 30-039-29758	Pool Code 71629	Pool Name Basin Fruitland Coal			
Property Code 318837	Property Name San Juan 29-5 Unit			Well Number 61C	

OGRID No.

372171

Operator Name

Surface Owner:  $\Box$  State  $\Box$  Fee  $\Box$  Tribal  $\boxtimes$  Federal

Unitized Area or Area of Uniform Interest

Hilcorp Energy Company

UL P	Section 09	Township 29N	Range 05W	Lot	Ft. from N/S 680' S	Ft. from E/W 875' E	Latitude 36.7346764	Longitude -107.3567963	County Rio Arriba
	Bottom Hole Location								
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
		I		1		1			

**Surface Location** 

Ground Level Elevation

6728'

Ground Floor Elevation:

Mineral Owner:  $\Box$  State  $\Box$  Fee  $\Box$  Tribal  $\boxtimes$  Federal

Dedicated Acres	Infill or Defining Well	Defining Well API	Overlapping Spacing Unit (Y/N)	Consolidation Code
320.0	Infill	3003921028	No	U
Order Numbers.		Well setbacks are under Common Ownership: $\boxtimes$ Yes $\Box$ No		

	Kick Off Point (KOP)									
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
	-				First Take	e Point (FTP)	-	-		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	
					Last Take	Point (LTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County	

Spacing Unit Type  $\Box$  Horizontal  $\boxtimes$  Vertical

OPERATOR CERTIFIC	ATIONS	SURVEYOR CERTIFIC	SURVEYOR CERTIFICATIONS		
my knowledge and belief, a organization either owns a including the proposed bott location pursuant to a contr	ormation contained herein is true and complete to the best of nd, if the well is a vertical or directional well, that this working interest or unleased mineral interest in the land om hole location or has a right to drill this well at this act with an owner of a working interest or unleased mineral ooling agreement or a compulsory pooling order heretofore		ell location shown on this plat was plotted from field notes of actual ler my supervision, and that the same is true and correct to the best of		
consent of at least one lesse in each tract (in the target p	rell, I further certify that this organization has received the e or owner of a working interest or unleased mineral interest ool or formation) in which any part of the well's completed btained a compulsory pooling order from the division.				
AWaller	11/11/2024	Jason Edwards			
Signature	Date	Signature and Seal of Professional Surveyor			
Amanda Walker Printed Name		15269 Certificate Number	6/20/2005 Date of Survey		
mwalker@hilcorp.com					
Email Address					

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. Released to Imaging: 1/14/2025 4:17:02 PM

#### Received by OCD: 1/8/2025 9:43:59 AM ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

# NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

### <u>Section 1 – Plan Description</u> Effective May 25, 2021

**OGRID:** 372171 **Date:** 11/11/2024

I. Operator: <u>Hilcorp Energy Company</u>

**II. Type:**  $\boxtimes$  Original  $\square$  Amendment due to  $\square$  19.15.27.9.D(6)(a) NMAC  $\square$  19.15.27.9.D(6)(b) NMAC  $\square$  Other.

If Other, please describe: \_\_\_\_\_

**III. Well(s):** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
SJ 29-5 Unit 61C	30-039-29758	P-09-29N-05W	680 FSL 875 FEL	0	200	1

IV. Central Delivery Point Name: Ignacio Processing Plant [See 19.15.27.9(D)(1) NMAC]

**V. Anticipated Schedule:** Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.

Well Name	API	Spud Date	TD Reached Date	Completion Commencement Date	Initial Flow Back Date	First Production Date
SJ 29-5 Unit 61C	<u>30-039-29758</u>					

VI. Separation Equipment: 🛛 Attach a complete description of how Operator will size separation equipment to optimize gas capture.

**VII. Operational Practices:**  $\boxtimes$  Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.

**VIII. Best Management Practices:** 🖂 Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.

## Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

 $\boxtimes$  Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
			Start Date	or system segment rie-m

**XI. Map.**  $\Box$  Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

**XII. Line Capacity.** The natural gas gathering system  $\Box$  will  $\Box$  will not have capacity to gather 100% of the anticipated natural gas production volume from the well prior to the date of first production.

**XIII.** Line Pressure. Operator  $\Box$  does  $\Box$  does not anticipate that its existing well(s) connected to the same segment, or portion, of the natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s).

 $\Box$  Attach Operator's plan to manage production in response to the increased line pressure.

**XIV. Confidentiality:**  $\Box$  Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information for which confidentiality is asserted and the basis for such assertion.

### Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

 $\boxtimes$  Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

 $\Box$  Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. *If Operator checks this box, Operator will select one of the following:* 

**Well Shut-In.**  $\Box$  Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

**Venting and Flaring Plan.**  $\Box$  Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

- (a) power generation on lease;
- (b) power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- (f) reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

# Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

(a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or

(b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.

2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:				
Printed Name: Amanda Walker				
Title: Operations Regulatory Tech Sr.				
E-mail Address: <u>mwalker@hilcorp.com</u>				
Date: 11/11/2024				
Phone: 346.237.2177				
OIL CONSERVATION DIVISION				
(Only applicable when submitted as a standalone form)				
Approved By:				
Title:				
Approval Date:				
Conditions of Approval:				

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
  - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
  - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
  - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
  - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
  - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1 4.
- 5. Subsection (E) Performance standards
  - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
  - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
  - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
  - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	418399
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS				
Created By		Condition Date		
ward.rikala	Down Hole Commingle order is required prior to commingling of production.	1/14/2025		

CONDITIONS

Action 418399