<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (5/5) 393-6161 Fax: (5/5) 393-0/20

District II

811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1204 S. St. Fengels Dr. Sente Fo. NM 97505

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

☐AMENDED REPORT

^{1.} Operator Name and Address Hilcorp Energy Company 382 Road 3100 Aztec, NM 87410							² OGRID Number 372171 ³ API Number 30-045-08252					
4. Propo	erty Code 9198				5. Property Na New Mexico B	me Com				^{6.} Well No.		
	,1,0			7.	Surface Locat					-		
UL - Lot	Section	Township	Range	Lot Idn			I/S Line	Feet From	E/W Line	e County		
L	16	29N	11W		1450		S	875	W	San Juan		
	l	I I			osed Bottom H							
UL - Lot	Section	Township	Range	Lot Idn	Feet from	n N	I/S Line	Feet From	E/W Line	County		
				9.	Pool Informat	tion						
				Basi	Pool Name in Fruitland Coal					Pool Code 71629		
	k Type		12. Well Type	Additi	onal Well Info		14	Lease Type	15.	Ground Level Elevation		
	Α		G		10	State			5581			
	lultiple N		¹⁷ Proposed Depth 1494' – 1774'	Ва	^{18.} Formatio asin Fruitland Coal	on	19. Contractor 20. Spuc					
Depth to Ground water Distance from nearest fresh water					rest fresh water we	ell	1	Distan	ce to nearest surf	ace water		
Туре	Hol	e Size	Casing Size	_	Casing and Ce		g Depth	Sacks	of Cement	nt Estimated TO		
	I		Casing/	Cement 1	Program: Add	ditional C	omments					
			22. P 1	ronosed I	Blowout Preve	ention Pro	aram					
	Туре			Vorking Pre			Test Press	ure		Manufacturer		
	71											
2					-							
of my knowle	dge and be	lief.	given above is true	-			OIL (CONSERV	ATION DIV	ISION		
9.15.14.9 (Edignature:	tify that I I) NMAC [□, if applical	d with 19.15.14.9 ble.	(A) NMAC		Approved B	y:					
rinted name	Amanda V	Valker				Title:						
Title: Operati	ons Regula	tory Tech Sr				Approved Date: Expiration Date:						
E-mail Addre	ss: mwalke	r@hilcorp.cor	n									
			1									




HILCORP ENERGY COMPANY NEW MEXICO B COM 1 FRUITLAND COAL RECOMPLETE SUNDRY API 3004508252

JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with tubing.
- 3. Set a plug within 50' of the top Dakota perforation (6,214') for zonal isolation.
- 4. Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.
- 5. Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 6. If frac'ing down casing: pressure test casing to frac pressure.
- 7. RU WL. Perforate the Fruitland Coal. Top perforation @ 1,494', bottom perforation @ 1,774'.
- 8. If frac'ing down frac string: RIH w/ frac string and packer.
- 9. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 10. RU stimulation crew. Frac the Fruitland Coal in one or more stages. Set plugs in between stages, if necessary.
- 11. MIRU workover rig and associated equipment; NU and test BOP.
- 12. If frac was performed down frac string: POOH w/ frac string and packer.
- 13. TIH with mill and clean out to isolation plug.
- 14. Mill out isolation plug. Cleanout to PBTD. TOOH with cleanout assembly.
- 15. TIH and land production tubing. Flowback the well. Return well to production as a Fruitland Coal/Dakota Producer.




HILCORP ENERGY COMPANY NEW MEXICO B COM 1 FRUITLAND COAL RECOMPLETE SUNDRY





HILCORP ENERGY COMPANY NEW MEXICO B COM 1 FRUITLAND COAL RECOMPLETE SUNDRY



Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

https://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

Revised July 9, 2024 Submit Electronically via OCD Permitting

	☐ Initial Submittal
Submittal Type:	☐ Amended Report
• 1	☐ As Drilled

				,	WELL LOCA	TION INFORMATION	ı					
API Nu	mber		Pool Code			Pool Name						
30-045-			71629			Basin Fruitland Coal						
Property			Property Na					Well Numb	er			
319198			New Mexic					1				
OGRID	No.		Operator Na						el Elevation			
372171			Hilcorp Ene		ıy	_		5581				
Surface	Owner: \square S	State ⊠ Fee □	Tribal Fed	leral		Mineral Owner: D	☐ State ☐ Fee ☐ Tribal	☐ Federal				
					Sur	face Location						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County			
L	16	29N	11W		1450 S	875 W	36.7224655	-108.0031128	San Juan			
					Bottor	n Hole Location						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County			
		1				,						
	ed Acres	Infill or Defir	ning Well	Defining	Well API	Overlapping Spacing Unit (Y/N) Consolidation Code						
320.00		Infill										
Order Numbers.					Well setbacks are u	nder Common Ownershi	p: □Yes □No					
					Kick (Off Point (KOP)						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Longitude	County				
First Take Point (FTP)												
UL	Section	Township	Range	Lot	Ft. from N/S	S Ft. from E/W Latitude L		Longitude	County			
Last Take Point (LTP)							1					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County			
]	1	1	J							
		0.77 10 7		T								
Unitized	d Area or Are	ea of Uniform I	nterest	Spacing	Unit Type □ Hori	izontal Vertical	Ground Floor	Elevation:				
				1								
OPERATOR CERTIFICATIONS						SURVEYOR CERTIFICATIONS						

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this $organization\ either\ owns\ a\ working\ interest\ or\ unleased\ mineral\ interest\ in\ the\ land$ including the proposed bottom hole location or has a right to drill this well at this $location\ pursuant\ to\ a\ contract\ with\ an\ owner\ of\ a\ working\ interest\ or\ unleased\ \ mineral$ $interest, \ or \ to \ a \ voluntary \ pooling \ agreement \ or \ a \ compulsory \ pooling \ order \ hereto fore$ entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed he located or obtained a compulsory pooling order from the division.

Waski 9/27/2024 Signature

Amanda Walker Printed Name

Certificate Number

Ernest V. Echohawk Signature and Seal of Professional Surveyor

> July 22, 1963 Date of Survey


I hereby certify that the well location shown on this plat was plotted from field notes of actual

surveys made by me or under my supervision, and that the same is true and correct to the best of

mwalker@hilcorp.com Email Address

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp En	ergy Company		OGI	RID: _ 37	72171 I	Date: <u>9/27/202</u>	<u>24</u>	
II. Type: ⊠ Original □	II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.							
If Other, please describe:								
III. Well(s): Provide the be recompleted from a sin					set of wells pro	oposed to be dr	illed or proposed to	
Well Name	API	ULSTR	Footag	Footages		Anticipated Gas MCF/D	Anticipated Produced Water BBL/D	
New Mexico B Com 1	30-045-08252	L-16-29N-11W	1450' FSL 87	75' FWL	0	154	3	
V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Commencement Date Back Date Date							First Production	
New Mexico B Com 1	30-045-08252	2						
11CW MEMICO D COM 1	00 040 00202	<u>=</u>						
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.								

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF		

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system [☐ will ☐ will not h	nave capacity to	gather 1	100% of the	anticipated	natural gas
production volume from the well	prior to the date of first	production.					

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion	n, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new	well(s).

	Attach (Operator	's nlan to	manage	production	in response	to the	increased	line	precent
ш	Attach	Oberator	s bian u) manage	Droduction	in response	то тпе	mereased	me	Dressure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information
for which confidentiality is asserted and the basis for such assertion.

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Awaker
Printed Name: Amanda Walker
Title: Operations Regulatory Tech Sr.
E-mail Address: mwalker@hilcorp.com
Date: 9/27/2024
Phone: 346.237.2177
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 387926

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	387926
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

C	reated By		Condition Date	
	ward.rikala	DHC must be approved prior to commingling the Fruitland and Dakota formations.	1/14/2025	