Received by UCD Sy7/2025 7:34:45 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Reports 01/07/2025
Well Name: ARENAS ARI FED	Well Location: T18S / R29E / SEC 15 / NESW / 32.7447466 / -104.0658648	County or Parish/State: EDDY / NM
Well Number: 1	<b>Type of Well:</b> CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM96220	<b>Unit or CA Name:</b> ARENAS ARI FED COM #1	Unit or CA Number: NMNM100177
US Well Number: 3001529629	<b>Operator:</b> EOG RESOURCES INCORPORATED	

## **Notice of Intent**

Sundry ID: 2821611

Type of Submission: Notice of Intent

Date Sundry Submitted: 11/08/2024

Date proposed operation will begin: 11/22/2024

Type of Action: Plug and Abandonment Time Sundry Submitted: 09:16

**Procedure Description:** EOG PROPOSES TO P&A THIS WELLBORE USING THE ATTACHED PROCEDURE. CURRENT AND PROPOSED WELLBORE SCHEMATICS ATTACHED.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

## **NOI Attachments**

#### **Procedure Description**

Arenas\_ARI\_Federal\_COM\_1\_\_\_P\_A\_WBD\_\_\_Proposed\_20241108091548.pdf

Arenas\_ARI\_Federal\_COM\_1\_\_\_P\_A\_Procedure\_20241108091548.pdf

Arenas\_ARI\_Federal\_COM\_1\_\_\_P\_A\_WBD\_\_\_Current\_20241108091549.pdf

eceived by OCD: 1/2/2025 7:34:45 AM Well Name: ARENAS ARI FED

Well Number: 1

Lease Number: NMNM96220

Well Location: T18S / R29E / SEC 15 / NESW / 32.7447466 / -104.0658648

Type of Well: CONVENTIONAL GAS WELL

Unit or CA Name: ARENAS ARI FED COM #1

Operator: EOG RESOURCES INCORPORATED County or Parish/State: EDBY? of

Allottee or Tribe Name:

Unit or CA Number: NMNM100177

US Well Number: 3001529629

# **Conditions of Approval**

### **Specialist Review**

Arenas\_Ari\_Fed\_1\_Sundry\_ID\_2821611\_P\_A\_20250106153444.pdf

# Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: ALVINO GARCIA** 

Signed on: NOV 08, 2024 09:16 AM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 5509 CHAMPIONS BLVD

City: MIDLAND

Phone: (432) 236-2924

Email address: ALVINO\_GARCIA@EOGRESOURCES.COM

State: TX

State:

Field

Representative Name: Street Address: City: Phone: Email address:

# **BLM Point of Contact**

BLM POC Name: LONG VO BLM POC Phone: 5759885402 Disposition: Approved Signature: Long Vo BLM POC Title: Petroleum Engineer BLM POC Email Address: LVO@BLM.GOV Disposition Date: 01/06/2025

Zip:

#### Received by OCD: 1/7/2025 7:34:45 AM

Received by OCD: 1/7/2025	7:34:45 AM	Page 3 of 24		
Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021		
В	UREAU OF LAND MANAGEMENT	5. Lease Serial No.		
Do not use th	Y NOTICES AND REPORTS ON WELLS his form for proposals to drill or to re-enter an ell. Use Form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name		
SUBMIT	IN TRIPLICATE - Other instructions on page 2	7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well	Gas Well Other	8. Well Name and No.		
2. Name of Operator		9. API Well No.		
3a. Address	3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area		
4. Location of Well (Footage, Sec.	, T.,R.,M., or Survey Description)	11. Country or Parish, State		
12.0	CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE (	OF NOTICE, REPORT OR OTHER DATA		
TYPE OF SUBMISSION	TYP	E OF ACTION		
Notice of Intent	Acidize     Deepen       Alter Casing     Hydraulic Fracturing	Production (Start/Resume)       Water Shut-Off         Reclamation       Well Integrity		
Subsequent Report	Casing Repair     New Construction       Change Plans     Plug and Abandon	Recomplete   Other     Temporarily Abandon		
Final Abandonment Notice	Convert to Injection Plug Back	Water Disposal		
the proposal is to deepen direc the Bond under which the work completion of the involved ope	tionally or recomplete horizontally, give subsurface locations and me k will be perfonned or provide the Bond No. on file with BLM/BIA. erations. If the operation results in a multiple completion or recomple	starting date of any proposed work and approximate duration thereof. If assured and true vertical depths of all pertinent markers and zones. Attach Required subsequent reports must be filed within 30 days following stion in a new interval, a Form 3160-4 must be filed once testing has been tion, have been completed and the operator has detennined that the site		

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )		
	Title	
Signatura	Date	
Signature	Date	
THE SPACE FOR FEDE	RAL OR STATE O	FICE USE
Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lead which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an any false, fictitious or fraudulent statements or representations as to any matter within		llfully to make to any department or agency of the United States

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.


The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# **Additional Information**

# Location of Well

0. SHL: NESW / 1650 FSL / 1650 FWL / TWSP: 18S / RANGE: 29E / SECTION: 15 / LAT: 32.7447466 / LONG: -104.0658648 (TVD: 0 feet, MD: 0 feet ) BHL: NESW / 1650 FSL / 1650 FWL / TWSP: 18S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet )






Arenas ARI Federal COM #1 – P&A Procedure

### K-15-18S-29E

### API # 30-015-29629

- 1. Notify Regulatory Agency 24 hours prior to commencing work. MIRU well service unit and all necessary safety equipment.
- 2. ND WH, NU BOP.
- 3. Unset Anchor, POOH and LD 2.875" TBG. PU WS and prep for P&A.
- 4. RIH, Balanced Plug w/ 25sx Class H from 11518 to 11266 for Chester Formation
- 5. RIH, SET CIBP at 10950, TAG, Pressure test at 500psi for 30 minutes.
- 6. Top CIBP w/ 25 sx Class H from 10950 to 10748.
- 7. Circulate plugging mud
- 8. RIH and run CBL to confirm TOC for production casing
- 9. Pick up, Balanced Plug w/ 25sx Class H from 11154 to 9952 for Strawn Formation
- 10. Pick up, Balanced Plug w/ 25sx Class H from 8717 to 8515 to 9952 for Wolfcamp Formation
- 11. Pick up, Balanced Plug w/ 25sx Class C from 5515 to 5263 for 3000' spacing rule
- 12. Pick up, Balanced Plug w/ 25sx Class C from 3935 to 3683 for Bone Spring Formation
- 13. Pick up, Balanced Plug w/ 25sx Class C from 3254 to 3002 for Intermediate Shoe
- 14. Pick up, Balanced Plug w/ 40sx Class C from 425 to 0 for Surface Shoe and Cap Shoe
- 15. Cut off WH 3' below surface, verify cement to surface, and weld on below ground P&A marker.
- 16. Cut off anchors 3' below surface and clean location.



# Received by OCD: 1/7/2025 7:34:45 AM

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT	ndry Print Report 01/06/2025
Well Name: ARENAS ARI FED         Well Location: T18S / R29E / SEC 15 / Coun           NESW / 32.7447466 / -104.0658648         NM	nty or Parish/State: EDDY /
Well Number: 1 Type of Well: CONVENTIONAL GAS Allott WELL	tee or Tribe Name:
	or CA Number: M100177
US Well Number: 3001529629 Operator: EOG RESOURCES INCORPORATED	

#### Notice of Intent

Sundry ID: 2821611

Type of Submission: Notice of Intent

Date Sundry Submitted: 11/08/2024

Date proposed operation will begin: 11/22/2024

Type of Action: Plug and Abandonment Time Sundry Submitted: 09:16

Procedure Description: EOG PROPOSES TO P&A THIS WELLBORE USING THE ATTACHED PROCEDURE. CURRENT AND PROPOSED WELLBORE SCHEMATICS ATTACHED.

Surface Disturbance

Is any additional surface disturbance proposed?: No

### **NOI Attachments**

**Procedure Description** 

Arenas\_ARI\_Federal\_COM\_1\_\_P\_A\_WBD\_\_Proposed\_20241108091548.pdf

Arenas\_ARI\_Federal\_COM\_1\_\_\_P\_A\_Procedure\_20241108091548.pdf

Arenas\_ARI\_Federal\_COM\_1\_\_P\_A\_WBD\_\_Current\_20241108091549.pdf



# Received by OCD: 1/7/2025 7:34:45 AM

Well Name: ARENAS ARI FED	Well Location: T18S / R29E / SEC 15 / NESW / 32.7447466 / -104.0658648	County or Parish/State: EDDY / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM96220	Unit or CA Name: ARENAS ARI FED COM #1	Unit or CA Number: NMNM100177
US Well Number: 3001529629	Operator: EOG RESOURCES INCORPORATED	

#### Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ALVINO GARCIA

Signed on: NOV 08, 2024 09:16 AM

Name: EOG RESOURCES INCORPORATED

Title: Regulatory Specialist

Street Address: 5509 CHAMPIONS BLVD

City: MIDLAND State: TX

Phone: (432) 236-2924

Email address: ALVINO\_GARCIA@EOGRESOURCES.COM

#### Field

Representative Name: Street Address: City: State: Phone: Email address:

Zip:

Received by O	CD: 1/7/20	025 7:34:45	AM
---------------	------------	-------------	----

edium	Karst.	350'
C O I MI	- Cal 171	170

	Medium Ka	rst, 350'				
Form 3160-5 (June 2019) UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021			
			5. Lease Serial No. NMNM96220			
Do not use th	RY NOTICES AND REPORTS Of his form for proposals to drill o ell. Use Form 3160-3 (APD) for	6. If Indian, Allottee or Tribe Name				
	T IN TRIPLICATE - Other instructions on		7. If Unit of CA/Agreen	nent. Name and/or No		
1. Type of Well			ARENAS ARI FED COM #1/NMNM100177			
	Bas Well Other		8. Well Name and No. ARENAS ARI FED/1			
	OURCES INCORPORATED		9. API Well No. 300152	29629		
3a. Address 1111 BAGBY SKY	LOBBY 2, HOUSTON, TX 77( 3b. Phone	No. (include area code)	10. Field and Pool or Ex	xploratory Area		
4. Location of Well (Footage, Sec.,	(713) 651 , T.,R.,M., or Survey Description)	-7000	N TURKEY TRACK/N TUR			
SEC 15/T18S/R29E/NMP			11. Country or Parish, St EDDY/NM	tate		
12. 0	CHECK THE APPROPRIATE BOX(ES) TO	INDICATE NATURE (	)F NOTICE REPORT OF			
TYPE OF SUBMISSION				COTHER DATA		
✓ Notice of Intent	Acidize	Deepen	OF ACTION Production (Start/Rest			
Language		Iydraulic Fracturing	Reclamation	ume) Water Shut-Off Well Integrity		
Subsequent Report	Casing Repair	lew Construction	Recomplete	Other		
Einel Alex Law (NT at		lug and Abandon	Temporarily Abandon	Received and a second		
Final Abandonment Notice	Convert to Injection	lug Back	Water Disposal	ed work and approximate duration thereof. If		
SCHEWATICS ATTACHEL	g is true and correct. Name (Printed Typed)					
		Regulatory S	pecialist			
Signature	Signature (Electronic Submission) Date			08/2024		
	THE SPACE FOR FE	DERAL OR STAT	E OFICE USE			
Approved by	-7					
	2m	Title Petrole	eum Engineer	Date 1/612025		
which would entitle the applicant to c		lease Office CF	-0			
Fitle 18 U.S.C Section 1001 and Title my false, fictitious or fraudulent state	43 U.S.C Section 1212, make it a crime for ments or representations as to any matter with	any person knowingly a thin its jurisdiction.	nd willfully to make to an	y department or agency of the United States		
Instructions on page 2)						

### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# Additional Information

S VID

### Location of Well

0. SHL: NESW / 1650 FSL / 1650 FWL / TWSP: 18S / RANGE: 29E / SECTION: 15 / LAT: 32.7447466 / LONG: -104.0658648 (TVD: 0 feet, MD: 0 feet ) BHL: NESW / 1650 FSL / 1650 FWL / TWSP: 18S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet )

(Form 3160-5, page 3)



Arenas ARI Federal COM #1 - P&A Procedure


#### K-15-18S-29E


#### API # 30-015-29629

- 1. Notify Regulatory Agency 24 hours prior to commencing work. MIRU well service unit and all necessary safety equipment.
- 2. ND WH, NU BOP.
- 3. Unset Anchor, POOH and LD 2.875" TBG. PU WS and prep for P&A.
- 4. RIH, Balanced Plug w/ 25sx Class H from 11518 to 11266 for Chester Formation
- 5. RIH, SET CIBP at 10950, TAG, Pressure test at 500psi for 30 minutes.
- 6. Top CIBP w/ 25 sx Class H from 10950 to 10748. 9947 woc 574 to
- 7. Circulate plugging mud
- 8. RIH and run CBL to confirm TOC for production casing
- 9. Pick up, Balanced Plug w/ 25sx Class H from 11154 to 9952 for Strawn Formation
- 10. Pick up, Balanced Plug w/ 25sx Class H from 8717 to 8515 to 9952 for Wolfcamp Formation (85914, 8405)
- 11. Pick up, Balanced Plug w/ 25sx Class C from 5515 to 5263 for 3000' spacing rule
- 12. Pick up, Balanced Plug w/ 25sx Class C from 3935 to 3683 for Bone Spring Formation
- 13. Pick up, Balanced Plug w/ 25sx Class C from 3254 to 3002 for Intermediate Shoe 47 5x5 14. Pick up, Balanced Plug w/ 40sx Class C from 425 to 0 for Surface Shoe and Cap Shoe ( ] 54 505/ 0+73 575)
- 15. Cut off WH 3' below surface, verify cement to surface, and weld on below ground P&A marker.

16. Cut off anchors 3' below surface and clean location.

" spot cement from 2447' to 1961'. WOCKTHE. 49 sxs. class C. Perf & Syz from 1056' to 809'. WOCKTHE. (Jn 25 sos/ Out 34 sos)





# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.** 

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified** *BY PHONE* (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

8. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



# **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

### **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or

concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) Released to Imaging: 1/15/2025 1:16:29 PM

•

Sundry ID	2821611					1	1
Plus Type	Ton	Bottom	Length	Tag	Sacks	Cement Class	Notes
Plug Type	Тор	DOLLOIN	Length	Tag	Sacks	Class	Notes
Surface Plug	0.00		100.00	Tag/Verify			
11.75 inch- Shoe Plug	321.25	425.00	103.75	Tag/Verify			
							Perf and squeeze from 544' to surface.
							(In 54 sxs/Out 73
Top of Salt @ 494	439.06	544.00	104.94	Tag/Verify	127.00	с	sxs)
Base of Salt @ 868	809.32	918.00	108.68	Tag/Verify			, ,
				If solid			
				base no			
				need to			
				Tag			
				(CIBP			
				present			
				and/or Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak Test all			
				CIBP if no			Perf and squeeze
				Open			from 1056' to 809'.
				Perforatio			(In 25 sxs/Out 34
Yates @ 1006	945.94	1056.00	110.06	ns	59.00	С	sxs) WOC and Tag.
Queen @ 2032	1961.68	2082.00	120.32	If solid			
				If solid			
				base no			
				need to			
				Tag (CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf & Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			Spot cement from
	2222.02	2447.00		Perforatio	40.00		2447' to 1961'.
Grayburg @ 2397 San Andres @ 2867	2323.03 2788.33		123.97 128.67		49.00	с	WOC and Tag.
	2100.00	2011.00	120.07	ii Joliu			Spot cement from
							3254' to 2788'.
8.625 inch- Shoe Plug	3121.96	3254.00	132.04	Tag/Verify	47.00	С	WOC and Tag.

•

				If solid			
				base no			
				need to			
				Tag			
				(CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			0 1 10
				Perforatio		~	Spot cement from
Bonesprings @ 3802	3713.98	3852.00	138.02	ns	25.00	С	3935' to 3683'.
				If solid			
				base no			
				need to			
				Tag			
				(CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If			
				Perf &			
				Sqz then			
				Tag, Leak			
				Test all			
				CIBP if no			
				Open			
				Perforatio			Spot cement from
	5360.35	5515 OO	154.65		25.00	C	
Specar Diug @ 5465	5360.35	5515.00			25.00	C	5515' to 5360'.
Spacer Plug @ 5465				haaa ma			
Spacer Plug @ 5465				base no			
Spacer Plug @ 5465				need to			Spot cement from
Wolfcamp @ 8541	8405.00	8591.00	186.00	need to Tag	25.00	н	Spot cement from 8591' to 8405'.
Wolfcamp @ 8541 Strawn @ 10098	8405.00 9947.02	10148.00	186.00 200.98	need to Tag If solid	25.00	Н	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06	need to Tag If solid If solid	25.00	н	
Wolfcamp @ 8541 Strawn @ 10098	8405.00 9947.02	10148.00 10456.00	186.00 200.98 204.06	need to Tag If solid If solid	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06	need to Tag If solid If solid	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid	25.00	н	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no	25.00	н	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present	25.00	н	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic	25.00	н	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf &	25.00	н	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then	25.00	H	
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak	25.00	H	8591' to 8405'.
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all	25.00	H	8591' to 8405'.
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no	25.00	н	Set CIBP at 10950'. Spot cement from
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406	8405.00 9947.02 10251.94	10148.00 10456.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open	25.00	н	8591' to 8405'.
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406 Morrow @ 10785	8405.00 9947.02 10251.94 10627.15	10148.00 10456.00 10835.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio			Set CIBP at 10950'. Spot cement from 10950' to 9947'. Leak Test CIBP.
Wolfcamp @ 8541           Strawn @ 10098           Atoka @ 10406           Morrow @ 10785	8405.00 9947.02 10251.94 10627.15	10148.00 10456.00 10835.00	186.00 200.98 204.06 207.85	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio ns	25.00		8591' to 8405'.
Wolfcamp @ 8541 Strawn @ 10098 Atoka @ 10406 Morrow @ 10785	8405.00 9947.02 10251.94 10627.15	10148.00 10456.00 10835.00 10835.00 10950.00 11202.00	<u>186.00</u> 200.98 204.06 207.85 35.00 235.00	need to Tag If solid If solid If solid If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio			Set CIBP at 10950'. Spot cement from 10950' to 9947'. Leak Test CIBP.

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C<7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft<sup>3</sup>/sx Class H: 1.06 ft<sup>3</sup>/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

	Top of Salt to sur	face
Cave Karst/Potash Cement Requirement:	<u>Medium</u>	
11.75 inch- Shoe Plug @	375.00	
8.625 inch- Shoe Plug @	3204.00	
5.5 inch- Shoe Plug @	11620.00 TOC	@ 1990.00
Perforatons Top @	11017.00 Perfe	prations 11152.00

CIBP @ 10950.00

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
5509 Champions Drive	Action Number:
Midland, TX 79706	417703
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)
CONDITIONS	

#### CONDITIONS

Created By	Condition	Condition Date
gcordero	Run CBL to Surface	1/15/2025
gcordero	Adhere to current Plug & Abandon (P&A) Conditions Of Approvals (COA).	1/15/2025
gcordero	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	1/15/2025
gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	1/15/2025

CONDITIONS

Page 24 of 24

Action 417703