

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-27944
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator MORNINGSTAR OPERATING LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name CASA STATE
4. Well Location Unit Letter <u>H</u> : <u>1980</u> feet from the <u>N</u> line and <u>660</u> feet from the <u>E</u> line Section <u>28</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number <u>001</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4044' GL		9. OGRID Number 330132
		10. Pool name or Wildcat VACUUM; GRAYBURG-SAN ANDRES

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion

11/21/2024 MIRU pulling unit. POOH w/rods and tubing. RDMO on 11/26/2024

MIRU Turnkey P&A Rig 12/11/2024

Plug 1: RIH w/CIBP and set @ 4455'. Tested casing - good. Spotted 25 sx class C cement on CIBP. MIRU wireline, ran CBL, RDMO wireline. Tagged TOC @ 3,933'

Plug 2: Spotted 25 sx cement plug from 3,933' - 3,700.

Plug 3: Perf'd @ 2,750'. Tested - no injection. Spotted 35 sx cement @ 2,800'. Tagged TOC @ 2,310'

Plug 4: Perf'd @ 1,750'. Tested - no injection. Spotted 40 sx cement @ 1,800'. Tagged TOC @ 1,240'

Plug 5: Perf'd @ 370'. Pumped 110 sx cement and circulated to surface.

12/18/2024 Topped well with cement, cut off wellhead, welded dry hole marker. Well PA'd.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE Regulatory Analyst DATE 01/06/2025

Type or print name Connie Blaylock E-mail address: cblaylock@txoenergy.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Well Name: CASA STATE #1
 Location: 1980 FNL & 660 FEL Sec: 28 Township: 17S Range: 34E
 County: Lea State: NM API: 30-025-27944

P&A'd

GL: 4,044'
 Spud Date: 9/28/1982

Surface Csg

Size: 8-5/8"
 Wt & Thrd: 24#
 Grade: J-55
 Set @: 1,557'
 Sx Cmt: 840
 Circ: YES
 TOC: SFC
 Hole size: 12-1/4"

Plug #5:
 Perf @ 370'
 Pumped 110 sx cmt & circ to sfc

Plug #4:
 Perf @ 1,750'. Tested - No Injection.
 Spotted 40 sx cmt @ 1,800'
 Tagged TOC @ 1,240'

Plug #3:
 Perf @ 2,750'. Tested - No injection.
 Spotted 35 sx cmt @ 2,800'
 Tagged TOC @ 2,310'

Plug #2:
 25 sx cmt from 3,933' - 3,700'

Plug #1:
 CIBP @ 4,455' Capped w/ 25 sx Cmt
 Tagged TOC @ 3,933'

Production Casing

Size: 4-1/2"
 Wt & Thrd: 10.5#
 Grade: J-55
 Set @: 5,164'
 Sx Cmt: 560
 Circ:
 TOC:
 Hole size: 7-7/8"

PERFS (1983):
 4505' - 4618'
 4675' - 4729'
 4906' - 37'
 4966' - 68'

PBTD:
 TD: 5,170'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 418064

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 418064
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	1/21/2025
gcordero	Submit C-103Q within one year of plugging.	1/21/2025