

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-005-60117
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Injection		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator State of New Mexico formerly Canyon E&P Company		6. State Oil & Gas Lease No. 10417-4
3. Address of Operator 1625 N. French Drive, Hobbs, NM 88240		7. Lease Name or Unit Agreement Name Double L Queen Unit
4. Well Location Unit Letter H : 1980 feet from the N line and 330 feet from the E line Section 12 Township 15S Range 29E NMPM County Chaves		8. Well Number #001R
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3883'		9. OGRID Number 269864
		10. Pool name or Wildcat Double L Queen

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

A plus P&A, LLC plugged this well from 11/27/2023-12/12/2023.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Abigail Anderson TITLE P&A Engineer DATE 01/21/2025
 Type or print name Abigail Anderson E-mail address: aanderson@jmrsservices.com PHONE: 432-889-4673
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

**P&A Subsequent Report
State of New Mexico formerly Canyon E&P Company
Double L Queen Unit #001R
30-005-60117**

Note: All cement is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.

11/27/23 MIRU Plugging equipment. Checked pressures, 0 psi. ND wellhead.

11/28/23 NU BOP. Latched onto tbg & POH w/ a total of 52 jts. Latched onto fish, could not work free.

11/29/23 Pumped 60 bbls down tbg with no circulation. Spotted 30 sx class C cmt @ 1,670-1,500'. WOC & no tag. Re-Spotted 30 sx class C cmt @ 1,670-1,500'. WOC.

11/30/23 No tag. Set 5 ½" CICR @ 1,670'. Stung into CICR & Sqz'd 50 sx class C cmt. Stung out & spotted 25 sx class C cmt @ 1,670-1,500'. RU Jarrel Services wireline. Ran CBL from 1,300' to surface, TOC @ 600'.

12/01/23 Spotted 25 sx class C cmt @ 1,413-1,165'. WOC & tagged @ 1,115'. Perf'd @ 470'. Sqz'd 150 sx class C cmt @ 470' & circulated to surface. ND BOP.


12/04/23 Topped off well with 25' cmt. RDMO.

12/12/23 Moved in backhoe & welder. Dug out cellar. Cut off wellhead. TOC @ surface in annulus. TOC @ 50' in 5 ½". Topped off well with 5 sx class C cmt. Installed an above ground DHM. Backfilled cellar, cleaned location, & moved off.

State of NM formerly Canyon E&P Company				PLUGGED
Author:	Abby @ JMR			
Well Name	Double L Queen Unit	Well No.	#1R	
Field/Pool	Double L Queen	API #:	30-005-60117	
County	Chaves	Location:	Sec 12, T15Sm R29E	
State	NM		1980 FNL & 330 FEL	
Spud Date	2/25/1970	GL:	3883	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	420	12 1/4	232	0
Prod Csg	5 1/2		15.5#	1,986	8	300	600'

Formation	Top
T/Salt	400
B/Salt	1163
Yates	1235
7 Rivers	1363
Queen	1964



8 5/8 20# CSG @ 420
Hole Size: 12 1/4

Plug #3: Perf'd @ 470'. Sqz'd 150 sx class C cmt @ 470' & circulated to surface. Topped off well with cmt

Plug #2: Spotted 25 sx class C cmt @ 1,413-1,165'. WOC & tagged @ 1,115'.

Plug #1: Set 5 1/2" CICR @ 1,670'. Stung into CICR & Sqz'd 50 sx class C cmt. Stung out & spotted 25 sx class C cmt @ 1,670-1,500'.
Spotted a total of 60 sx cmt @ 1670-1500'. WOC & no tag.

Perfs @ 1964-1979'


5 1/2 15.5# CSG @ 1,986
Hole Size: 8

TD @ 1986'

State of NM formerly Canyon E&P Company				CURRENT
Author:	Abby @ JMR			
Well Name	Double L Queen Unit	Well No.	#1R	
Field/Pool	Double L Queen	API #:	30-005-60117	
County	Chaves	Location:	Sec 12, T15Sm R29E	
State	NM		1980 FNL & 330 FEL	
Spud Date	2/25/1970	GL:	3883	

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	420	12 1/4	232	0
Prod Csg	5 1/2		15.5#	1,986	8	300	600

Formation	Top
T/Salt	400
B/Salt	1163
Yates	1235
7 Rivers	1363
Queen	1964



8 5/8 20# CSG @ 420
Hole Size: 12 1/4

5 1/2" Pengo DGL Permanent pkr @ 1930'
2" fiberglass tbq

Perfs @ 1964-1979'

5 1/2 15.5# CSG @ 1,986
Hole Size: 8

TD @ 1986'

30-005-60117



33.0323715
-103.974205

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 422648

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 422648
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/24/2025