

Submit a Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-045-09632</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator <b>CHUZA OIL COMPANY</b>		6. State Oil & Gas Lease No.
3. Address of Operator <b>NA</b>		7. Lease Name or Unit Agreement Name <b>NE Hogback Unit</b>
4. Well Location Unit Letter <b>M</b> : <b>460</b> feet from the <b>S</b> line and <b>860</b> feet from the <b>W</b> line Section <b>11</b> Township <b>30N</b> Range <b>16W</b> NMPM County <b>San Juan</b>		8. Well Number <b>#38</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>5389'GR</b>		9. OGRID Number <b>279508</b>
		10. Pool name or Wildcat <b>Horseshoe Gallup</b>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well was previously operated by Chuza Oil Company. Marathon Petroleum Company LP, BP America, and BHP Petroleum/Woodside Energy have been identified by the BLM as record title holders and has taken responsibility for plugging and abandoning the well.

JMR Services/A-Plus P&A, LLC plugged this well from 11/15/2024-11/20/2024.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Type or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: \_\_\_\_\_

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

Well Name: NE HOGBACK UNIT	Well Location: T30N / R16W / SEC 11 / SWSW / 36.82251 / -108.49976	County or Parish/State: SAN JUAN / NM
Well Number: 38	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM077282	Unit or CA Name: NE HOGBACK UNIT	Unit or CA Number: NMNM78403A
US Well Number: 3004509632	Operator: CHUZA OIL CO INCORPORATED	

Subsequent Report

Sundry ID: 2824678

Type of Submission: Subsequent Report

Date Sundry Submitted: 11/26/2024

Date Operation Actually Began: 11/15/2024

Type of Action: Plug and Abandonment

Time Sundry Submitted: 02:03

**Actual Procedure:** This well was previously operated by Chuza Oil Company. Marathon Petroleum Company LP, BP America, and BHP Petroleum/Woodside Energy have been identified by the BLM as previous record title holders and have taken responsibility for plugging and abandoning the well. JMR Services/A-Plus P&A, LLC plugged this well from 11/15/2024-11/20/2024

SR Attachments

Actual Procedure

Plugging\_Record\_Marathon\_NE\_Hogback\_Unit\_\_38\_20241126135753.pdf

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Phone: 5055647736

Disposition: Accepted

Signature: Matthew Kade

BLM POC Title: Petroleum Engineer

BLM POC Email Address: MKADE@BLM.GOV

Disposition Date: 11/27/2024

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.*

5. Lease Serial No.	NMNM077282
6. If Indian, Allottee or Tribe Name	

<b>SUBMIT IN TRIPLICATE - Other instructions on page 2</b>		7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well		NMNM78403A
<input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		8. Well Name and No.
2. Name of Operator		NE Hogback Unit #38
Marathon Petroleum Corp for Chuza Oil Company		9. API Well No.
3a. Address		30-045-09632
539 S. Main St	3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
Findlay, OH 45840		Horseshoe Gallup
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		11. Country or Parish, State
460' FSL & 860' FWL    Sec 11, T30N, R16W		San Juan County, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations, and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

**This well was previously operated by Chuza Oil Company. Marathon Petroleum Company LP, BP America, and BHP Petroleum/Woodside Energy have been identified by the BLM as record title holders and has taken responsibility for plugging and abandoning the well.**

**JMR Services/A-Plus P&A, LLC plugged this well from 11/15/2024-11/20/2024.**

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

<b>THE SPACE FOR FEDERAL OR STATE OFFICE USE</b>		
Approved by	Title	Date
ACCEPTED FOR THE RECORD		11/27/2024
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**P&A Subsequent Report  
Marathon/Chuzar Oil Company  
NE Hogback Unit #38  
30-045-09632**

**Note: All cement pumped is Class G mixed at 15.8 ppg, yield 1.15 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.**

**11/15/24** MIRU plugging equipment. POH w/ seventy-five ¾" rods, 4 sinker bars, & pump. POH w/ 64 jts of 2 3/8" tbg.

**11/18/24** Checked pressures, 0 psi. Set 5 ½" CICR @ 1893'. Circulated hole w/ 53 bbls. Pressure tested csg to 600 psi. Pressure did not hold. Ran CBL from 1893' to surface, TOC @ 1020'. Spotted 41 sx class G cmt @ 1893-1550'. WOC.


**11/19/24** Checked pressures, 0 psi. Tagged TOC @ 1560'. Perf'd @ 631'. Set 5 ½" CICR @ 581'. Sqz'd 62 sx class G cmt w/ 2% CACL @ 631-430'. (38 sx outside, 24 sx inside). WOC & tagged @ 452'.

**11/20/24** Checked pressures, 0 psi. Perf'd @ 345'. Sqz'd 130 sx class G cmt @ 345' & circulated to surface. Dug out cellar. Cut off wellhead. TOC in 5 ½" @ 69' & TOC in annulus @ 65'. Topped off well with 30 sx class G cmt. Installed an above ground DHM. Backfilled cellar, cleaned location, & RDMO.

<b>Marathon/Chuza Oil</b>		<b>PLUGGED</b>	
Author:	<b>Abby @ JMR</b>	Well No.	<b>#38</b>
Well Name	<b>NE Hogback Unit</b>	API #:	<b>30-045-09632</b>
Field/Pool	<b>Horseshoe Gallup</b>	Location:	<b>460 FSL &amp; 860 FWL</b>
County	<b>San Juan</b>		<b>Sec 11, T30N, R16W</b>
State	<b>NM</b>	GL:	<b>5389'</b>
Spud Date	<b>2/5/1959</b>		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	<b>8 5/8</b>		<b>22.7#</b>	<b>215</b>	<b>Unknown</b>	<b>160</b>	<b>0</b>
Prod Csg	<b>5 1/2</b>		<b>14#</b>	<b>2,114</b>	<b>7 7/8</b>	<b>200</b>	<b>1020' CBL</b>

Formation	Top
Mancos	605
Gallup	1700



**8 5/8 22.7# CSG @ 215**

**Hole Size: Unknown**

**Plug #3:** Perf'd @ 345'. Sqz'd 130 sx class G cmt @ 345' & circulated to surface. TOC in 5 1/2" @ 69' & TOC in annulus @ 65'. Topped off well with 30 sx class G cmt.

**Plug #2:** Perf'd @ 631'. Set 5 1/2" CICR @ 581'. Sqz'd 62 sx class G cmt w/ 2% CACL @ 631-430'. (38 sx outside, 24 sx inside). WOC & Tagged @ 452'.

**Plug #1:** Set 5 1/2" CICR @ 1893'. Spotted 41 sx class G cmt @ 1893-1550'. WOC & tagged @ 1560'.

2 3/8" tbq @ 2047'

**Perfs @ 1943-2060**

**5 1/2 14# CSG @ 2,114**


**Hole Size: 7 7/8**

**PBTD @ 2078'**  
**TD @ 2117'**

Marathon/Chuza Oil		CURRENT	
Author:	Abby @ JMR	Well No.	#38
Well Name	NE Hogback Unit	API #:	30-045-09632
Field/Pool	Horseshoe Gallup	Location:	460 FSL & 860 FWL
County	San Juan	State	NM
Spud Date	2/5/1959	GL:	5389'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		22.7#	215	Unkown	160	0
Prod Csg	5 1/2		14#	2,114	7 7/8	200	1020' CBL

Formation Top	
Mancos	605
Gallup	1700





# Latitude

36.822664

# Longitude

-108.500392

°

° '

° ' "

UTM

MGRS

⊖

Accuracy: 15 ft

Last location age: 00:...









Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 422376

CONDITIONS

Operator: Western Refining Southwest LLC 539 South Main Street Findlay, OH 45840	OGRID: 267595
	Action Number: 422376
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/27/2025