

From: Goetze, Phillip, EMNRD
To: Heuer, Ronald, EMNRD
Cc: Neel Duncan; Cordero, Gilbert, EMNRD; Wrinkle, Justin, EMNRD; Lydick, Barbara, EMNRD; Cole Lane; Gebremichael, Million, EMNRD; Harris, Anthony, EMNRD
Subject: Scott B SWD Annual MIT - Establishment of Annual Testing Cycle
Date: Thursday, January 30, 2025 10:10:00 AM
Attachments: imae001.png
image001.png

Good morning, Ron. Your question required some research so I went through the inspections for the well along with the history of the UIC permit changes. My summary:

MIT History for Scott B SWD No. 1						
Inspection Key	Reason	Type	Date	Result	Comment	UIC Permit Status and Findings
IRZH251541932	Annual IMIT	Std. Annulus Pres. Test	1/15/2025	Acceptable	1 year MIT ok.	Satisfies MIT for Calendar Year 2025
IRZH251541766	Annual IMIT	Bradenhead Test	1/15/2025	Acceptable	BHT ok.	
IBZL24330482	5-year Test	Std. Annulus Pres. Test	1/3/2024	Acceptable	MIT OK	Satisfies MIT for Calendar Year 2024
IBZL24330375	Annual IMIT	Bradenhead Test	1/3/2024	Acceptable	BHT OK	
IBZL231737846	5-year Test	Std. Annulus Pres. Test	1/17/2023	Acceptable	Retest 5 yr MIT, MIT OK	Jan. 23, 2023: Director approves Division's plan to increase monitoring and issue a new UIC permit in the new format. March 2, 2023: Director approves revised UIC Permit SWD-1642-A which includes annual MIT and increased monitoring.
IBZL231737670	5-year Test	Bradenhead Test	1/17/2023	Acceptable	RETEST 5 yr BHT ok	
IBZL2229439867	5-year Test	Std. Annulus Pres. Test	10/21/2022	Failure	MIT Failed Started at 550# gained to 620# in 30 min which is greater than 10% Well must be shut in ASAP	Oct. 31, 2022: NGL provides summary of well conditions and issues that resulted in failed MIT.
IDRS2030952724	Annual IMIT	Bradenhead Test	11/4/2020	Acceptable	Test not witnessed	
IREI1729644061	Initial Test	Std. Annulus Pres. Test	10/23/2017	Acceptable	Buildup due to hot sun. No buildup when zero volume.	

Based on this information and for consistency in future scheduling, it is my endorsement that the recent annual MIT satisfies the requirement for calendar year 2025. This will also allow for greater flexibility in scheduling as opposed to attempting testing during the end of the year. I will place a copy of this email in the well file for future reference. Thanks Ron and call with any questions. PRG

From: Heuer, Ronald, EMNRD <Ronald.Heuer@emnrd.nm.gov>
Sent: Wednesday, January 29, 2025 4:12 PM
To: Goetze, Phillip, EMNRD <phillip.goetze@emnrd.nm.gov>
Subject: RE: [EXTERNAL] Scott B SWD Annual MIT

Hello Phil,

This well was successfully tested 1/15/2025. Does this test count for 2024 or 2025?

Thank you,

Ron

Ronald Heuer
NMOCN NM South
C 505-549-8160
ronald.heuer@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>



From: Goetze, Phillip, EMNRD <phillip.goetze@emnrd.nm.gov>
Sent: Wednesday, December 4, 2024 12:53 PM
To: Neel Duncan <neel.duncan@iptwell.com>
Cc: Harris, Anthony, EMNRD <Anthony.Harris@emnrd.nm.gov>; Gebremichael, Million, EMNRD <Million.Gebremichael@emnrd.nm.gov>; Cole Lane <Cole.Lane@nglep.com>; Cordero, Gilbert, EMNRD <Gilbert.Cordero@emnrd.nm.gov>; Wrinkle, Justin, EMNRD <Justin.Wrinkle@emnrd.nm.gov>; Heuer, Ronald, EMNRD <Ronald.Heuer@emnrd.nm.gov>; Powell, Brandon, EMNRD <Brandon.Powell@emnrd.nm.gov>
Subject: RE: [EXTERNAL] Scott B SWD Annual MIT

Good afternoon, Neel. As this Devonian well is one of the SWDs with cement issues, I am relying on our inspectors to be present for the MIT. To complicate matters, two of the older OCD Inspectors in the Permian are retiring at the end of the year and redistribution of responsibilities is being completed at this time. Given these circumstances, the proposed delay of a few weeks to conduct the witnessed MIT in mid-January will not put NGL in noncompliance since the intent of the increased monitoring will still be satisfied. Please continue to coordinated with the OCD Inspectors to facilitate a MIT as you propose. Please contact me should IPT be unsuccessful in completing this task before the end of January. I will also ensure that a copy of this email is placed in the well file as the record granting an extension for the testing and that the UIC permit remains in good standing. Please contact me with any questions regarding the content of this email. PRG

From: Neel Duncan <neel.duncan@iptwell.com>
Sent: Wednesday, December 4, 2024 10:40 AM
To: Goetze, Phillip, EMNRD <phillip.goetze@emnrd.nm.gov>
Cc: Harris, Anthony, EMNRD <Anthony.Harris@emnrd.nm.gov>; Gebremichael, Million, EMNRD <Million.Gebremichael@emnrd.nm.gov>; Cole Lane <Cole.Lane@nglep.com>
Subject: [EXTERNAL] Scott B SWD Annual MIT

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hi Phil,

I left you a message and spoke briefly with Tony in Aztec Tigers Land. We have the MIT scheduled for tomorrow at 9:00 AM but were told by the inspector that MITs are now working on a calendar year basis and since our last MIT was on January 3rd of 2024 we will be out of compliance January 1st if we do the MIT as scheduled tomorrow. This does not sound quite right and I wanted to confirm. The problem with MIT's right around New Years Day is getting crews. We would like to do the MIT on December 5th, 2024 and have our next one due before December 5th, 2025. If we have to do this MIT in January 2025, then we would like to have until Mid-January to get it done so we don't crowd the New Year holiday.

Can you please advise today?

Thanks,
Neel

API:30-015-44061
Well Name: SCOTT B SWD #001
Operator: NGL WATER SOLUTIONS PERMIAN, LLC
Pools:[96101] SWD;DEVONIAN
ULSTR:N-23-24S-28E
Footages:274 FSL & 2165 FWL
County: Eddy
District: Artesia

Neel L. Duncan, P.E.

Managing Director
(303) 947-9402

iptwellsolutions.com



Engineering. Consulting. Wellsite Supervision.

The information contained in this e-mail message (and its attachments) may be privileged, confidential and protected from disclosure. If you are not the intended recipient, please do not read, copy, use, or disclose this communication to others. If you think that you have received this e-mail message in error, please immediately e-mail the sender, then delete this message and any "reply" response from your system. This electronic mail transmission is not intended (and may not be construed or deemed for any purpose) to contain or be an electronic signature.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 426681

CONDITIONS

Operator: NEW MEXICO ENERGY MINERALS & NATURAL RESOURCE 1220 S St Francis Dr Santa Fe , NM 87504	OGRID: 264235
	Action Number: 426681
	Action Type: [IM-SD] Well File Support Doc (ENG) (IM-AWF)

CONDITIONS

Created By	Condition	Condition Date
pgoetze	None	1/30/2025