

Submit a Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-005-20556</b>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>Cato San Andres Unit</b>
8. Well Number <b>#204</b>
9. OGRID Number
10. Pool name or Wildcat <b>Cato; San Andres</b>

<p><b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator <b>BLM / Cano Petro of New Mexico, Inc</b>	
3. Address of Operator <b>2909 W 2<sup>nd</sup> Street, Roswell, NM 88201</b>	
4. Well Location Unit Letter <b>H</b> : <b>1980</b> feet from the <b>N</b> line and <b>660</b> feet from the <b>E</b> line Section <b>7</b> Township <b>9S</b> Range <b>30E</b> NMPM County <b>Chaves</b>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>4032' GR</b>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p><b>NOTICE OF INTENTION TO:</b></p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/></p> <p>PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/></p> <p>DOWNHOLE COMMINGLE <input type="checkbox"/></p> <p>CLOSED-LOOP SYSTEM <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>		<p><b>SUBSEQUENT REPORT OF:</b></p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/></p> <p>COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/></p> <p>CASING/CEMENT JOB <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**JMR Services, LLC plugged this well from 01/21/2025-01/31/2025.**

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Abigail Anderson TITLE P&A Engineer DATE 02/03/2025

Type or print name Abigail Anderson E-mail address: aanderson@jmrservices.com PHONE: 432-889-4673  
**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_

Form 3160-5

(June 2019)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED OMB  
No. 1004-0137 Expires:  
December 31, 2024**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.**

5. Lease Serial No. NMNM-69642

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BLM / Cano Petro of New Mexico, Inc

3a. Address 2909 W 2nd Street, Roswell, NM 88201

3b. Phone No. (include area code)  
(575) 627-0272

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. Cato San Andres Unit #204

9. API Well No. 30-005-20556

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FNL &amp; 660' FEL Sec 7, T9S, R30E

10. Field and Pool or Exploratory Area  
San Andres11. Country or Parish, State  
Chaves, NM**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations, and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

**JMR Services plugged this well from 01/21/2025-01/31/2025.****Accepted for Record**

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Abigail Anderson

Title P&amp;A Engineer

Signature

Abigail Anderson

Date

02/03/2025

**THE SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

JENNIFER SANCHEZ

Digitally signed by JENNIFER  
SANCHEZ  
Date: 2025.02.03 14:35:51 -07'00'

Title Petroleum Engineer

Date 02/03/2025

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office RFO

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**P&A Subsequent Report  
Orphan Well Program  
Cano Petro of New Mexico, Inc.  
Cato San Andres Unit #204  
30-005-20556**

**Note: All cement is Class C mixed at 14.8 ppg, yield 1.32 cu ft / sx. Cement volumes are based on inside capacities + 50' excess and outside capacities + 100% excess.**

**01/21/25** MIRU plugging equipment. NU BOP.

**01/22/25** RIH & tagged out @ 480' & 1400'. RIH w/ drill bit to 3,190'. Circulated hole w/ 50 bbls Brine H2O. Spotted 30 sx class C cmt @ 3,222-2,768'. WOC.

**01/23/25** Tagged TOC @ 2,660'. Isolated holes in csg @ 400' to surface. Ran CBL from 2,660' to surface. No cement was found. Perf'd @ 2,220' & 2,205'. Pressure up on perfs, held 200 psi.

**01/24/25** Spotted 50 sx class C cmt @ 2,270-1,514'. Set packer @ 400'. Pumped 7 bbls brine H2O, Pressured up to 500 psi.

**01/27/25** Tagged TOC @ 1,900'. Perf'd @ 1,410'. Spotted 30 sx class C cmt @ 1,460-1,006'. WOC.

**01/28/25** Tagged TOC @ 1,200'. Perf'd @ 1,020'. Spotted 45 sx class C cmt @ 1,070-389'. WOC. Tagged TOC @ 1,020'. Spotted 25 sx class C cmt @ 1,020-642'. WOC.

**01/29/25** Tagged TOC @ 850'. Perf'd @ 354'. Spotted 130 sx class C cmt @ 850' to surface. Lost circulation. WOC & tagged @ 180'. Perf'd @ 180'. ND BOP, NU wellhead. Sqz'd 60 sx class C cmt @ 180' & circulated to surface.

**01/30/25** Verified cmt at surface. Rigged down & moved off.


**01/31/25** Moved in backhoe & welder. Dug out cellar. Cut off wellhead & verified cmt at surface. Installed a below ground DHM. Dug up anchors, backfilled cellar, cleaned location, & moved off.



PLUGGED			
Author:	Abby @ JMR	Well No.	#204
Well Name	Cato San Andres Unit	API #:	30-005-20556
Field/Pool	Cato; San Andres	Location:	Sec 7, T9S, R30E
County	Chaves		1980 FNL & 660 FEL
State	NM	GL:	4032'
Spud Date	11/25/1976		

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		20#	304	11	150	0
Prod Csg	4 1/2		10.5#	3,355	7 7/8	150	

Formation	Top
Rust	860
Yates	1360
7 Rivers	1461
Queen	2103
San Andres	2525



8 5/8 20# CSG @ 304

Hole Size: 11

Plug #7: Perf'd @ 180'. Sqz'd 60 sx class C cmt @ 180' &amp; circulated to surface.

Plug #6: Perf'd @ 354'. Spotted 130 sx class C cmt @ 850' to surface. WOC &amp; tagged @ 180'.

Plug #5: Spotted 25 sx class C cmt @ 1,020-642'. WOC &amp; tagged @ 850'.

Plug #4: Perf'd @ 1,020'. Spotted 45 sx class C cmt @ 1,070-389'. WOC. Tagged TOC @ 1,020'.

Plug #3: Perf'd @ 1410'. Spotted 30 sx class C cmt @ 1,460-1,006'. WOC &amp; tagged @ 1,200'.

Plug #2 Perf'd @ 2,220' &amp; 2,205'. Pressure tested perfs, held 200 psi. Spotted 50 sx class C cmt @ 2,270-1,514'. WOC &amp; tagged @ 1,900'.


Plug #1: Spotted 30 sx class C cmt @ 3,222-2,768'. WOC &amp; tagged @ 2,660'.

Perfs @ 3230-3317'

4 1/2 10.5# CSG @ 3,355

Hole Size: 7 7/8

TD @ 3355'











**Cato San Andres unit#204**

**BLM**

**30-005-20556**

**NMNM 69642**

**Fri, Jan 31, 2025 10:31 AM**

**33.549219°N, 103.914240°W**

**Timemark**  
Camera

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 427915

CONDITIONS

Operator: A-PLUS WELL SERVICE, INC. P.O. Box 1979 Farmington, NM 87499	OGRID: 370317
	Action Number: 427915
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/7/2025