

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: THOMPSON Well Location: T31N / R12W / SEC 33 / County or Parish/State: SAN

NESW / 36.854601 / -108.107273 JUAN / NM

Well Number: 12E Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM01614 Unit or CA Name: Unit or CA Number:

US Well Number: 3004533849 Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Released to Imaging: 2/14/2025 4:07:14 PM

Sundry ID: 2836413

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 02/11/2025 Time Sundry Submitted: 01:53

Date proposed operation will begin: 04/01/2025

Procedure Description: Revised NOI: Hilcorp Energy Company requests permission to recomplete the subject well in the Mesaverde formation and temporarily abandon the existing Dakota formation. Please see the revised procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 6/9/2022 with Roger Herrera/BLM and Chad Perkins/Hilcorp. The reclamation plan is attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Thompson_12E_RC_NOI_Rev_20250211135223.pdf

Well Name: THOMPSON Well Location: T31N / R12W / SEC 33 / County or Parish/State: SAN

NESW / 36.854601 / -108.107273

JUAN / NM

Well Number: 12E Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM01614 Unit or CA Name: Unit or CA Number:

US Well Number: 3004533849 Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHERYLENE WESTON Signed on: FEB 11, 2025 01:53 PM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Tech - Sr

Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

Phone: (713) 289-2615

Email address: CWESTON@HILCORP.COM Released to Imaging: 2/14/2025 4:07:14 PM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 02/13/2025

Signature: Kenneth Rennick




HILCORP ENERGY COMPANY THOMPSON 12E MV RECOMPLETE SUNDRY API 3004533849

JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with tubing.
- 3. Set a plug within 50' of the top ${\color{red} Dakota}$ perforation (6,805') for zonal isolation.
- 4. Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.
- 5. Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 6. If frac'ing down casing: pressure test casing to frac pressure,
- 7. RU WL. Perforate the Mesaverde. Top perforation @ 3,852', bottom perforation @ 4,961'.
- 8. If frac'ing down frac string: RIH $\mbox{w/}$ frac string and packer.
- 9. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 10. RU stimulation crew. Frac the FRC in one or more stages. Set plugs in between stages, if necessary.
- 11. MIRU workover rig and associated equipment; NU and test BOP.
- 12. If frac was performed down frac string: POOH w/ frac string and packer.
- 13. TIH with mill and clean out to isolation plug.
- 14. Circulate well Clean. TOOH with cleanout assembly.
- 15. TIH and land production tubing, Flowback the well. Return well to production as Mesaverde Standalone well.




HILCORP ENERGY COMPANY THOMPSON 12E MV RECOMPLETE SUNDRY





HILCORP ENERGY COMPANY THOMPSON 12E MV RECOMPLETE SUNDRY



Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

nttps://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

	nevised sary 5, 2024				
	Submit Electronically				
	via OCD Permitting				
	☐ Initial Submittal				
Submittal Fype:	☐ Amended Report				
71	☐ As Drilled				

								□ As Dillic	u		
					WELL LOCA	TION INFORMATION	Ň				
API Nu	mber		Pool Code			Pool Name					
30-045-	33849		72319			Blanco Mesaverde					
Property	y Code		Property N	ame				Well Num	ber		
318754			Thompson					12E			
OGRID	No.		Operator N						evel Elevation		
372171			Hilcorp En	ergy Compa	any			5971'			
Surface	Owner: 🗆 S	State ⊠ Fee □	l Tribal □ Fe	deral		Mineral Owner:	☐ State ☐ Fee ☐ Ti	ribal □ Federal			
					Sur	face Location					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County		
K	33	031N	012W	Lot	2230 S	1650 W	36.85462	-108.10673	San Juan		
K	33	03111	012 (2230 5	1050 11	30.03 102	100.10073	San Saan		
		•			Botto	m Hole Location					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County		
		T				1	<u> </u>				
	ed Acres	Infill or Defi	ning Well	Definin	g Well API	Overlapping Spaci	ng Unit (Y/N) Co:	nsolidation Code			
320.00	- W/2	Infill									
Order N	Jumbers.	-				Well setbacks are i	ınder Common Owne	ership: □Yes □No			
						1		-			
	1		П			Off Point (KOP)			T		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County		
					Einst 7	Calca Daint (ETD)					
T.17		T	I n	T .		Take Point (FTP)	T 1		T a .		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County		
	l		I		Last T	Take Point (LTP)	.	-	II.		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County		
		1									
				_							
Unitized	d Area or Ar	ea of Uniform I	nterest	Spacing	acing Unit Type Horizontal Vertical Ground Floor F						
							5971'				
OPERA	TOR CERT	IFICATIONS				SURVEYOR CERTII	FICATIONS				

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Cherylene Weston

11/13/2024

Signature

Dat

Glenn Russell

Signature and Seal of Professional Surveyor

Cherylene Weston, Operations/Regulatory Tech-Sr. Printed Name

_ . . .

cweston@hilcorp.com Email Address Certificate Number 15703

Date of Survey 6/12/2006


I hereby certify that the well location shown on this plat was plotted from field notes of actual

surveys made by me or under my supervision, and that the same is true and correct to the best of

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description <u>Effective May 25, 2021</u>

I. Operator: Hilcorp Energy Company				o	GRID:	372171	_ Date: _	11/13	5/2024	
II. Type: □ Origi	II. Type: ☐ Original ☐ Amendment due to ☐ 19.15.27.9.D(6)(a) NMAC ☐ 19.15.27.9.D(6)(b) NMAC ☐ Other.									
If Other, please de	scribe:									
III. Well(s): Provide recompleted from						l or set of wells	proposed	to be di	rilled or proposed to	
Well Name	API	ULSTR		Footages		Anticipated Oil BBL/D Anticipated Gas MCF/D			Anticipated Produced Water BBL/D	
Thompson 12E	3004533849	K-33-31N-12W	2230)' FSL, 1650' FV	VL 1	5	183		1.1	
V. Anticipated Sc	IV. Central Delivery Point Name: Kutz Processing Plant [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point.									
wen ivalle	API	Spud D	ate	TD Reached Date		Completion mencement Date		l Flow Date	First Production Date	
Thompson 12E	3004533	3849							2025	
VI. Separation Equipment: ☐ Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: ☐ Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: ☐ Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.										

Section 2 – Enhanced Plan <u>EFFECTIVE APRIL 1, 2022</u>

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. I	Line Capaci	ty. The natural	l gas gathering systen	n 🗆 will 🗆 v	vill not have	capacity to	gather	100% of the	anticipated	natural gas
produ	ction volum	e from the well	prior to the date of fi	rst production	n.					

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or	portion,	of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the	e new we	ell(s).

Attach (Onerator's	s nlan to	manage	production	in re	esnonse to	the	increased	line.	pressure

XIV.	Confidentiality: \sqcup Operator asserts cor	nfidentiality pursuant	t to Section	71-2-8 NMSA	1978 for the	information	provided in
Section	n 2 as provided in Paragraph (2) of Subse	ction D of 19.15.27.9	NMAC, and	d attaches a full	description of	the specific	information
for wh	ich confidentiality is asserted and the bas	sis for such assertion.					

	Section 3 - Certifications Effective May 25, 2021						
Operator certifies that, af	ter reasonable inquiry and based on the available information at the time of submittal:						
one hundred percent of the	☐ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or						
hundred percent of the an into account the current a	able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one aticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. **nox, Operator will select one of the following:						
Well Shut-In. ☐ Operated D of 19.15.27.9 NMAC;	or will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection or						
alternative beneficial uses	an. Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential s for the natural gas until a natural gas gathering system is available, including:						
(a)	power generation on lease; power generation for grid;						
(b) (c)	compression on lease;						
(d)	liquids removal on lease;						
(e)	reinjection for underground storage;						
(f)	reinjection for temporary storage;						
(g)	reinjection for enhanced oil recovery;						
(h)	fuel cell production; and						
(i)	other alternative beneficial uses approved by the division.						
	Section 4 - Notices						

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Cherylene Weston
Printed Name: Cherylene Weston
Title: Operations Regulatory Tech Sr
E-mail Address: cweston@hilcorp.com
Date: 11/13/2024
Phone: 713-289-2615
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Hilcorp Energy
Interim Reclamation Plan
Thompson #12E

API: 30-045-33849 M – Sec.33-T031N-R012W Lat: 36.85462, Long: -108.10673 Footage: 2230' FSL & 1650' FWL

San Juan County, NM

1. PRE-INTERIM RECLAMATION SITE INSPECTION

1.1) A pre-interim reclamation site inspection was completed by Roger Herrera with the BLM and Chad Perkins construction Foreman for Hilcorp Energy on June 9, 2022.

2. LOCATION INTERIM RECLAMATION PROCEDURE

- 2.1) Interim reclamation work will only be completed after well recompletion.
- 2.2) The interim reclamation work will be completed during spring or fall months.
- 2.3) Location tear drop will be re-defined as applicable for the interim reclamation.
- 2.4) All diversion ditches and silt traps will be cleaned and re-established as applicable for the interim reclamation.
- 2.5) All disturbed areas will be seeded, any disturbed areas that are compacted will be ripped before seeding.
- 2.6) All trash and debris will be removed within 50' buffer outside of the location disturbance during reclamation.

3. ACCESS ROAD RECLAMATION PROCEDURE:


3.1) No lease access road issues were identified at the time of onsite.


4. SEEDING PROCDURE

- 4.1) A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the location.
- 4.2) Drill seeding will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed, broadcast seeding will be applied at a double the rate of seed.
- 4.3) Timing of the seeding will take place when the ground is not frozen or saturated.

5. WEED MANAGEMENT

5.1) A small area of Halogeton was identified in the tear drop at the entrance of the location. The Halogeton will be treated prior to moving any dirt to prevent further spread on the well pad.





Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 431795

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	431795
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date	l
ward.rikala	OCD requires 100' minimum plug above the Dakota.	2/14/2025	ĺ