Sundry Print Reports

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: ROYAL OAK 25 FED COM Well Location: T18S / R33E / SEC 25 / Co

NENW / 32.7250472 / -103.6207694

County or Parish/State: LEA /

NM

Well Number: 301H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0245247 Unit or CA Name: Unit or CA Number:

US Well Number: 3002552842 **Operator:** AVANT OPERATING LLC

Notice of Intent

Sundry ID: 2835950

Type of Submission: Notice of Intent

Type of Action: APD Change

Date Sundry Submitted: 02/07/2025 Time Sundry Submitted: 10:53

Date proposed operation will begin: 02/20/2025

Procedure Description: Avant Operating, LLC would like to request to change the SHL for the Royal Oak 25 Fed Com 301H well (API# 30-025-52842). The SHL will change from 320' FNL and 1340' FWL, to 320' FNL and 1300' FWL. Please see the attached updated plat and documentation for this request. Thank you!

NOI Attachments

Procedure Description

 $Royal_Oak_25_Fed_Com_301H_Plan_0.1_AC_20250207105333.pdf$

Royal_Oak_25_Fed_Com_301H_Plan_0.1_Report_20250207105319.pdf

Royal_Oak_25_Fed_Com_301H_Plan_0.1_20250207105307.pdf

Coterra_Energy___Royal_Oak_25_Fed_Com__301H___Cement_Program_20250207105256.pdf

Royal_Oak_25_Fed_Com_301H_WBS__Prelim__20250207105244.pdf

Royal_Oak_25_Fed_Com_301H_C_102_2.7.25_20250207105232.pdf

Well Name: ROYAL OAK 25 FED COM Well Location: T18S / R33E / SEC 25 /

NENW / 32.7250472 / -103.6207694

County or Parish/State: LEA/ 2 of

NM

Well Number: 301H Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM0245247

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002552842

Operator: AVANT OPERATING LLC

Conditions of Approval

Additional

25_18_33_C_Sundry_ID_2835950_Royal_Oak_25_Fed_Com_301H_Lea_NM245247_AVANT_OPERATING_LLC_13_22fa_6_12_2023_LV_20250211092200.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: SARAH FERREYROS Signed on: FEB 07, 2025 10:53 AM

Name: AVANT OPERATING LLC

Title: Director of Regulatory

Street Address: 1515 WYNKOOP

City: DENVER State: CO

Phone: (720) 854-9020

Email address: SARAH@AVANTNR.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752342234 BLM POC Email Address: cwalls@blm.gov

Disposition: Approved **Disposition Date:** 02/19/2025

Signature: Chris Walls

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

| FORM APPROVED |
|--------------------------|
| OMB No. 1004-0137 |
| Expires: October 31, 202 |

| BURE | EAU OF LAND MANAGEMENT | | 3. Lease Seliai No. | | | | | |
|---|---|--------------------------|--|--|--|--|--|--|
| Do not use this fo | OTICES AND REPORTS ON Vorm for proposals to drill or to Use Form 3160-3 (APD) for su | o re-enter an | 6. If Indian, Allottee or Tribe | Name | | | | |
| | RIPLICATE - Other instructions on page | | 7. If Unit of CA/Agreement, N | Name and/or No. | | | | |
| 1. Type of Well Gas W | ell Other | | 8. Well Name and No. | | | | | |
| 2. Name of Operator | | | 9. API Well No. | 9. API Well No. | | | | |
| 3a. Address | 3b. Phone No. | (include area code) | 10. Field and Pool or Explora | tory Area | | | | |
| 4. Location of Well (Footage, Sec., T.,R | .,M., or Survey Description) | | 11. Country or Parish, State | | | | | |
| 12. CHE | CK THE APPROPRIATE BOX(ES) TO IN | DICATE NATURE (| _ OF NOTICE, REPORT OR OTI | HER DATA | | | | |
| TYPE OF SUBMISSION | | TYPI | E OF ACTION | | | | | |
| Notice of Intent | Acidize Deep Alter Casing Hyd | pen raulic Fracturing | Production (Start/Resume) Reclamation | Water Shut-Off Well Integrity | | | | |
| Subsequent Report | | Construction and Abandon | Recomplete Temporarily Abandon | Other | | | | |
| Final Abandonment Notice | | Back | Water Disposal | | | | | |
| is ready for final inspection.) | | 1 | | | | | | |
| 4. I hereby certify that the foregoing is | true and correct. Name (Printed/Typed) | Title | | | | | | |
| Signature | | Date | | | | | | |
| | THE SPACE FOR FED | ERAL OR STA | TE OFICE USE | | | | | |
| Approved by | | Title | | Date | | | | |
| | ned. Approval of this notice does not warrar quitable title to those rights in the subject leduct operations thereon. | | , | | | | | |
| Title 18 U.S.C Section 1001 and Title 43 | U.S.C Section 1212, make it a crime for a | ny person knowingly | and willfully to make to any do | epartment or agency of the United States | | | | |

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ NENW \ / \ 320 \ FNL \ / \ 1340 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 33E \ / \ SECTION: \ 25 \ / \ LAT: \ 32.7250472 \ / \ LONG: \ -103.6207694 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $PPP: \ NWNW \ / \ 100 \ FNL \ / \ 990 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 33E \ / \ SECTION: \ 25 \ / \ LAT: \ 32.7256484 \ / \ LONG: \ -103.6219079 \ (\ TVD: \ 8600 \ feet, \ MD: \ 8889 \ feet \)$ $BHL: \ SWSW \ / \ 100 \ FSL \ / \ 990 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 33E \ / \ SECTION: \ 36 \ / \ LAT: \ 32.6971761 \ / \ LONG: \ -103.6218977 \ (\ TVD: \ 8600 \ feet, \ MD: \ 18822 \ feet \)$

0

Min Dist

Hole-Cplg

overlap.

Royal Oak 25 Fed Com 301H

| 13 3/8 | su | rface csg in a | 17 1/2 i | nch hole. | | Design | Factors | | | Surface | | |
|--|--|---|---|--|--------------------------------------|---|--|---|--------------|-----------------|--------------------|---|
| Segment | #/ft | Grade | | Coupling | Joint | Collapse | Burst | Length | B@s | a-B | a-C | Weigh |
| "A" | 54.50 | | j 55 | Itc | 5.51 | 1.28 | 0.95 | 1,711 | 4 | 1.65 | 2.24 | 93,25 |
| "B" | | | • | Itc | | | | 0 | | | | 0 |
| | w/8.4 | #/g mud, 30min Sfc Csg Test | t psig: 1,171 | Tail Cmt | does not | circ to sfc. | Totals: | 1,711 | | | | 93,2 |
| omparison o | | Minimum Required Cem | | | | | | , | | | | , |
| Hole | Annular | 1 Stage | 1 Stage | Min | 1 Stage | Drilling | Calc | Reg'd | | | | Min D |
| Size | Volume | Cmt Sx | CuFt Cmt | Cu Ft | % Excess | Mud Wt | MASP | BOPE | | | | Hole-C |
| 17 1/2 | 0.6946 | 965 | 1745 | 1189 | 47 | 9.90 | 1663 | 2M | | | | 2.06 |
| | | | | | | 0.00 | | | | | | |
| urst Frac Grad | dient(s) for Segm | ent(s) A, B = , b All > 0 | .70, OK. | | | | | | | | | |
| 9 5/8 | cas | ing inside the | 13 3/8 | | | Design | Factors | | | Int 1 | | |
| Segment | #/ft | Grade | , | Coupling | Joint | Collapse | Burst | Length | B@s | a-B | a-C | Weig |
| "A" | 40.00 | | i 55 | Itc | 2.33 | 1.24 | 0.93 | 4,000 | 1 | 1.68 | - | 160,0 |
| "B" | 40.00 | | hcl 80 | Itc | 13.35 | 1.47 | 1.35 | 1,568 | 2 | 2.44 | 2.54 | |
| _ | | #/g mud, 30min Sfc Csg Test | | 110 | 10.00 | | Totals: | 5,568 | _ | | 2.0. | 222,7 |
| | ₩/0.4 | | | ed to achieve a top of | 0 | ft from su | | 1711 | | | | overlap |
| Hole | Annular | 1 Stage | 1 Stage | Min | 1 Stage | Drilling | Calc | Reg'd | | | | Min D |
| Size | Volume | Cmt Sx | CuFt Cmt | Cu Ft | % Excess | Mud Wt | MASP | BOPE | | | | Hole-C |
| 0.20 | 0.3132 | 1106 | | 1829 | | 10.00 | | 3M | | | | 0.8 |
| | | | | | | | | | | | | |
| 12 1/4 | 0.3132 | 1100 | 2112 | 1029 | 15 | 10.00 | 2352 | | | | | |
| D V Tool(s): | 0.3132 | | | 1629 | 15 | 10.00 | sum of sx | Σ CuFt | | | | Σ%exce |
| D V Tool(s): by stage % : | | #VALUE! | #VALUE! | 1029 | 15 | 10.00 | | | | | | |
| D V Tool(s): by stage % : Class 'H' tail cm | nt yld > 1.20 | #VALUE! | #VALUE! | | 15 | 10.00 | sum of sx | Σ CuFt | | | | Σ%exc |
| D V Tool(s): by stage % : class 'H' tail cm | nt yld > 1.20 | | #VALUE! | | 15 | 10.00 | sum of sx | Σ CuFt | | | | Σ%exc |
| D V Tool(s): by stage % : class 'H' tail cm | nt yld > 1.20 dient(s) for Segm | #VALUE! | #VALUE! | | 15 | Design Fa | sum of sx 1106 | Σ CuFt | | Prod 1 | , | Σ%exce |
| D V Tool(s): by stage %: lass 'H' tail cm urst Frac Grad | nt yld > 1.20 dient(s) for Segm | #VALUE! ent(s): A, B, C, D = 0.99, I | #VALUE! b, c, d All > 0.70, Ok | | Joint | | sum of sx 1106 | Σ CuFt | B@s | Prod 1 a-B | a-C | Σ%exc 15 |
| D V Tool(s): by stage %: lass 'H' tail cm urst Frac Grad | nt yld > 1.20 dient(s) for Segm | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade | #VALUE! b, c, d All > 0.70, Ok | «. | | Design Fa | sum of sx 1106 | Σ CuFt 2112 | B@s 3 | | | Σ%exco |
| D V Tool(s): by stage %: lass 'H' tail cm urst Frac Grad 5 1/2 Segment | ont yld > 1.20 dient(s) for Segm cas #/ft | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade | #VALUE! b, c, d All > 0.70, Ok | Coupling | Joint | <u>Design Fa</u> Collapse | sum of sx 1106 ctors Burst | Σ CuFt 2112 Length | | а-В | a-C | Σ%exc 15 |
| D V Tool(s): by stage % : lass 'H' tail cm urst Frac Grad 5 1/2 Segment "A" | ont yld > 1.20 dient(s) for Segm cas #/ft | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade | #VALUE! b, c, d All > 0.70, Ok | Coupling | Joint | <u>Design Fa</u> Collapse | sum of sx 1106 ctors Burst | Σ CuFt 2112 Length 18,823 | | а-В | a-C | Σ%exc 15 Weig 376,4 |
| D V Tool(s): by stage %: class 'H' tail cm curst Frac Grad 5 1/2 Segment "A" "B" | ont yld > 1.20 dient(s) for Segm cas #/ft | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade | #VALUE! b, c, d All > 0.70, Ok | Coupling | Joint | <u>Design Fa</u> Collapse | sum of sx 1106 ctors Burst | ΣCuFt 2112 Length 18,823 0 | | а-В | a-C | Σ%exc 15 Weig 376,4 |
| D V Tool(s): Dy stage %: Sy stage %: Start trac Grad 5 1/2 Segment "A" "B" "C" | cas #/ft 20.00 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 | Coupling gbcd | Joint | <u>Design Fa</u> Collapse | sum of sx 1106 ctors Burst | ΣCuFt 2112 Length 18,823 0 0 | | а-В | a-C | Σ%exc 15 Weig 376,4 0 0 |
| D V Tool(s): by stage % : Class 'H' tail cm Burst Frac Grad 5 1/2 Segment "A" "B" "C" | cas #/ft 20.00 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Tesl | #VALUE! b, c, d All > 0.70, OF 9 5/8 hcp 110 t psig: 1,892 | Coupling gbcd | Joint | <u>Design Fa</u> Collapse | sum of sx 1106 Ctors Burst 3.38 | Σ CuFt 2112 Length 18,823 0 0 | | а-В | a-C 5.19 | Σ%exc 15 Weig 376,4 0 0 376,4 |
| D V Tool(s): by stage % : Class 'H' tail cm Burst Frac Grad 5 1/2 Segment "A" "B" "C" | cas #/ft 20.00 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Tesl | #VALUE! b, c, d All > 0.70, OF 9 5/8 hcp 110 t psig: 1,892 | Coupling gbcd | Joint 3.98 | Design Fa Collapse 2.87 | sum of sx 1106 Ctors Burst 3.38 | Σ CuFt 2112 Length 18,823 0 0 0 18,823 | | а-В | a-C 5.19 | Σ%exci 15 Weig 376,4 0 0 376,4 overlap. |
| D V Tool(s): by stage % : Class 'H' tail cm Burst Frac Grad 5 1/2 Segment "A" "B" "C" "D" | cas #/ft 20.00 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend | Coupling gbcd 0 ed to achieve a top of | Joint 3.98 | Design Fa Collapse 2.87 | sum of sx 1106 ctors Burst 3.38 Totals: | Σ CuFt 2112 Length 18,823 0 0 0 18,823 200 | | а-В | a-C 5.19 | Σ%exca 15 Weig 376,4 0 0 376,4 overlap. |
| D V Tool(s): by stage % : class 'H' tail cm surst Frac Grad 5 1/2 Segment "A" "B" "C" "D" | cas #/ft 20.00 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement 1 Stage | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend 1 Stage | Coupling gbcd 0 ed to achieve a top of | Joint 3.98 | Design Fa Collapse 2.87 ft from su Drilling | sum of sx 1106 cctors Burst 3.38 Totals: | Σ CuFt 2112 Length 18,823 0 0 0 18,823 200 Req'd | | а-В | a-C 5.19 | Σ%exc 15 Weig 376,4 0 0 376,4 overlap Min D Hole-C |
| D V Tool(s): by stage % : Class 'H' tail cm Burst Frac Grad 5 1/2 Segment "A" "B" "C" "D" Hole Size 8 3/4 | cas #/ft 20.00 w/8.4 Annular Volume 0.2526 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement 1 Stage Cmt Sx | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend 1 Stage CuFt Cmt | Coupling gbcd 0 ed to achieve a top of Min Cu Ft | Joint 3.98 5368 1 Stage % Excess | Design Fa Collapse 2.87 | sum of sx 1106 cctors Burst 3.38 Totals: | Σ CuFt 2112 Length 18,823 0 0 0 18,823 200 Req'd | | а-В | a-C 5.19 | Σ%exc 15 Weig 376,4 0 0 376,4 overlap Min D Hole-C |
| D V Tool(s): by stage % : Class 'H' tail cm Burst Frac Grad 5 1/2 Segment "A" "B" "C" "D" Hole Size 8 3/4 Class 'C' tail cm | cas #/ft 20.00 w/8.4 Annular Volume 0.2526 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement 1 Stage Cmt Sx | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend 1 Stage CuFt Cmt | Coupling gbcd 0 ed to achieve a top of Min Cu Ft | Joint 3.98 5368 1 Stage % Excess | Design Fa Collapse 2.87 ft from su Drilling Mud Wt 9.50 | sum of sx 1106 CCTOTS Burst 3.38 Totals: urface or a Calc MASP | Σ CuFt 2112 Length 18,823 0 0 0 18,823 200 Req'd | 3 | a-B 6.11 | a-C 5.19 | Veig 376,4 0 0 376,4 οverlap. Min D Hole-C |
| D V Tool(s): by stage % : class 'H' tail cm starst Frac Grad 5 1/2 Segment "A" "B" "C" "D" Hole Size 8 3/4 class 'C' tail cm | cas #/ft 20.00 w/8.4 Annular Volume 0.2526 ty d > 1.35 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement 1 Stage Cmt Sx | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend 1 Stage CuFt Cmt | Coupling gbcd 0 ed to achieve a top of Min Cu Ft | Joint 3.98 5368 1 Stage % Excess | Design Fa Collapse 2.87 | ctors Burst 3.38 Totals: Inface or a Calc MASP | Σ CuFt 2112 Length 18,823 0 0 0 18,823 200 Req'd | 3 | а-В | a-C 5.19 | Veig 376,4 0 0 376,4 οverlap. Min D Hole-C |
| D V Tool(s): by stage % : class 'H' tail cm surst Frac Grad 5 1/2 Segment "A" "B" "C" "D" Hole Size 8 3/4 class 'C' tail cm #N/A 0 Segment | cas #/ft 20.00 w/8.4 Annular Volume 0.2526 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement 1 Stage Cmt Sx | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend 1 Stage CuFt Cmt 5686 | Coupling gbcd 0 ed to achieve a top of Min Cu Ft 3400 Coupling | Joint 3.98 5368 1 Stage % Excess | Design Fa Collapse 2.87 ft from su Drilling Mud Wt 9.50 | sum of sx 1106 CCTOTS Burst 3.38 Totals: urface or a Calc MASP | Σ CuFt 2112 Length 18,823 0 0 0 18,823 200 Req'd | 3 | a-B 6.11 | a-C 5.19 | Σ%exce 15 Weig 376,4 0 |
| D V Tool(s): by stage %: lass 'H' tail cm urst Frac Grad 5 1/2 Segment "A" "B" "C" "D" Hole Size 8 3/4 llass 'C' tail cm #N/A 0 | cas #/ft 20.00 w/8.4 Annular Volume 0.2526 ty d > 1.35 | #VALUE! ent(s): A, B, C, D = 0.99, ing inside the Grade #/g mud, 30min Sfc Csg Test The cement 1 Stage Cmt Sx 3506 | #VALUE! b, c, d All > 0.70, Ok 9 5/8 hcp 110 t psig: 1,892 volume(s) are intend 1 Stage CuFt Cmt 5686 | Coupling gbcd O ed to achieve a top of Min Cu Ft 3400 | Joint 3.98 5368 1 Stage % Excess 67 | Design Fa Collapse 2.87 ft from su Drilling Mud Wt 9.50 Design | ctors Burst 3.38 Totals: Inface or a Calc MASP | Length 18,823 0 0 18,823 200 Req'd BOPE | 3 3 | a-B 6.11 | a-C 5.19 | Weigg 376,4,0 0 0 0 376,4,0 voverlap Min D Hole-C 1.23 |

#N/A

1 Stage

% Excess

#N/A

Min

Cu Ft

0

Totals:

Calc

MASP

ft from surface or a

Drilling

Mud Wt

0

#N/A

Req'd

BOPE

w/8.4#/g mud, 30min Sfc Csg Test psig:
Cmt vol calc below includes this csg, TOC intended

1 Stage

CuFt Cmt

#N/A

Capitan Reef est top XXXX.

1 Stage

Cmt Sx

#N/A

Carlsbad Field Office 2/11/2025

Hole

Size

0

#N/A

Annular

Volume

Avant Operating, LLC

Lea Co., NM (NAD 83) Royal Oak 25 Fed Com Pad 2 Royal Oak 25 Fed Com #301H

OH Plan 0.1

Anticollision Summary Report

04 February, 2025

Anticollision Summary Report

Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83)

Royal Oak 25 Fed Com Pad 2 Reference Site:

0.0 usft Site Error:

Reference Well: Royal Oak 25 Fed Com #301H

Well Error: 0.0 usft Reference Wellbore ОН Reference Design: Plan 0.1 TVD Reference: MD Reference:

North Reference:

Local Co-ordinate Reference:

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5)

Grid

Minimum Curvature **Survey Calculation Method:**

Output errors are at 2.00 sigma

EDM 5000.16 Single User Db Database:

Offset TVD Reference: Offset Datum

Reference Plan 0.1

Filter type: NO GLOBAL FILTER: Using user defined selection & filtering criteria

Interpolation Method: Stations Error Model: **ISCWSA**

Depth Range: Unlimited Scan Method: Closest Approach 3D Results Limited by: Maximum centre distance of 1,000.0usft Error Surface: Pedal Curve Warning Levels Evaluated at: 2.00 Sigma **Casing Method:** Not applied

Date 2/4/2025 **Survey Tool Program**

From

То (usft) (usft) Survey (Wellbore) **Tool Name** Description

0.0 OWSG MWD + HRGM 18,822.7 Plan 0.1 (OH) B001Mb_MWD+HRGM

| | Reference | Offset | Dista | nce | | |
|---|-----------------------------|-----------------------------|------------------------------|-------------------------------|----------------------|---------------------|
| ite Name Offset Well - Wellbore - Design | Measured Depth (usft) | Measured Depth (usft) | Between Centres (usft) | Between Ellipses (usft) | Separation Factor | Warning |
| oyal Oak 25 Fed Com Pad 2 | | | | | | |
| Edith Federal 001 - OH - OH | | | | | | Out of range |
| Edith Federal 003 - OH - OH | 10,360.4 | 8,579.9 | 341.9 | 115.6 | 1.511 | CC, ES, SF |
| Edith Federal 004 - OH - P&A | 11,525.3 | 8,577.7 | 971.9 | 730.9 | 4.034 | CC, ES, SF |
| McElvain 005 - OH - OH | 12,879.1 | 8,554.5 | 192.3 | -54.5 | 0.779 | Level 1, CC, ES, SF |
| McElvain Federal 004 - OH - OH | 2,109.2 | 2,133.9 | 687.5 | 609.5 | 8.813 | CC |
| McElvain Federal 004 - OH - OH | 2,200.0 | 2,224.6 | 689.0 | 608.5 | 8.561 | ES |
| McElvain Federal 004 - OH - OH | 6,000.0 | 5,998.0 | 890.6 | 729.2 | 5.520 | SF |
| Royal Oak 25 Fed Com #302H - OH - Plan 0.1 | 1,915.6 | 1,918.6 | 60.1 | 46.8 | 4.524 | CC |
| Royal Oak 25 Fed Com #302H - OH - Plan 0.1 | 2,000.0 | 2,002.9 | 60.1 | 46.2 | 4.327 | ES, SF |
| Royal Oak 25 Fed Com #501H - OH - Plan 0.1 | 2,277.7 | 2,279.7 | 14.0 | -1.9 | 0.881 | Level 1, CC |
| Royal Oak 25 Fed Com #501H - OH - Plan 0.1 | 2,300.0 | 2,302.0 | 14.1 | -1.9 | 0.879 | Level 1, ES, SF |
| Royal Oak 25 Fed Com #502H - OH - Plan 0.1 | 2,000.0 | 2,004.0 | 40.0 | 26.1 | 2.876 | CC, ES |
| Royal Oak 25 Fed Com #502H - OH - Plan 0.1 | 2,100.0 | 2,104.0 | 41.3 | 26.7 | 2.827 | SF |
| Royal Oak 25 Fed Com #511H - OH - Plan 0.1 | 2,000.0 | 2,004.0 | 20.0 | 6.1 | | Level 3, CC, ES, SF |
| State LG 2484 001 - OH - OH | 14,200.4 | 8,559.3 | 976.0 | 713.7 | 3.721 | CC, ES, SF |

Anticollision Summary Report

Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)
Reference Site: Royal Oak 25 Fed Com Pad 2

Site Error: 0.0 usft

Reference Well: Royal Oak 25 Fed Com #301H

Well Error: 0.0 usft
Reference Wellbore OH
Reference Design: Plan 0.1

Local Co-ordinate Reference:

Survey Calculation Method:

TVD Reference: MD Reference: North Reference:

Output errors are at

Offset TVD Reference:

Database:

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5)

Grid

Minimum Curvature

2.00 sigma

EDM 5000.16 Single User Db

Offset Datum

Reference Depths are relative to WELL @ 3892.5usft (3892.5)


Offset Depths are relative to Offset Datum

Central Meridian is -104.333334

Coordinates are relative to: Royal Oak 25 Fed Com #301H

Coordinate System is US State Plane 1983, New Mexico Eastern Zone

Grid Convergence at Surface is: 0.39°



Anticollision Summary Report

Database:

Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83) Royal Oak 25 Fed Com Pad 2 Reference Site:

Site Error: 0.0 usft

Royal Oak 25 Fed Com #301H Reference Well:

Well Error: 0.0 usft Reference Wellbore ОН Reference Design: Plan 0.1 Local Co-ordinate Reference: TVD Reference: MD Reference: North Reference:

Offset TVD Reference:

WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5) Grid

Well Royal Oak 25 Fed Com #301H

Minimum Curvature **Survey Calculation Method:** Output errors are at

2.00 sigma

EDM 5000.16 Single User Db


Offset Datum

Reference Depths are relative to WELL @ 3892.5usft (3892.5)

Offset Depths are relative to Offset Datum

Central Meridian is -104.333334

Coordinates are relative to: Royal Oak 25 Fed Com #301H Coordinate System is US State Plane 1983, New Mexico Eastern Zone Grid Convergence at Surface is: 0.39°



Avant Operating, LLC

Lea Co., NM (NAD 83) Royal Oak 25 Fed Com Pad 2 Royal Oak 25 Fed Com #301H

OH

Plan: Plan 0.1

Standard Planning Report

04 February, 2025

EDM 5000.16 Single User Db Database: Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83) Site: Royal Oak 25 Fed Com Pad 2 Well: Royal Oak 25 Fed Com #301H

Wellbore: OH Plan 0.1 Design:

Local Co-ordinate Reference: TVD Reference: MD Reference: North Reference: **Survey Calculation Method:**

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5)

Minimum Curvature

Project Lea Co., NM (NAD 83)

Map System: US State Plane 1983 North American Datum 1983 Geo Datum: New Mexico Eastern Zone Map Zone:

System Datum: Mean Sea Level

Royal Oak 25 Fed Com Pad 2 Site

Northing: 628,331.07 usft Site Position: Latitude: 32.725297 From: Мар Easting: 760,434.75 usft Longitude: -103.620883

Slot Radius: 13-3/16 " **Position Uncertainty:** 0.0 usft

Well Royal Oak 25 Fed Com #301H 32.725047 **Well Position** +N/-S 0.0 usft 628,239.86 usft Latitude: Northing: +E/-W 0.0 usft Easting: 760,430.28 usft Longitude: -103.620900 0.0 usft Wellhead Elevation: usft **Ground Level:** 3,866.0 usft **Position Uncertainty** 0.39 **Grid Convergence:**

ОН Wellbore Dip Angle Magnetics **Model Name** Declination Field Strength Sample Date (°) (°) (nT) IGRF2000 12/31/2004 8.62 60.90 49,719.15377123

Plan 0.1 Design Audit Notes: PLAN 0.0 Version: Phase: Tie On Depth: Vertical Section: Depth From (TVD) +N/-S +E/-W Direction (usft) (usft) (usft) (°) 0.0 0.0 0.0 181.35

Plan Survey Tool Program 2/4/2025 Date **Depth From** Depth To (usft) (usft) Survey (Wellbore) **Tool Name** Remarks 18,822.7 0.0 Plan 0.1 (OH) B001Mb_MWD+HRGM

OWSG MWD + HRGM

Plan Sections Vertical Build Measured Dogleg Turn Depth Inclination Azimuth Depth +N/-S +E/-W Rate Rate Rate TFO (usft) (°) (°) (usft) (usft) (usft) (°/100usft) (°/100usft) (°/100usft) (°) Target 0.0 0.00 0.00 0.0 0.0 0.0 0.00 0.00 0.00 0.00 2,000.0 0.00 0.00 2,000.0 0.0 0.0 0.00 0.00 0.00 0.00 2,254.6 5.09 310.80 2,254.3 7.4 -8.6 2.00 2.00 0.00 310.80 6,613.2 5.09 310.80 6,595.7 260.2 -301.4 0.00 0.00 0.00 0.00 6,867.9 267.6 -310.0 0.00 0.00 6,850.0 2.00 -2.00 0.00 180.00 8,122.5 267.6 8,140.4 0.00 0.00 -310.0 0.00 0.00 0.00 0.00 8,890.4 90.00 179.61 8,600.0 -209.9 -306.7 12.00 12.00 0.00 179.61 18,822.7 8,600.0 -10,141.9 -238.9 0.00 90.00 179.61 0.00 0.00 0.00 LTP/PBHL-Royal Oak

Database: EDM 5000.16 Single User Db Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)
Site: Royal Oak 25 Fed Com Pad 2

Well: Royal Oak 25 Fed Com #301H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:

Survey Calculation Method:

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5)

Grid

Minimum Curvature

| ed Survey | | | | | | | | | |
|-----------------------------|--------------------|----------------|-----------------------------|-----------------|-----------------|-------------------------------|-------------------------------|------------------------------|-----------------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 100.0 | 0.00 | 0.00 | 100.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 200.0 | 0.00 | 0.00 | 200.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 300.0 | 0.00 | 0.00 | 300.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 400.0 | 0.00 | 0.00 | 400.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 500.0 | 0.00 | 0.00 | 500.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 600.0 | 0.00 | 0.00 | 600.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 700.0 | 0.00 | 0.00 | 700.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 800.0 | 0.00 | 0.00 | 800.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 900.0 | 0.00 | 0.00 | 900.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,000.0 | 0.00 | 0.00 | 1,000.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,100.0 | 0.00 | 0.00 | 1,100.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,200.0 | 0.00 | 0.00 | 1,200.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,300.0 | 0.00 | 0.00 | 1,300.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,400.0 | 0.00 | 0.00 | 1,400.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,500.0 | 0.00 | 0.00 | 1,500.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,600.0 | 0.00 | 0.00 | 1,600.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,628.0 | 0.00 | 0.00 | 1,628.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| RUSTLER | 0.00 | 0.00 | 1,020.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,700.0 | 0.00 | 0.00 | 1,700.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,800.0 | 0.00 | 0.00 | 1,800.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| , | | | | | | | | | |
| 1,900.0 | 0.00 | 0.00 | 1,900.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| 1,951.0 | 0.00 | 0.00 | 1,951.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| SOLADO | | | | | | | | | |
| 2,000.0 | 0.00 | 0.00 | 2,000.0 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 |
| KOP - Start | | | | | | | | | |
| 2,100.0 | 2.00 | 310.80 | 2,100.0 | 1.1 | -1.3 | -1.1 | 2.00 | 2.00 | 0.00 |
| 2,200.0 | 4.00 | 310.80 | 2,199.8 | 4.6 | -5.3 | -4.4 | 2.00 | 2.00 | 0.00 |
| 2,254.6 | 5.09 | 310.80 | 2,254.3 | 7.4 | -8.6 | -7.2 | 2.00 | 2.00 | 0.00 |
| Start 4358.6 | hold at 2254.6 N | /ID | | | | | | | |
| 2,300.0 | 5.09 | 310.80 | 2,299.5 | 10.0 | -11.6 | -9.7 | 0.00 | 0.00 | 0.00 |
| 2,400.0 | 5.09 | 310.80 | 2,399.1 | 15.8 | -18.3 | -15.4 | 0.00 | 0.00 | 0.00 |
| 2,500.0 | 5.09 | 310.80 | 2,498.7 | 21.6 | -25.0 | -21.0 | 0.00 | 0.00 | 0.00 |
| 2,600.0 | 5.09 | 310.80 | 2,598.3 | 27.4 | -31.8 | -26.7 | 0.00 | 0.00 | 0.00 |
| 2,700.0 | 5.09 | 310.80 | 2.697.9 | 33.2 | -38.5 | -32.3 | 0.00 | 0.00 | 0.00 |
| 2,800.0 | 5.09 | 310.80 | 2,797.5 | 39.0 | -45.2 | -37.9 | 0.00 | 0.00 | 0.00 |
| 2,900.0 | 5.09 | 310.80 | 2,897.1 | 44.8 | -51.9 | -43.6 | 0.00 | 0.00 | 0.00 |
| 3,000.0 | 5.09 | 310.80 | 2,996.7 | 50.6 | -58.6 | -49.2 | 0.00 | 0.00 | 0.00 |
| 3,100.0 | 5.09 | 310.80 | 3,096.3 | 56.4 | -65.4 | -54.9 | 0.00 | 0.00 | 0.00 |
| 3,200.0 | 5.09 | 310.80 | 3,195.9 | 62.2 | -72.1 | -60.5 | 0.00 | 0.00 | 0.00 |
| 3,200.0 | 5.09 | 310.80 | 3,195.9 | 62.2 68.0 | -72.1 -78.8 | -60.5 -66.2 | 0.00 | 0.00 | 0.00 |
| 3,400.0 | 5.09 | 310.80 | 3,395.1 | 73.8 | -70.0 -85.5 | -00.2 -71.8 | 0.00 | 0.00 | 0.00 |
| 3,500.0 | 5.09 | 310.80 | 3,494.7 | 73.6 79.6 | -92.2 | -71.6 -77.4 | 0.00 | 0.00 | 0.00 |
| 3,600.0 | 5.09 | 310.80 | 3,594.4 | 85.4 | -92.2 -99.0 | -83.1 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 3,646.8 | 5.09 | 310.80 | 3,641.0 | 88.1 | -102.1 | -85.7 | 0.00 | 0.00 | 0.00 |
| YATES | | 0.10.00 | 0.554.5 | | | | | | |
| 3,700.0 | 5.09 | 310.80 | 3,694.0 | 91.2 | -105.7 | -88.7 | 0.00 | 0.00 | 0.00 |
| 3,800.0 | 5.09 | 310.80 | 3,793.6 | 97.0 | -112.4 | -94.4 | 0.00 | 0.00 | 0.00 |
| 3,900.0 | 5.09 | 310.80 | 3,893.2 | 102.8 | -119.1 | -100.0 | 0.00 | 0.00 | 0.00 |
| 4,000.0 | 5.09 | 310.80 | 3,992.8 | 108.6 | -125.8 | -105.6 | 0.00 | 0.00 | 0.00 |
| 4,100.0 | 5.09 | 310.80 | 4,092.4 | 114.4 | -132.6 | -111.3 | 0.00 | 0.00 | 0.00 |
| 4,200.0 | 5.09 | 310.80 | 4,192.0 | 120.2 | -139.3 | -116.9 | 0.00 | 0.00 | 0.00 |
| 4,300.0 | 5.09 | 310.80 | 4,291.6 | 126.0 | -146.0 | -122.6 | 0.00 | 0.00 | 0.00 |

Database: EDM 5000.16 Single User Db Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)
Site: Royal Oak 25 Fed Com Pad 2
Well: Royal Oak 25 Fed Com #301H

Wellbore: OH
Design: Plan 0.1

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5) Grid Minimum Curvature

| oigiii | | | | | | | | | |
|-----------------------------|--------------------|----------------|-----------------------------|-----------------|-----------------|-------------------------------|-------------------------------|------------------------------|-----------------------------|
| anned Survey | | | | | | | | | |
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4 400 0 | | | 4 004 0 | | | 400.0 | 2.22 | 0.00 | 2.22 |
| 4,400.0 | 5.09 | 310.80 | 4,391.2 | 131.8 | -152.7 | -128.2 | 0.00 | 0.00 | 0.00 |
| 4,500.0 | 5.09 | 310.80 | 4,490.8 | 137.6 | -159.4 | -133.8 | 0.00 | 0.00 | 0.00 |
| 4,600.0 | 5.09 | 310.80 | 4,590.4 | 143.4 | -166.2 | -139.5 | 0.00 | 0.00 | 0.00 |
| 4,700.0 | 5.09 | 310.80 | 4,690.0 | 149.2 | -172.9 | -145.1 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 4,800.0 | 5.09 | 310.80 | 4,789.6 | 155.0 | -179.6 | -150.8 | 0.00 | 0.00 | 0.00 |
| 4,900.0 | 5.09 | 310.80 | 4,889.2 | 160.8 | -186.3 | -156.4 | 0.00 | 0.00 | 0.00 |
| 5,000.0 | 5.09 | 310.80 | 4,988.8 | 166.6 | -193.0 | -162.0 | 0.00 | 0.00 | 0.00 |
| 5,100.0 | 5.09 | 310.80 | 5,088.4 | 172.4 | -199.8 | -167.7 | 0.00 | 0.00 | 0.00 |
| 5,200.0 | 5.09 | 310.80 | 5,188.0 | 178.2 | -206.5 | -173.3 | 0.00 | 0.00 | 0.00 |
| | | | 5,287.6 | | -213.2 | -173.3 | | 0.00 | |
| 5,300.0 | 5.09 | 310.80 | | 184.0 | | | 0.00 | | 0.00 |
| 5,400.0 | 5.09 | 310.80 | 5,387.2 | 189.8 | -219.9 | -184.6 | 0.00 | 0.00 | 0.00 |
| 5,500.0 | 5.09 | 310.80 | 5,486.9 | 195.6 | -226.6 | -190.2 | 0.00 | 0.00 | 0.00 |
| 5,600.0 | 5.09 | 310.80 | 5,586.5 | 201.4 | -233.4 | -195.9 | 0.00 | 0.00 | 0.00 |
| 5,667.8 | 5.09 | 310.80 | 5,654.0 | 205.4 | -237.9 | -199.7 | 0.00 | 0.00 | 0.00 |
| | | 310.00 | 5,054.0 | 200.4 | -231.8 | -138.1 | 0.00 | 0.00 | 0.00 |
| CHERRY_C | | | | | | | | | |
| 5,700.0 | 5.09 | 310.80 | 5,686.1 | 207.2 | -240.1 | -201.5 | 0.00 | 0.00 | 0.00 |
| 5,800.0 | 5.09 | 310.80 | 5,785.7 | 213.0 | -246.8 | -207.2 | 0.00 | 0.00 | 0.00 |
| 5,900.0 | 5.09 | 310.80 | 5,885.3 | 218.8 | -253.5 | -212.8 | 0.00 | 0.00 | 0.00 |
| 0.000.0 | 5.00 | 040.00 | 5.004.0 | 004.0 | 000.0 | 040.4 | 0.00 | 0.00 | 0.00 |
| 6,000.0 | 5.09 | 310.80 | 5,984.9 | 224.6 | -260.2 | -218.4 | 0.00 | 0.00 | 0.00 |
| 6,100.0 | 5.09 | 310.80 | 6,084.5 | 230.4 | -267.0 | -224.1 | 0.00 | 0.00 | 0.00 |
| 6,200.0 | 5.09 | 310.80 | 6,184.1 | 236.2 | -273.7 | -229.7 | 0.00 | 0.00 | 0.00 |
| 6,300.0 | 5.09 | 310.80 | 6,283.7 | 242.0 | -280.4 | -235.4 | 0.00 | 0.00 | 0.00 |
| 6,400.0 | 5.09 | 310.80 | 6,383.3 | 247.8 | -287.1 | -241.0 | 0.00 | 0.00 | 0.00 |
| 0.500.0 | 5.00 | | | | | | | 0.00 | |
| 6,500.0 | 5.09 | 310.80 | 6,482.9 | 253.6 | -293.8 | -246.7 | 0.00 | 0.00 | 0.00 |
| 6,600.0 | 5.09 | 310.80 | 6,582.5 | 259.4 | -300.5 | -252.3 | 0.00 | 0.00 | 0.00 |
| 6,613.2 | 5.09 | 310.80 | 6,595.7 | 260.2 | -301.4 | -253.0 | 0.00 | 0.00 | 0.00 |
| Start Drop | -2.00 | | | | | | | | |
| 6,700.0 | 3.36 | 310.80 | 6,682.2 | 264.4 | -306.3 | -257.1 | 2.00 | -2.00 | 0.00 |
| 6,800.0 | 1.36 | 310.80 | 6,782.1 | 267.1 | -309.4 | -259.7 | 2.00 | -2.00 | 0.00 |
| 0,000.0 | 1.00 | | | | | | | | |
| 6,867.9 | 0.00 | 0.00 | 6,850.0 | 267.6 | -310.0 | -260.2 | 2.00 | -2.00 | 0.00 |
| Start 1272.5 | 5 hold at 6867.9 N | /ID | | | | | | | |
| 6,900.0 | 0.00 | 0.00 | 6,882.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,000.0 | 0.00 | 0.00 | 6,982.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,000.0 | 0.00 | 0.00 | 7.082.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | |
| | | | , | | | | | | 0.00 |
| 7,200.0 | 0.00 | 0.00 | 7,182.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,253.9 | 0.00 | 0.00 | 7,236.0 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| BYCN_MKF | | | ,===== | | | | | | |
| _ | | 0.00 | 7 000 4 | 007.0 | 040.0 | 000.0 | 0.00 | 0.00 | 0.00 |
| 7,300.0 | 0.00 | 0.00 | 7,282.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,400.0 | 0.00 | 0.00 | 7,382.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,500.0 | 0.00 | 0.00 | 7,482.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,525.9 | 0.00 | 0.00 | 7,508.0 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| BSPG_LIMI | E * | | | | | | | | |
| | | 0.00 | 7 500 4 | 007.0 | 040.0 | 000.0 | 0.00 | 0.00 | 0.00 |
| 7,600.0 | 0.00 | 0.00 | 7,582.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,700.0 | 0.00 | 0.00 | 7,682.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,800.0 | 0.00 | 0.00 | 7,782.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 7,900.0 | 0.00 | 0.00 | 7,882.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 8,000.0 | 0.00 | 0.00 | 7,982.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 8,100.0 | 0.00 | 0.00 | 8,082.1 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| 8,140.4 | 0.00 | 0.00 | 8,122.5 | 267.6 | -310.0 | -260.2 | 0.00 | 0.00 | 0.00 |
| KOP #2 - St | tart Build 12.00 | | | | | | | | |
| 8,200.0 | 7.15 | 179.61 | 8,182.0 | 263.9 | -310.0 | -256.5 | 12.00 | 12.00 | 0.00 |
| 8,300.0 | 19.15 | 179.61 | 8,279.2 | 241.2 | -309.8 | -233.8 | 12.00 | 12.00 | 0.00 |
| 8,336.3 | 23.51 | 179.61 | 8,313.0 | 228.0 | -309.7 | -220.6 | 12.00 | 12.00 | 0.00 |
| 0,330.3 | 23.31 | 10.611 | 0,313.0 | 220.0 | -309.7 | -220.0 | 12.00 | 12.00 | 0.00 |

Database: EDM 5000.16 Single User Db Company: Avant Operating, LLC
Project: Lea Co., NM (NAD 83)
Site: Royal Oak 25 Fed Com Pad 2
Well: Royal Oak 25 Fed Com #301H

Royal Oak 25 Fed Com #301H OH Plan 0.1

Wellbore: Design: Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5) Grid Minimum Curvature

| igii. | Fian U. i | | | | | | | | |
|-----------------------------|--------------------|----------------|-----------------------------|----------------------|------------------|-------------------------------|-------------------------------|------------------------------|-----------------------------|
| nned Survey | | | | | | | | | |
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| AVALON B | | ., | | , , | , | | | | |
| 8,400.0 | 31.15 | 179.61 | 8,369.5 | 198.8 | -309.5 | -191.4 | 12.00 | 12.00 | 0.00 |
| 8,500.0 | 43.15 | 179.61 | 8,449.1 | 138.5 | -309.1 | -131.4 | 12.00 | 12.00 | 0.00 |
| 8,539.4 | 47.88 | 179.61 | 8,476.7 | 110.3 | -308.9 | -103.0 | 12.00 | 12.00 | 0.00 |
| | Oak 25 Fed Com | | -, - | | | | | | |
| 8,600.0 | 55.15 | 179.61 | 8,514.4 | 63.0 | -308.6 | -55.7 | 12.00 | 12.00 | 0.00 |
| 8,700.0 | 67.15 | 179.61 | 8,562.5 | -24.5 | -308.0 | 31.7 | 12.00 | 12.00 | 0.00 |
| 8,800.0 | 79.15 | 179.61 | 8,591.5 | -120.0 | -307.4 | 127.2 | 12.00 | 12.00 | 0.00 |
| 8,890.4 | 90.00 | 179.61 | 8,600.0 | -209.9 | -306.7 | 217.0 | 12.00 | 12.00 | 0.00 |
| | 932.3 hold at 889 | | 0,000.0 | 200.0 | 000.1 | 211.0 | 12.00 | 12.00 | 0.00 |
| 8,900.0 | 90.00 | 179.61 | 8,600.0 | -219.4 | -306.7 | 226.6 | 0.00 | 0.00 | 0.00 |
| 9,000.0 | 90.00 | 179.61 | 8,600.0 | -319.4 | -306.0 | 326.6 | 0.00 | 0.00 | 0.00 |
| 9,100.0 | 90.00 | 179.61 | 8,600.0 | -419.4 | -305.3 | 426.5 | 0.00 | 0.00 | 0.00 |
| 9,200.0 | 90.00 | 179.61 | 8,600.0 | -519.4 | -304.6 | 526.5 | 0.00 | 0.00 | 0.00 |
| 9,200.0 | 90.00 | 179.61 | 8,600.0 | -519.4 -619.4 | -304.6 | 626.4 | 0.00 | 0.00 | 0.00 |
| 9,400.0 | 90.00 | 179.61 | 8,600.0 | -719.4 | -303.9 | 726.4 | 0.00 | 0.00 | 0.00 |
| 9,500.0 | 90.00 | 179.61 | 8,600.0 | -819.4 | -302.6 | 826.3 | 0.00 | 0.00 | 0.00 |
| 9,600.0 | 90.00 | 179.61 | 8,600.0 | -919.4 | -301.9 | 926.3 | 0.00 | 0.00 | 0.00 |
| 9,700.0 | 90.00 | 179.61 | 8,600.0 | -1,019.4 | -301.2 | 1,026.2 | 0.00 | 0.00 | 0.00 |
| 9,700.0 | 90.00 | 179.61 | 8,600.0 | -1,019.4 -1,119.4 | -301.2 -300.5 | 1,126.2 | 0.00 | 0.00 | 0.00 |
| 9,900.0 | 90.00 | 179.61 | 8,600.0 | -1,119.4 | -299.8 | 1,126.2 | 0.00 | 0.00 | 0.00 |
| 10,000.0 | 90.00 | 179.61 | 8,600.0 | -1,319.4 | -299.2 | 1,326.1 | 0.00 | 0.00 | 0.00 |
| 10,100.0 | 90.00 | 179.61 | 8,600.0 | -1,419.4 | -298.5 | 1,426.0 | 0.00 | 0.00 | 0.00 |
| 10,200.0 | 90.00 | 179.61 | 8,600.0 | -1,519.4 | -297.8 | 1,526.0 | 0.00 | 0.00 | 0.00 |
| 10,300.0 | 90.00 | 179.61 | 8,600.0 | -1,519.4 -1,619.4 | -297.8 -297.1 | 1,626.0 | 0.00 | 0.00 | 0.00 |
| 10,400.0 | 90.00 | 179.61 | 8,600.0 | -1,719.4 | -296.4 | 1,725.9 | 0.00 | 0.00 | 0.00 |
| 10,500.0 | 90.00 | 179.61 | 8,600.0 | -1,819.4 | -295.7 | 1,825.9 | 0.00 | 0.00 | 0.00 |
| 10,600.0 | 90.00 | 179.61 | 8,600.0 | -1,919.4 | -295.1 | 1,925.8 | 0.00 | 0.00 | 0.00 |
| 10,700.0 | 90.00 | 179.61 | 8,600.0 | -2,019.4 | -294.4 | 2,025.8 | 0.00 | 0.00 | 0.00 |
| 10,800.0 | 90.00 | 179.61 | 8,600.0 | -2,119.4 | -293.7 | 2,025.6 | 0.00 | 0.00 | 0.00 |
| 10,900.0 | 90.00 | 179.61 | 8,600.0 | -2,219.4 | -293.0 | 2,225.7 | 0.00 | 0.00 | 0.00 |
| 11,000.0 | 90.00 | 179.61 | 8,600.0 | -2,319.4 | -292.3 | 2,325.6 | 0.00 | 0.00 | 0.00 |
| 11,100.0 | 90.00 | 179.61 | 8,600.0 | -2,419.4 | -291.6 | 2,425.6 | 0.00 | 0.00 | 0.00 |
| 11,200.0 | 90.00 | 179.61 | 8,600.0 | -2,519.4 | -291.0 | 2,525.5 | 0.00 | 0.00 | 0.00 |
| 11,300.0 | 90.00 | 179.61 | 8,600.0 | -2,619.4 | -290.3 | 2,625.5 | 0.00 | 0.00 | 0.00 |
| 11,400.0 | 90.00 | 179.61 | 8,600.0 | -2,719.4 | -289.6 | 2,725.4 | 0.00 | 0.00 | 0.00 |
| 11,500.0 | 90.00 | 179.61 | 8,600.0 | -2,819.4 | -288.9 | 2,825.4 | 0.00 | 0.00 | 0.00 |
| 11,600.0 | 90.00 | 179.61 | 8,600.0 | -2,919.4 | -288.2 | 2,925.4 | 0.00 | 0.00 | 0.00 |
| 11,700.0 | 90.00 | 179.61 | 8,600.0 | -3,019.4 | -287.6 | 3,025.3 | 0.00 | 0.00 | 0.00 |
| 11,800.0 | 90.00 | 179.61 | 8,600.0 | -3,119.4 | -286.9 | 3,125.3 | 0.00 | 0.00 | 0.00 |
| 11,900.0 | 90.00 | 179.61 | 8,600.0 | -3,219.4 | -286.2 | 3,225.2 | 0.00 | 0.00 | 0.00 |
| 12,000.0 | 90.00 | 179.61 | 8,600.0 | -3,319.4 | -285.5 | 3,325.2 | 0.00 | 0.00 | 0.00 |
| 12,100.0 | 90.00 | 179.61 | 8,600.0 | -3,419.4 | -284.8 | 3,425.1 | 0.00 | 0.00 | 0.00 |
| 12,200.0 | 90.00 | 179.61 | 8,600.0 | -3,519.4 | -284.1 | 3,525.1 | 0.00 | 0.00 | 0.00 |
| 12,300.0 | 90.00 | 179.61 | 8,600.0 | -3,619.4 | -283.5 | 3,625.0 | 0.00 | 0.00 | 0.00 |
| 12,400.0 | 90.00 | 179.61 | 8,600.0 | -3,719.4 | -282.8 | 3,725.0 | 0.00 | 0.00 | 0.00 |
| 12,500.0 | 90.00 | 179.61 | 8,600.0 | -3,819.4 | -282.1 | 3,824.9 | 0.00 | 0.00 | 0.00 |
| 12,600.0 | 90.00 | 179.61 | 8,600.0 | -3,919.4 | -281.4 | 3,924.9 | 0.00 | 0.00 | 0.00 |
| 12,700.0 | 90.00 | 179.61 | 8,600.0 | -4,019.4 | -280.7 | 4,024.8 | 0.00 | 0.00 | 0.00 |
| 12,800.0 | 90.00 | 179.61 | 8,600.0 | -4,119.4 | -280.0 | 4,124.8 | 0.00 | 0.00 | 0.00 |
| 12,900.0 | 90.00 | 179.61 | 8,600.0 | -4,219.3 | -279.4 | 4,224.8 | 0.00 | 0.00 | 0.00 |
| 13,000.0 | 90.00 | 179.61 | 8,600.0 | -4,319.3 | -278.7 | 4,324.7 | 0.00 | 0.00 | 0.00 |
| 13,100.0 | 90.00 | 179.61 | 8,600.0 | -4,419.3 | -278.0 | 4,424.7 | 0.00 | 0.00 | 0.00 |

EDM 5000.16 Single User Db Database: Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83) Royal Oak 25 Fed Com Pad 2 Site: Well:

Royal Oak 25 Fed Com #301H

ОН Wellbore: Design: Plan 0.1

Local Co-ordinate Reference: TVD Reference:

MD Reference: North Reference:

Survey Calculation Method:

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5)

Minimum Curvature

| Joigin | | | | | | | | | |
|----------------------|----------------|------------------|--------------------|----------------------|------------------|--------------------|--------------|--------------|--------------|
| lanned Survey | | | | | | | | | |
| | | | | | | | | | |
| Measured | | | Vertical | | | Vertical | Dogleg | Build | Turn |
| Depth | Inclination | Azimuth | Depth | +N/-S | +E/-W | Section | Rate | Rate | Rate |
| (usft) | (°) | (°) | (usft) | (usft) | (usft) | (usft) | (°/100usft) | (°/100usft) | (°/100usft) |
| 13,200.0 | 90.00 | 179.61 | 8,600.0 | -4,519.3 | -277.3 | 4,524.6 | 0.00 | 0.00 | 0.00 |
| 13,300.0 | 90.00 | 179.61 | 8,600.0 | -4,619.3 | -276.6 | 4,624.6 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 13,400.0 | 90.00 | 179.61 | 8,600.0 | -4,719.3 | -275.9 | 4,724.5 | 0.00 | 0.00 | 0.00 |
| 13,500.0 | 90.00 | 179.61 | 8,600.0 | -4,819.3 | -275.3 | 4,824.5 | 0.00 | 0.00 | 0.00 |
| 13,600.0 | 90.00 | 179.61 | 8,600.0 | -4,919.3 | -274.6 | 4,924.4 | 0.00 | 0.00 | 0.00 |
| 13,700.0 | 90.00 | 179.61 | 8,600.0 | -5,019.3 | -273.9 | 5,024.4 | 0.00 | 0.00 | 0.00 |
| 13,800.0 | 90.00 | 179.61 | 8,600.0 | -5,119.3 | -273.2 | 5,124.3 | 0.00 | 0.00 | 0.00 |
| 13,900.0 | 90.00 | 179.61 | 8,600.0 | -5,219.3 | -272.5 | 5,224.3 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 14,000.0 | 90.00 | 179.61 | 8,600.0 | -5,319.3 | -271.8 | 5,324.2 | 0.00 | 0.00 | 0.00 |
| 14,100.0 | 90.00 | 179.61 | 8,600.0 | -5,419.3 | -271.2 | 5,424.2 | 0.00 | 0.00 | 0.00 |
| 14,200.0 | 90.00 | 179.61 | 8,600.0 | -5,519.3 | -270.5 | 5,524.2 | 0.00 | 0.00 | 0.00 |
| 14,300.0 | 90.00 | 179.61 | 8,600.0 | -5,619.3 | -269.8 | 5,624.1 | 0.00 | 0.00 | 0.00 |
| 14,400.0 | 90.00 | 179.61 | 8,600.0 | -5,719.3 | -269.1 | 5,724.1 | 0.00 | 0.00 | 0.00 |
| 14,500.0 | | 179.61 | 8,600.0 | -5,819.3 | -268.4 | 5,824.0 | 0.00 | 0.00 | 0.00 |
| | 90.00 | | | | | | | | |
| 14,600.0 | 90.00 | 179.61 | 8,600.0 | -5,919.3 | -267.7 | 5,924.0 | 0.00 | 0.00 | 0.00 |
| 14,700.0 | 90.00 | 179.61 | 8,600.0 | -6,019.3 | -267.1 | 6,023.9 | 0.00 | 0.00 | 0.00 |
| 14,800.0 | 90.00 | 179.61 | 8,600.0 | -6,119.3 | -266.4 | 6,123.9 | 0.00 | 0.00 | 0.00 |
| 14,900.0 | 90.00 | 179.61 | 8,600.0 | -6,219.3 | -265.7 | 6,223.8 | 0.00 | 0.00 | 0.00 |
| 15,000.0 | 90.00 | 179.61 | 8,600.0 | -6,319.3 | -265.0 | 6,323.8 | 0.00 | 0.00 | 0.00 |
| | 90.00 | 179.61 | | , | | | | 0.00 | 0.00 |
| 15,100.0 | 90.00 | | 8,600.0 | -6,419.3 | -264.3 | 6,423.7 | 0.00 | | |
| 15,200.0 | 90.00 | 179.61 | 8,600.0 | -6,519.3 | -263.6 | 6,523.7 | 0.00 | 0.00 | 0.00 |
| 15,300.0 | 90.00 | 179.61 | 8,600.0 | -6,619.3 | -263.0 | 6,623.6 | 0.00 | 0.00 | 0.00 |
| 15,400.0 | 90.00 | 179.61 | 8,600.0 | -6,719.3 | -262.3 | 6,723.6 | 0.00 | 0.00 | 0.00 |
| 15,500.0 | 90.00 | 179.61 | 8,600.0 | -6,819.3 | -261.6 | 6,823.6 | 0.00 | 0.00 | 0.00 |
| | | 179.61 | | | | | | | 0.00 |
| 15,600.0 | 90.00 | 179.61 | 8,600.0 | -6,919.3 | -260.9 | 6,923.5 | 0.00 | 0.00 | 0.00 |
| 15,700.0 | 90.00 | 179.61 | 8,600.0 | -7,019.3 | -260.2 | 7,023.5 | 0.00 | 0.00 | 0.00 |
| 15,800.0 | 90.00 | 179.61 | 8,600.0 | -7,119.3 | -259.5 | 7,123.4 | 0.00 | 0.00 | 0.00 |
| 15,900.0 | 90.00 | 179.61 | 8,600.0 | -7,219.3 | -258.9 | 7,223.4 | 0.00 | 0.00 | 0.00 |
| 16,000.0 | 90.00 | 179.61 | 8,600.0 | -7,319.3 | -258.2 | 7,323.3 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 16,100.0 | 90.00 | 179.61 | 8,600.0 | -7,419.3 | -257.5 | 7,423.3 | 0.00 | 0.00 | 0.00 |
| 16,200.0 | 90.00 | 179.61 | 8,600.0 | -7,519.3 | -256.8 | 7,523.2 | 0.00 | 0.00 | 0.00 |
| 16,300.0 | 90.00 | 179.61 | 8,600.0 | -7,619.3 | -256.1 | 7,623.2 | 0.00 | 0.00 | 0.00 |
| 16,400.0 | 90.00 | 179.61 | 8,600.0 | -7,719.3 | -255.5 | 7,723.1 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 16,500.0 | 90.00 | 179.61 | 8,600.0 | -7,819.3 | -254.8 | 7,823.1 | 0.00 | 0.00 | 0.00 |
| 16,600.0 | 90.00 | 179.61 | 8,600.0 | -7,919.3 | -254.1 | 7,923.0 | 0.00 | 0.00 | 0.00 |
| 16,700.0 | 90.00 | 179.61 | 8,600.0 | -8,019.3 | -253.4 | 8,023.0 | 0.00 | 0.00 | 0.00 |
| 16,800.0 | 90.00 | 179.61 | 8,600.0 | -8,119.3 | -252.7 | 8,123.0 | 0.00 | 0.00 | 0.00 |
| | 90.00 | | | | -252.7 -252.0 | | 0.00 | 0.00 | 0.00 |
| 16,900.0 | | 179.61 | 8,600.0 | -8,219.3 | | 8,222.9 | | | |
| 17,000.0 | 90.00 | 179.61 | 8,600.0 | -8,319.3 | -251.4 | 8,322.9 | 0.00 | 0.00 | 0.00 |
| 17,100.0 | 90.00 | 179.61 | 8,600.0 | -8,419.3 | -250.7 | 8,422.8 | 0.00 | 0.00 | 0.00 |
| 17,200.0 | 90.00 | 179.61 | 8,600.0 | -8,519.2 | -250.0 | 8,522.8 | 0.00 | 0.00 | 0.00 |
| 17,300.0 | 90.00 | 179.61 | 8,600.0 | -8,619.2 | -249.3 | 8,622.7 | 0.00 | 0.00 | 0.00 |
| 17,400.0 | | | | | | 8,722.7 | | | |
| | 90.00 | 179.61 | 8,600.0 | -8,719.2 | -248.6 | | 0.00 | 0.00 | 0.00 |
| 17,500.0 | 90.00 | 179.61 | 8,600.0 | -8,819.2 | -247.9 | 8,822.6 | 0.00 | 0.00 | 0.00 |
| 17,600.0 | 90.00 | 179.61 | 8,600.0 | -8,919.2 | -247.3 | 8,922.6 | 0.00 | 0.00 | 0.00 |
| 17,700.0 | 90.00 | 179.61 | 8,600.0 | -9,019.2 | -246.6 | 9,022.5 | 0.00 | 0.00 | 0.00 |
| 17,800.0 | 90.00 | 179.61 | 8,600.0 | -9,119.2 | -245.9 | 9,122.5 | 0.00 | 0.00 | 0.00 |
| 17,900.0 | 90.00 | 179.61 | 8,600.0 | -9,219.2 | -245.2 | 9,222.4 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 18,000.0 | 90.00 | 179.61 | 8,600.0 | -9,319.2 | -244.5 | 9,322.4 | 0.00 | 0.00 | 0.00 |
| 18,100.0 | 90.00 | 179.61 | 8,600.0 | -9,419.2 | -243.8 | 9,422.4 | 0.00 | 0.00 | 0.00 |
| 18,200.0 | 90.00 | 179.61 | 8,600.0 | -9,519.2 | -243.2 | 9,522.3 | 0.00 | 0.00 | 0.00 |
| | | | | | | | | | |
| 18 300 O | 90.00 | 179 61 | 8,600 O | -9.619.2 | -242 5 | 9,622.3 | 0.00 | 0.00 | 0.00 |
| 18,300.0 18,400.0 | 90.00 90.00 | 179.61 179.61 | 8,600.0 8,600.0 | -9,619.2 -9,719.2 | -242.5 -241.8 | 9,622.3 9,722.2 | 0.00 0.00 | 0.00 0.00 | 0.00 0.00 |

Design:

Planning Report

EDM 5000.16 Single User Db Database: Company: Avant Operating, LLC Project: Lea Co., NM (NAD 83) Royal Oak 25 Fed Com Pad 2 Site: Well: Royal Oak 25 Fed Com #301H Wellbore:

ОН Plan 0.1

Local Co-ordinate Reference: TVD Reference: MD Reference: North Reference: **Survey Calculation Method:**

Well Royal Oak 25 Fed Com #301H WELL @ 3892.5usft (3892.5) WELL @ 3892.5usft (3892.5) Minimum Curvature

| anned Survey | | | | | | | | | |
|----------------------------------|-------------------------|----------------------------|-------------------------------|-------------------------------------|----------------------------|----------------------------------|-------------------------------|------------------------------|-----------------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 18,600.0 | 90.00 | 179.61 | 8,600.0 | -9,919.2 | -240.4 | 9,922.1 | 0.00 | 0.00 | 0.00 |
| 18,700.0 18,800.0 18,822.7 | 90.00 90.00 90.00 | 179.61 179.61 179.61 | 8,600.0 8,600.0 8,600.0 | -10,019.2 -10,119.2 -10,141.9 | -239.7 -239.1 -238.9 | 10,022.1 10,122.0 10,144.7 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 |
| TD at 18822 | .7 - LTP/PBHL-Re | oyal Oak 25 Fed | Com #301H | | | | | | |

| Design Targets | | | | | | | | | |
|---|-----------------------|-------------------------|-------------------------|-----------------------------------|---------------------------|--------------------|-------------------|-----------|-------------|
| Target Name - hit/miss target - Shape | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude | Longitude |
| FTP-Royal Oak 25 Fed (- plan misses target o - Point | 0.00 center by 163 | 0.00 0.00sft at 8539 | 8,600.0 9.4usft MD (| 216.9 8476.7 TVD, ² | -311.6 110.3 N, -308.9 | 628,456.76 9 E) | 760,118.72 | 32.725648 | -103.621908 |
| LTP/PBHL-Royal Oak 25 - plan hits target cent - Point | 0.00 er | 0.00 | 8,600.0 | -10,141.9 | -238.9 | 618,097.96 | 760,191.37 | 32.697176 | -103.621898 |

| С | asing Points | | | | | | | |
|---|--------------|----------|----------|------------|------|----------|----------|--|
| | | Measured | Vertical | | | Casing | Hole | |
| | | Depth | Depth | | | Diameter | Diameter | |
| | | (usft) | (usft) | | Name | (") | (") | |
| | | 18,782.9 | 8,600.0 | 20" Casing | | 20 | 24 | |

| Formations | | | | | | | |
|------------|-----------------------------|-----------------------------|-------------|-----------|------------|-------------------------|--|
| | Measured Depth (usft) | Vertical Depth (usft) | Name | Lithology | Dip (°) | Dip Direction (°) | |
| | 1,628.0 | 1,628.0 | RUSTLER | | | | |
| | 1,951.0 | 1,951.0 | SOLADO | | | | |
| | 3,646.8 | 3,641.0 | YATES | | | | |
| | 5,667.8 | 5,654.0 | CHERRY_CNYN | | | | |
| | 7,253.9 | 7,236.0 | BYCN_MKR | | | | |
| | 7,525.9 | 7,508.0 | BSPG_LIME * | | | | |
| | 8,336.3 | 8,313.0 | AVALON_B | | | | |

| Plan Annotations | | | | | |
|------------------|-------------|-----------|------------|-------------------------------------|--|
| Measure | d Vertical | Local Co | pordinates | | |
| Depth | Depth | +N/-S | +E/-W | | |
| (usft) | (usft) | (usft) | (usft) | Comment | |
| 2,000 | 2,000.0 | 0.0 | 0.0 | KOP - Start Build 2.00 | |
| 2,254 | 1.6 2,254.3 | 7.4 | -8.6 | Start 4358.6 hold at 2254.6 MD | |
| 6,613 | 3.2 6,595.7 | 260.2 | -301.4 | Start Drop -2.00 | |
| 6,867 | 7.9 6,850.0 | 267.6 | -310.0 | Start 1272.5 hold at 6867.9 MD | |
| 8,140 | 0.4 8,122.5 | 267.6 | -310.0 | KOP #2 - Start Build 12.00 | |
| 8,890 | 0.4 8,600.0 | -209.9 | -306.7 | LP - Start 9932.3 hold at 8890.4 MD | |
| 18,822 | 2.7 8,600.0 | -10,141.9 | -238.9 | TD at 18822.7 | |



WELL DETAILS: Royal Oak 25 Fed Com #301H

Ground Elev: 3866.0 KB: 3892.5

+N/-S +E/-W Northing Easting Latittude Longitude 0.0 0.0 628239.85 760430.28 32.725046 -103.620900

PROJECT DETAILS: Lea Co., NM (NAD 83)

Geodetic System: US State Plane 1983

Datum: North American Datum 1983

Ellipsoid: GRS 1980

Zone: New Mexico Eastern Zone

System Datum: Mean Sea Level

179.61


179.61

8600.0

8600.0

-209.9

-10141.9 -238.9



SECTION DETAILS +E/-W **VSect** Sec MD Azi TVD +N/-S Dleg **TFace** Annotation Inc 1 0.0 0.00 0.00 0.0 0.0 0.0 0.00 0.00 0.0 KOP - Start Build 2.00 2 2000.0 0.00 0.00 2000.0 0.0 0.0 0.00 0.00 0.0 3 2254.6 2254.3 5.09 310.80 7.4 -8.6 2.00 310.80 -7.2 Start 4358.6 hold at 2254.6 MD 6613.2 5.09 310.80 6595.7 260.2 -301.4 0.00 0.00 -253.0 Start Drop -2.00 6867.9 6850.0 2.00 -260.2 Start 1272.5 hold at 6867.9 MD 0.00 0.00 267.6 -310.0180.00 8140.4 0.00 0.00 8122.5 267.6 -310.0 0.00 0.00 -260.2 KOP #2 - Start Build 12.00


12.00

0.00

-306.7

M Azimuths to Grid North
True North: -0.39°
Magnetic North: 8.24°

Magnetic Field
Strength: 49719.2nT
Dip Angle: 60.90°
Date: 12/31/2004
Model: IGRF2000



179.61

0.00

217.0

10144.7

LP - Start 9932.3 hold at 8890.4 MD

TD at 18822.7

8890.4

18822.7

90.00

90.00



Coterra Energy Inc. CEMENT PROPOSAL #81440

Surface Proposal

Royal Oak 25 Fed Com #301H 30-025-52842 S:25 T:18S R:33E Lea NM

February 06, 2025



CEMENT PROPOSAL

Attention: Kyle Adamek | (660) 247-2024 | kyle@deepenergyllc.com Coterra Energy Inc. 202 S. Cheyenne Ave Suite 1000 | Tulsa, OK 74103 February 06, 2025

Dear Kyle Adamek,

Thank you for the opportunity to submit pricing for cementing services on the attached wellbore. American Cementing's priority is to provide premium customer service while operating in a safe, efficient manner. If you have any questions regarding the proposal or services offered, please contact American Cementing at any time.

Sincerely,

Will Bautista
Sales | (432) 254-0261 | will.bautista@americancementing.com

Prepared By
Meseret Belayneh
Field Engineer III | (801) 513-8231 | meseret.belayneh@americancementing.com

Field Office 6165 W Murphy St, Odessa, TX 79763

Phone: (432) 208-6452

Disclaimer

- 1. Proposal is valid for 30 days
- 2. Proposal is for pricing purposes only; actual job procedure to be confirmed prior to job
- 3. American Cementing recommends proper hole conditioning prior to initiating cementing; please discuss procedures with your American Cementing representative
- 4. Applicable sales tax will be added to the final invoice
- 5. American Cementing's general terms and conditions are hereby incorporated into this Proposal




Well Information

Well Name: Royal Oak 25 Fed Com #301H

Well API: **30-025-52842** Latitude: **32.725047** Longitude: **-103.620769**

Section: 25 Township: 18S Range: 33E County: Lea, NM





Job: Surface (Surface) - Well Information

Drilling Fluid Density: 8.40 lb/gal

Drilling Fluid: Water

Total Measured Depth: **1653 ft**Total Vertical Depth: **1653 ft**

BHCT: **86 °F** BHST: **95 °F**

Temperature Gradient: 0.90 °F/100ft

Surface Temp: 80 °F

Geometry

| # | Туре | Function | OD (in) | ID (in) | Weight (lb/ft) | Grade | Thread | Тор | Bottom | Excess (%) |
|---|----------|----------|---------|---------|-------------------|-------|--------|------|--------|---------------|
| 1 | Casing | Outer | 20.000 | 19.500 | 53.00 | | n/a | 0 | 120 | 0.0 |
| 2 | OpenHole | Outer | | 17.500 | | | n/a | 120 | 1353 | 50.0 |
| 3 | OpenHole | Outer | | 17.500 | | | n/a | 1353 | 1653 | 20.0 |
| 1 | Casing | Inner | 13.375 | 12.615 | 54.50 | | n/a | 0 | 1653 | 0.0 |


Capacities

Excess added to Capacity Factor

| Туре | TopDepth (ft) | Length (ft) | OD (in) | ID (in) | Capacity (bbl/ft) | Capacity (ft ^{3/ft)} | Fill (ft/bbl) | Fill (ft/ft ³⁾ |
|--------------------|------------------|----------------|---------|---------|----------------------|----------------------------------|------------------|------------------------------|
| DisplacementFinal | 0 | 1568 | 12.615 | 0.000 | 0.1546 | 0.8679 | 6.47 | 1.15 |
| ShoeJoint | 1568 | 85 | 12.615 | 0.000 | 0.1546 | 0.8679 | 6.47 | 1.15 |
| Casing to OpenHole | 1353 | 300 | 17.500 | 13.375 | 0.1485 | 0.8335 | 6.74 | 1.20 |
| Casing to OpenHole | 120 | 1233 | 17.500 | 13.375 | 0.1856 | 1.0419 | 5.39 | 0.96 |
| Casing to Casing | 0 | 120 | 19.500 | 13.375 | 0.1956 | 1.0982 | 5.11 | 0.91 |



Job: Surface (Surface) - Well & Fluid Diagrams





Job: Surface (Surface) - Material Information

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/bbl) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|-------|-------------|-------------------|---------------------|-------------------------|-------------------------------|-----------------------|--------------------------|
| 1 | Flush | FW with dye | 0.00 | 8.34 | 42.0 | n/a | | 20.00 |

DYE, LIQUID, BLUE - Other - 0.050 gal/bbl

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/sk) | Yield (ft³/sk) | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|------|-------|-------------------|---------------------|------------------------|-------------------|--------------------------|--------------------------|
| 2 | Lead | Lead | 0.00 | 12.80 | 10.8 | 1.97 | 721 | 252.57 |

CEMENT, CLASS C, HSR - Cement - 100.000 %

Cement Additive, Sodium Metasilicate A-2 - Accelerator - 1.200 %BWOB

ACCELERATOR, SALT, CHLORIDE, CALCIUM, A-7P, PELLETS - Accelerator - 0.500 %BWOB

FOAM PREVENTER, FP-28L - Defoamer - 0.005 gal/sk

IntegraSeal CELLO - LostCirculation - 0.250 lb/sk

IntegraSeal KOL - LostCirculation - 2.500 lb/sk

RETARDER, R-7C - Retarder - 0.170 %BWOB

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/sk) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|------|-------|-------------------|---------------------|------------------------|-------------------------------|--------------------------|--------------------------|
| 3 | Tail | Tail | 1353.00 | 14.80 | 6.3 | 1.33 | 244 | 57.82 |

CEMENT, CLASS C, HSR - Cement - 100.000 %

ACCELERATOR, SALT, CHLORIDE, CALCIUM, A-7P, PELLETS - Accelerator - 0.500 %BWOB

FOAM PREVENTER, FP-28L - Defoamer - 0.005 gal/sk

ANTI STATIC ADDITIVE, STATIC FREE - Other - 0.005 lb/sk

| Pump | Туре | Fluid | Fluid Top | Density | Water Req. | Yield | Proposed | Proposed |
|-------|-------------------|------------------|-----------|----------|------------|----------------------|--------------|--------------|
| Order | | | (ft) | (lb/gal) | (gal/bbl) | (ft ^{3/sk)} | Volume (sks) | Volume (bbl) |
| 4 | DisplacementFinal | Fresh Water + | 0.00 | 8.34 | 42.0 | n/a | | 243.00 |
| | | add | | | | | | |

Job: Surface (Surface) - Pump Schedule

| Sequence | Туре | Fluid | Density (lb/gal) | Pump Rate (bpm) | Volume (bbls) | Volume (sks) | Cum. Vol. (bbls) | Stage Time (min) | Cum. Time (min) |
|----------|-------------------|-------------------------|---------------------|-----------------------|------------------|-----------------|---------------------|------------------------|-----------------------|
| 1 | Flush | FW with dye | 8.34 | 5.00 | 20.00 | | 20.00 | 4.00 | 4.00 |
| 2 | Lead | Lead | 12.80 | 5.00 | 252.57 | 721 | 272.57 | 50.51 | 54.51 |
| 3 | Tail | Tail | 14.80 | 5.00 | 57.82 | 244 | 330.39 | 11.56 | 66.07 |
| 4 | DisplacementFinal | Fresh Water + add | 8.34 | 5.00 | 243.00 | | 573.39 | 48.60 | 114.67 |



General Terms and Conditions

AMERICAN CEMENTING, LLC TERMS AND CONDITIONS

These Terms and Conditions (these "T&Cs") contain INDEMNIFICATION, LIMITATION OF LIABILITY AND RISK SHIFTING PROVISIONS. The provision of Work by American Cementing, LLC or its affiliated companies ("Contractor" or "American") to any person or entity placing an Order for such Work ("Company" or "Customer") is subject to these T&Cs. By requesting the Work, Company voluntarily elects to enter into and be bound by these T&Cs, and any Order for Work shall constitute acceptance of these T&Cs, unless Contractor and Company have entered into a Master Service Agreement or other agreement expressly accepted in writing by Contractor's authorized representative, in which case the terms and conditions of such agreements shall govern the provision of the Work and completely supersede these T&Cs in all respects.

- 1. DEFINITIONS. "Claims" means all claims, lawsuits, demands, causes of action, liabilities, damages (including punitive damages), judgments, awards, fines, penalties, losses, costs, expenses (including, without limitation, reasonable attorneys' fees, expert fees, and costs of litigation) of any kind or character, without limit, which arise out of or are related to the Work. "COMPANY GROUP" means (i) COMPANY, and any of its parent, subsidiary and affiliated or related entities; (ii) the working interest owners, co-owners, co-lesses, co-lessors, partners and joint venturers of (i); (iii) any person or entity with an economic interest or property rights in the well, premises or the property in relation to or upon which Work is performed; and (iv) the officers, directors, employees, shareholders, agents, representatives, contractors (except CONTRACTOR), subcontractors, consultants, and invitees of (i), (ii) and (iii) above. "CONTRACTOR GROUP" means (i) CONTRACTOR and any of its subsidiary and affiliated or related entities; and (ii) the officers, directors, employees, shareholders, agents, representatives, contractors, subcontractors, consultants, and invitees of all of the foregoing. "Order" means a written or verbal request for specific Work, including by way of a purchase order, work order, service order, work authorization, or similar instrument issued by COMPANY to CONTRACTOR, and which shall incorporate the pricing proposal submitted by CONTRACTOR for such Work. A request will be considered written if exchanges, whether by correspondence, letter, fax, or email include all material terms and conditions and they have been accepted or ratified by both COMPANY and CONTRACTOR; provided, however, if verbal, such request shall be confirmed in writing as soon as practicable, and the terms of the written Order shall control. "Work" means any cementing services and other related services provided by CONTRACTOR, along with all related personnel, equipment, machinery, tools, supplies, materials, vehicles, facilities, co
- 2. INDEPENDENT CONTRACTOR. This Agreement does not create any agency, partnership, joint venture, or similar business relationship between parties. COMPANY will have the right generally to oversee and inspect the performance of the Work to ensure the reasonable satisfactory completion thereof; it being understood and agreed that CONTRACTOR shall have exclusive control over the operational details of the Work.
- 3. PRICING AND PAYMENT. 3.1 COMPANY will pay CONTRACTOR for the Work according to the prices and rates contained the applicable Order; provided, however, that if there are no such prices and rates, then the prices and rates set forth in the pricing proposal submitted by CONTRACTOR for the Work shall apply. The pricing proposals submitted by CONTRACTOR are generally valid sixty (60) days from submission of such proposal, unless otherwise set forth in such pricing proposal. Notwithstanding the foregoing, before commencing the Work and until an agreement is reached between the parties regarding such prices and rates, CONTRACTOR has the right to revise and shall advise COMPANY of any changes in the pricing proposal, and COMPANY may either accept or reject such changes, and proceed with the Work or not. 3.2 COMPANY shall pay CONTRACTOR's invoices within thirty (30) days of receipt of invoice. In the event COMPANY disputes any amount, it shall do so in good faith and shall notify CONTRACTOR of such dispute within thirty (30) days of receipt of invoice, provided, however, that COMPANY shall pay any undisputed portion of the invoice within the time for payment noted above and shall endeavor to expeditiously resolve such disputes. Any undisputed invoices, remaining unpaid for sixty (60) days after receipt by COMPANY, shall accrue interest at the rate of 1.5% per month or the maximum interest rate allowed by applicable law, whichever is less, through the time of collection. 3.3 Prices quoted by CONTRACTOR do not include sales, VAT, use or similar taxes, and such taxes, where applicable, shall be added to the quoted prices and invoiced accordingly. Each party shall pay all taxes levied or assessed by any governmental authority in connection with or incident to its performance under an Order; provided, however, that CONTRACTOR shall pay any assessments or taxes upon wages of CONTRACTOR, social security, unemployment insurance, old age benefits, or any other employment taxes, contributions or withholdings.
- 4. ORDERS; STANDARD OF PERFORMANCE; WARRANTIES. 4.1 COMPANY may from time to time place an Order for Work, and CONTRACTOR may provide such Work to COMPANY, subject to these T&Cs. Orders shall become binding only after signed or acknowledged by an authorized representative of each party. 4.2 CONTRACTOR shall provide all labor, equipment, machinery, tools, supplies, materials, vehicles, facilities, consumables, goods, and any other items required for the execution and completion of the Work, as more fully described in the applicable Order, 4.3 CONTRACTOR shall perform the Work with due diligence and care, in a good and workmanlike manner, using skilled, competent, experienced, and, where applicable, licensed personnel in accordance with the specifications represented by CONTRACTOR and with generally accepted oilfield practices. 4.4 CONTRACTOR shall conduct its Work, in all material respects, in accordance with all applicable laws, rules, regulations, decrees, and/or official government orders of any governing body having jurisdiction over the Work. 4.5 CONTRACTOR's Work is designed to operate under conditions normally encountered in a wellbore. COMPANY shall notify CONTRACTOR in advance and make special arrangements for Work in which hazardous or unusual conditions exist. COMPANY has complete care, custody, and control of the well, the premises around the well, and the drilling and production equipment of the well (other than such equipment provided by CONTRACTOR hereunder), and Company shall furnish directions and requirements for Work performed hereunder. CONTRACTOR is relying on COMPANY to provide such directions and requirements without further investigation by CONTRACTOR. CONTRACTOR agrees to observe and abide by COMPANY's safety policies and procedures communicated to and acknowledged by CONTRACTOR. CONTRACTOR shall as promptly as possible under the circumstances report to COMPANY's representative all accidents or occurrences resulting in injuries, illness or death to person(s) or damage to property, arising out of or occurring during the Work. 4.6 CONTRACTOR's sole liability, and COMPANY's exclusive remedy, for any Claims for breach of warranty under this Section 4 are limited to, at CONTRACTOR's sole option, (i) if practical, the re-performance of the defective Work or portion thereof, at no additional cost to COMPANY; or (ii) a refund or credit to COMPANY of any amount paid to CONTRACTOR for such defective Work or portion thereof. In the event that CONTRACTOR materially fails to perform the Work or if CONTRACTOR provides defective Work for reasons solely within CONTRACTOR's control. COMPANY shall give notice to CONTRACTOR of such non-performance or defective performance immediately upon discovery and prior to CONTRACTOR's departure from the worksite, otherwise such warranty Claim is waived. 4.7 Due to the nature of the Work to be performed in unpredictable wellbore conditions, CONTRACTOR does not warrant the accuracy, correctness, or completeness of any interpretations, analysis, recommendations, or advice, nor that COMPANY's or any third party's reliance on such interpretations, analysis, recommendations, or advice will accomplish any particular results, and which in any event are opinions only. Accordingly, it is COMPANY's responsibility, and sole risk, to determine the completion, well treatment, production, or financial decision involving any risk. Any outcomes that are less than expected will not relieve COMPANY of its responsibility to pay for the Work in accordance with these T&Cs. 4.8 THE WARRANTIES PROVIDED IN THIS SECTION 4 ARE THE SOLE AND EXCLUSIVE WARRANTIES RELATING TO THE WORK AND ARE IN LIEU OF ANY AND ALL OTHER WARRANTIES WHETHER ORAL, WRITTEN, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WARRANTY OF MERCHANTABILITY AND WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. 5. ORDER CHANGES; PROJECT ADMINISTRATION. 5.1 COMPANY may ask for and CONTRACTOR may agree to variations in the Work, whether by way of addition, modification or omission, which variations shall be in writing and signed by authorized representatives of both parties. The value of any such variations shall be ascertained by reference to the prices and rates specified in the applicable Order for like or analogous Work; provided, however, that if there are no such prices and rates or if they are otherwise inapplicable, then the prices and rates set forth in the pricing proposal submitted by CONTRACTOR for such additional Work shall apply. 5.2 To acknowledge or document various events during the provision of the Work, a party may from time to time sign the other party's forms, such as Orders, delivery tickets, job tickets, invoices, or similar instruments used by the parties in the normal course of business. In the event of a conflict between these T&Cs and any such documents, these T&Cs shall control, unless specific reference is made that these T&Cs are modified and the intention to modify is explicitly stated in such documents. 5.3 It is understood and agreed between the parties that COMPANY's representative (appointed in accordance with Section 5.4 below) shall have the authority to approve any job tickets, delivery tickets, or similar forms attesting to the completion of the Work by CONTRACTOR ("Job Tickets"). A COMPANY representative's signature on such Tickets shall indicate acceptance of the Work. If the Job Tickets are not acknowledged within forty-eight (48) hours of receipt through no fault of CONTRACTOR, CONTRACTOR may submit invoices for payment as if such Tickets had been acknowledged. 5.4 COMPANY will appoint a representative who will be responsible for the supervision of the Work, and who shall have full authority to represent and make decisions on behalf of COMPANY with respect to the Work, or otherwise to resolve the day-to-day issues which may arise related to the Work. Likewise, CONTRACTOR shall designate a representative with similar responsibilities and authority to liaise with COMPANY's representative.
- 6. CONTRACTOR's EQUIPMENT. 6.1 Title to CONTRACTOR's equipment, including any lost, damaged, or confiscated equipment, shall remain in CONTRACTOR, and COMPANY shall have no right to assign, transfer, hypothecate, or remove such equipment from the place of its intended use without CONTRACTOR's prior written consent. 6.2 COMPANY shall be responsible for and agrees to compensate CONTRACTOR for all damages, losses, or any abnormal wear to CONTRACTOR GROUP's equipment: (i) while in COMPANY GROUP's care, custody or control, including while being transported by any member of COMPANY GROUP; (ii) as a result of operations conducted out of specifications at COMPANY GROUP's request, or in corrosive, abnormal temperatures or other



unusual conditions; (iii) due to fishing operations (if any); or (iv) if lost in the hole or damaged beyond repair while in the hole or used in the hole. COMPANY will replace such equipment or reimburse CONTRACTOR with the current replacement price of such equipment.

7. INDEMNITY.

7.1 Application of Indemnities. 7.1.1 In those matters in which a party is required by these T&Cs to RELEASE, DEFEND, PROTECT, INDEMNIFY, AND HOLD HARMLESS the other party and/or members of its respective Group, SUCH OBLIGATIONS SHALL, EXCEPT TO THE EXTENT EXPRESSLY PROVIDED OTHERWISE IN THESE T&CS, APPLY TO INDEMNITOR REGARDLESS OF THE CAUSE OR REASON, OR WHO MAY BE AT FAULT OR OTHERWISE RESPONSIBLE UNDER ANY CONTRACT, STATUTE, RULE, OR THEORY OF LAW, INCLUDING WITHOUT LIMITATION STRICT LIABILITY, TORT, BREACH OF DUTY (STATUTORY OR OTHERWISE), BREACH OF CONTRACT, BREACH OF REPRESENTATION OR WARRANTY, BREACH OF ANY SAFETY REQUIREMENT OR REGULATION, DUE TO ANY LATENT, PATENT, OR PRE-EXISTING DEFECTS OR CONDITIONS, IMPERFECTION OF MATERIAL, FAILURE OF EQUIPMENT, OR ANY LEGAL FAULT OR RESPONSIBILITY OF EITHER PARTY. INCLUDING THE SOLE, JOINT, AND/OR CONCURRENT NEGLIGENCE OR FAULT, WHETHER ACTIVE OR PASSIVE, OF THE INDEMNIFIED PARTY, OR OTHER PERSONS OR ENTITIES. 7.1.2 In the event these T&Cs are subject to the indemnity limitations in Chapter 127 of the Texas Civil Practice and Remedies Code (or any successor statute), and so long as such limitations are in force, each party covenants and agrees to support the mutual indemnity and release obligations contained herein by carrying insurance in an amount and of a type sufficient to cover their indemnity obligations. 7.1.3 Notwithstanding any provisions in these T&Cs to the contrary, the following provision applies where Work is to be performed in New Mexico or Wyoming, as applicable: to the extent this Section 7 is governed by New Mexico or Wyoming law, then the provisions herein shall be read not to include indemnification for the indemnified party's own negligence. 7.1.4 If any defense, indemnity, or insurance provision contained in these T&Cs conflicts with, is prohibited by or violates public policy under any federal, state or other law determined to be applicable to a particular situation arising or involving these T&Cs, it is understood and agreed that the conf

- 7.2 CONTRACTOR's Indemnification. CONTRACTOR shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD COMPANY GROUP HARMLESS from and against any and all Claims for personal or bodily injury to, sickness, disease or death of any member of CONTRACTOR GROUP, and any and all Claims for damage to or loss of any property of CONTRACTOR GROUP.
- 7.3 COMPANY's Indemnification. COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims for personal or bodily injury to, sickness, disease or death of any member of COMPANY GROUP, and any and all Claims for damage to or loss of any property of COMPANY GROUP.
 7.4 Pollution and Contamination; Catastrophic Damages or Losses. Notwithstanding each party's obligations pursuant to Sections 7.2 and 7.3 hereof, it is understood and agreed between the parties that the following additional terms shall apply: 7.4.1 (a) CONTRACTOR shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD COMPANY GROUP HARMLESS from and against any and all Claims arising from pollution or contamination, which originates above the surface of the land or water, and which shall directly result from or be caused by CONTRACTOR GROUP's equipment, vehicles, or other tools and instruments while in CONTRACTOR GROUP's sole care, custody or control, and shall assume all responsibility for control and removal of same; and (b) COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims arising from any and all pollution or contamination other than that described under Section 7.4.1 (a) above, and removal of same. 7.4.2 COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims arising from any and all catastrophic damages or losses, including but not limited to those on account of injury, destruction of, loss or impairment (i) of any formation, strata, or reservoir beneath the surface of the earth; (ii) of any property rights in or to oil, gas, or other mineral substance or water, or the quiet enjoyment thereof, including subsurface trespass; (iii) to the well or the hole, including its casing; (iv) from radioactive sources; and (v) fr
- 7.5 Incidental or Consequential Damages. Notwithstanding any provisions to the contrary in these T&Cs, neither party shall be liable to the other party for, and parties shall RELEASE, PROTECT, DEFEND, INDEMNIFY AND HOLD EACH OTHER HARMLESS from and against any special, punitive, indirect, incidental or consequential damages or losses suffered by the other party and its Group resulting from or arising, directly or indirectly, out of or in connection with the Work, including, without limitation, loss and/or deferral of production, loss of product, loss of use, loss of bargain, contract expectations, or opportunity to contract with others, loss of revenue, profit, or anticipated profit, loss of business, business interruption, or downtime, whether direct or indirect, and whether or not such loss was foreseeable at the time of placing of an Order.
- 8. INSURANCE. 8.1 CONTRACTOR and COMPANY agree, at their sole cost and expense, to procure and continuously maintain in full force and effect throughout the term of this Agreement the following insurance coverage which may be met by a combination of primary and excess/umbrella insurance: A. Statutory Workers' Compensation Insurance and Employer's Liability in the amount of \$1,000,000 per occurrence and in the aggregate; B. Commercial General Liability insurance providing for third party property damage and personal injury, including broad form contractual liability for any agreement and broad form property damage in the amount of \$1,000,000 per occurrence and \$2,000,000 in the aggregate; C. Owned and Non-Owned Automobile Liability Insurance for bodily injury and property damage combined single limit in the amount of \$1,000,000 per occurrence and in the aggregate; D. Excess/Umbrella Liability Insurance providing coverage in excess of the foregoing insurances in the amount of \$5,000,000 per occurrence and in the aggregate, excluding statutory insurance coverage. 8.2 Each party agrees that, to the extent it assumes liability herein, it shall endorse the above coverages to name the indemnified parties as additional insureds (except for Workers' Compensation), shall waive its right of subrogation against the indemnified parties and their insurers, and agrees that its insurance shall be primary to that carried by the indemnified parties and non-contributory as per negligence for third party Claims, and shall not contribute in case of any Claim of exhaustion of horizontal limits. 8.3 Each party shall furnish an insurance certificate to the other to evidence the insurance required herein, and such certificates shall contain an endorsement stating that the insurer will endeavor to provide a thirty (30) days prior written notice of alteration or material change to such coverage. All deductible amounts, premiums, franchise amounts, or other charges due with respect to each party's required insurance should be the sole obligation of the insured party. 9. CONFIDENTIALITY. Each party contemplates that the other party may be provided and exposed to confidential and proprietary information ("Confidential Information"), which includes information relating to specifications of its tools, designs, inventions, component parts, parts list, software, firmware, hardware, processes, computer interfaces, operational parameters, and terms and pricing of Work. All Confidential Information shall remain the property of the party disclosing the same and no license is granted to the receiving party by virtue of the provision of such information. Confidential Information shall (i) be used by the recipient solely for the purpose of the provision of the Work and (ii) kept confidential and not disclosed to any person, except authorized representatives of the receiving Party, without written permission of the disclosing party. The receiving party shall take all reasonable steps to require its authorized representatives to keep such information confidential during and after the Work. Confidential Information shall not include information which: (i) at the time of placement of the Order is in the public domain or subsequently comes into the public domain through no fault of the receiving party and not in breach of these T&Cs; (ii) was already known to the receiving party on the date of disclosure, provided that such prior knowledge can be substantiated and proved by documentation; or (iii) properly and lawfully available to the receiving party from sources independent of the disclosing party.
- 10. INTELLECTUAL PROPERTY. While performing the Work, CONTRACTOR may utilize CONTRACTOR's intellectual property (including, without limitation, copyrights, registered marks, trademarks, service marks, patents, know-how, trade secrets, inventions, discoveries, techniques. techniques. technical information, technologies, designs, software, computer programs, formulae, calculations, computations, expertise, ideas, concepts, improvements, sketches, drawings, models, methods, practices, and/or processes, whether patentable or not) and/or develop, conceive, create, acquire, obtain, collect, generate, or make such additional intellectual property, which is and shall be CONTRACTOR's exclusive property. Except if expressly and specifically agreed in writing in a separate development agreement executed by the parties, and in exchange for appropriate payment, CONTRACTOR shall not develop any intellectual property for ownership by COMPANY in association with Work performed under a specific Order. Notwithstanding the foregoing, COMPANY GROUP shall own any intellectual property solely developed by COMPANY or COMPANY GROUP, respectively.
- 11. FORCE MAJEURE. 11.1 "Force Majeure" means (to the extent and only to the extent that any of the following are not reasonably within the control of the party claiming a Force Majeure and by the exercise of due diligence such party could not have mitigated, avoided, or overcome such condition) acts of God, fire, floods, lightning, blizzards, tornadoes, earthquakes, ice storms, named tropical storms and hurricanes, pandemics, terrorism, insurrection, revolution, war, strikes, lockouts, federal or state laws, rules and regulations of any governmental or public authorities having or asserting jurisdiction over the premises of either or both parties, inability to procure material due to industry wide shortages or soaring commodity costs, equipment, or necessary labor despite reasonable efforts, or similar causes. 11.2 If a party is rendered unable, wholly or in part, by a Force Majeure event to perform, that party will give written notice detailing such Force Majeure event to the other party as soon as reasonably possible. If a Force Majeure event continues without interruption for ten (10) days, either Party may cancel the applicable Order by giving prompt, written cancellation notice to the other party. Nothing in this Section 14.2 shall excuse COMPANY from its payment obligations of any invoices due and owing for Work performed under a specific Order.
- 12. LIMITATION OF LIABILITY. Notwithstanding anything to the contrary in these T&Cs, CONTRACTOR's liability arising from or in connection with its performance of the Work shall be limited to the value of the consideration paid to CONTRACTOR under the applicable Order.
- 13. GOVERNING LAW; VENUE. 13.1 For Work performed on a worksite within the United States, these T&Cs shall be exclusively governed by the laws of the State of Texas, excluding any conflict of laws principle that would refer to the laws of another jurisdiction. Venue shall lie exclusively in the state or federal courts of Harris County, Texas, and the parties consent to personal



jurisdiction therein. 13.2 For Work performed on a worksite within Canada, these T&Cs shall be exclusively governed by the laws of Province of Alberta, excluding any conflict of laws principle that would refer to the laws of another jurisdiction.

14. MISCELLANEOUS. 14.1 Notices. Notices shall be sent by registered post, or delivered in person, to the address for notices communicated by the other party. Said notices shall be deemed received (i) upon delivery if hand delivered, (ii) upon delivery if sent by registered post, and (iii) upon recipient's confirmation of receipt if faxed. 14.2 Waiver. No benefit or right accruing to either party under these T&Cs shall be deemed to be waived unless the waiver is in writing, expressly refers to these T&Cs, and is signed by a duly authorized representative of both parties. A waiver in any one or more instances shall not constitute a continuing waiver, unless specifically so stated in the written waiver. 14.3 Severability. In the event one or more of the provisions contained in these T&Cs shall be held, for any reason, to be invalid, void, illegal, contrary to law and/or unenforceable in any respect, these T&Cs shall be deemed to be amended to partially or completely modify such provision or portion thereof to the extent necessary to make it enforceable. If necessary, these T&Cs shall be deemed to be amended to delete the unenforceable provision or portion thereof, in which event such invalidity, illegality or unenforceability shall not affect the remaining provisions hereof, and these T&Cs shall remain unaffected and shall be construed as if such invalid, void, illegal or unenforceable provision never had been contained herein. 14.4 Independent Representation. COMPANY AND CONTRACTOR ACKNOWLEDGE THAT THEY HAVE CONSULTED AN ATTORNEY CONCERNING THESE T&Cs OR HAVE ELECTED NOT TO DO SO, BUT REPRESENT THAT THEY FULLY UNDERSTAND THEIR RIGHTS AND OBLIGATIONS HEREUNDER

| Company: _ | | | |
|--------------|--|------|--|
| Signature: _ | | | |
| Name: | | | |
| Title: | | | |
| Date: | | | |



Coterra Energy Inc. CEMENT PROPOSAL #81461

Intermediate Proposal

Royal Oak 25 Fed Com #301H 30-025-52842 S:25 T:18S R:33E Lea NM

February 06, 2025

AMERICAN

Intermediate Proposal

CEMENT PROPOSAL

Attention: Kyle Adamek | (660) 247-2024 | kyle@deepenergyllc.com Coterra Energy Inc. 202 S. Cheyenne Ave Suite 1000 | Tulsa, OK 74103

February 06, 2025

Dear Kyle Adamek,

Thank you for the opportunity to submit pricing for cementing services on the attached wellbore. American Cementing's priority is to provide premium customer service while operating in a safe, efficient manner. If you have any questions regarding the proposal or services offered, please contact American Cementing at any time.

Sincerely,

Will Bautista
Sales | (432) 254-0261 | will.bautista@americancementing.com

Prepared By
Meseret Belayneh
Field Engineer III | (801) 513-8231 | meseret.belayneh@americancementing.com

Field Office 6165 W Murphy St, Odessa, TX 79763

Phone: (432) 208-6452

Disclaimer

- 1. Proposal is valid for 30 days
- 2. Proposal is for pricing purposes only; actual job procedure to be confirmed prior to job
- 3. American Cementing recommends proper hole conditioning prior to initiating cementing; please discuss procedures with your American Cementing representative
- 4. Applicable sales tax will be added to the final invoice
- 5. American Cementing's general terms and conditions are hereby incorporated into this Proposal

Intermediate Proposal




Well Information

Well Name: Royal Oak 25 Fed Com #301H

Well API: **30-025-52842** Latitude: **32.725047** Longitude: **-103.620769**

Section: 25 Township: 18S Range: 33E County: Lea, NM



Intermediate Proposal



Job: Intermediate (Intermediate) - Well Information

Drilling Fluid Density: 10.00 lb/gal

Drilling Fluid: WBM

Total Measured Depth: **5568 ft** Total Vertical Depth: **5568 ft**

BHCT: **109** °F BHST: **130** °F

Temperature Gradient: 0.90 °F/100ft

Surface Temp: 80 °F

Geometry

| # | Туре | Function | OD (in) | ID (in) | Weight (lb/ft) | Grade | Thread | Тор | Bottom | Excess (%) |
|---|----------|----------|---------|---------|-------------------|-------|--------|------|--------|---------------|
| 1 | Casing | Outer | 13.375 | 12.615 | 54.50 | | n/a | 0 | 1653 | 0.0 |
| 2 | OpenHole | Outer | | 12.250 | | | n/a | 1653 | 4454 | 20.0 |
| 3 | OpenHole | Outer | | 12.250 | | | n/a | 4454 | 5568 | 20.0 |
| 1 | Casing | Inner | 9.625 | 8.835 | 40.00 | | n/a | 0 | 5568 | 0.0 |


Capacities

Excess added to Capacity Factor

| Туре | TopDepth (ft) | Length (ft) | OD (in) | ID (in) | Capacity (bbl/ft) | Capacity (ft ^{3/ft)} | Fill (ft/bbl) | Fill (ft/ft³) |
|--------------------|------------------|----------------|---------|---------|----------------------|----------------------------------|------------------|------------------|
| DisplacementFinal | 0 | 5483 | 8.835 | 0.000 | 0.0758 | 0.4257 | 13.19 | 2.35 |
| ShoeJoint | 5483 | 85 | 8.835 | 0.000 | 0.0758 | 0.4257 | 13.19 | 2.35 |
| Casing to OpenHole | 4454 | 1114 | 12.250 | 9.625 | 0.0669 | 0.3758 | 14.94 | 2.66 |
| Casing to OpenHole | 1653 | 2801 | 12.250 | 9.625 | 0.0669 | 0.3758 | 14.94 | 2.66 |
| Casing to Casing | 0 | 1653 | 12.615 | 9.625 | 0.0646 | 0.3627 | 15.48 | 2.76 |



Job: Intermediate (Intermediate) - Well & Fluid Diagrams





Intermediate Proposal

Job: Intermediate (Intermediate) - Material Information

| Pump | Туре | Fluid | Fluid Top | Density | Water Req. | Yield | Proposed | Proposed |
|-------|-------|-------------|-----------|----------|------------|----------------------|--------------|--------------|
| Order | | | (ft) | (lb/gal) | (gal/bbl) | (ft ^{3/sk)} | Volume (sks) | Volume (bbl) |
| 1 | Flush | Fresh Water | 0.00 | 8.34 | 42.0 | n/a | | 20.00 |

| Pump | Туре | Fluid | Fluid Top | Density | Water Req. | Yield | Proposed | Proposed |
|-------|------|-------|-----------|----------|------------|----------------------|--------------|--------------|
| Order | | | (ft) | (lb/gal) | (gal/sk) | (ft ^{3/sk)} | Volume (sks) | Volume (bbl) |
| 2 | Lead | Lead | 0.00 | 12.50 | 12.4 | 2.17 | 763 | 294.65 |

CEMENT, CLASS C, HSR - Cement - 100.000 %

Cement Additive, Sodium Metasilicate A-2 - Accelerator - 2.000 %BWOB

SALT, SODIUM CHLORIDE, A-5 - Accelerator - 3.000 %BWOW

FOAM PREVENTER, FP-28L - Defoamer - 0.005 gal/sk

RETARDER, R-7C - Retarder - 0.430 %BWOB

ANTI STATIC ADDITIVE, STATIC FREE - Other - 0.005 lb/sk

| Pump | Туре | Fluid | Fluid Top | Density | Water Req. | Yield | Proposed | Proposed |
|-------|------|-------|-----------|----------|------------|----------------------|--------------|--------------|
| Order | | | (ft) | (lb/gal) | (gal/sk) | (ft ^{3/sk)} | Volume (sks) | Volume (bbl) |
| 3 | Tail | Tail | 4454.00 | 14.80 | 6.3 | 1.33 | 343 | 81.17 |

CEMENT, CLASS C, HSR - Cement - 100.000 %

Cement Additive, Sodium Metasilicate A-2 - Accelerator - 0.250 %BWOB

FOAM PREVENTER, FP-28L - Defoamer - 0.005 gal/sk

RETARDER, R-7C - Retarder - 0.050 %BWOB

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/bbl) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|-------------------|----------------|-------------------|---------------------|-------------------------|-------------------------------|--------------------------|--------------------------|
| 4 | DisplacementFinal | 10ppg Brine | 0.00 | 8.34 | 42.0 | n/a | | 416.00 |

Job: Intermediate (Intermediate) - Pump Schedule

| Sequence | Туре | Fluid | Density (lb/gal) | Pump Rate (bpm) | Volume (bbls) | Volume (sks) | Cum. Vol. (bbls) | Stage Time (min) | Cum. Time (min) |
|----------|-------------------|----------------|---------------------|-----------------------|------------------|-----------------|---------------------|------------------------|-----------------------|
| 1 | Flush | Fresh Water | 8.34 | 5.00 | 20.00 | | 20.00 | 4.00 | 4.00 |
| 2 | Lead | Lead | 12.50 | 5.00 | 294.65 | 763 | 314.65 | 58.93 | 62.93 |
| 3 | Tail | Tail | 14.80 | 5.00 | 81.17 | 343 | 395.82 | 16.23 | 79.16 |
| 4 | DisplacementFinal | 10ppg Brine | 8.34 | 5.00 | 416.00 | | 811.82 | 83.20 | 162.36 |





General Terms and Conditions

AMERICAN CEMENTING, LLC TERMS AND CONDITIONS

These Terms and Conditions (these "T&Cs") contain INDEMNIFICATION, LIMITATION OF LIABILITY AND RISK SHIFTING PROVISIONS. The provision of Work by American Cementing, LLC or its affiliated companies ("Contractor" or "American") to any person or entity placing an Order for such Work ("Company" or "Customer") is subject to these T&Cs. By requesting the Work, Company voluntarily elects to enter into and be bound by these T&Cs, and any Order for Work shall constitute acceptance of these T&Cs, unless Contractor and Company have entered into a Master Service Agreement or other agreement expressly accepted in writing by Contractor's authorized representative, in which case the terms and conditions of such agreements shall govern the provision of the Work and completely supersede these T&Cs in all respects.

- 1. <u>DEFINITIONS</u>. "Claims" means all claims, lawsuits, demands, causes of action, liabilities, damages (including punitive damages), judgments, awards, fines, penalties, losses, costs, expenses (including, without limitation, reasonable attorneys' fees, expert fees, and costs of litigation) of any kind or character, without limit, which arise out of or are related to the Work. "COMPANY GROUP" means (i) COMPANY, and any of its parent, subsidiary and affiliated or related entities; (ii) the working interest owners, co-owners, co-lesses, co-lessors, partners and joint venturers of (i); (iii) any person or entity with an economic interest or property rights in the well, premises or the property in relation to or upon which Work is performed; and (iv) the officers, directors, employees, shareholders, agents, representatives, contractors (except CONTRACTOR), subcontractors, consultants, and invitees of (i), (ii) and (iii) above. "CONTRACTOR GROUP" means (i) CONTRACTOR and any of its subsidiary and affiliated or related entities; and (ii) the officers, directors, employees, shareholders, agents, representatives, contractors, subcontractors, consultants, and invitees of all of the foregoing. "Order" means a written or verbal request for specific Work, including by way of a purchase order, work order, service order, work authorization, or similar instrument issued by COMPANY to CONTRACTOR, and which shall incorporate the pricing proposal submitted by CONTRACTOR for such Work. A request will be considered written if exchanges, whether by correspondence, letter, fax, or email include all material terms and conditions and they have been accepted or ratified by both COMPANY and CONTRACTOR; provided, however, if verbal, such request shall be confirmed in writing as soon as practicable, and the terms of the written Order shall control. "Work" means any cementing services and other related services provided by CONTRACTOR, along with all related personnel, equipment, machinery, tools, supplies, materials, vehicles, facilities,
- 2. INDEPENDENT CONTRACTOR. This Agreement does not create any agency, partnership, joint venture, or similar business relationship between parties. COMPANY will have the right generally to oversee and inspect the performance of the Work to ensure the reasonable satisfactory completion thereof; it being understood and agreed that CONTRACTOR shall have exclusive control over the operational details of the Work.
- 3. PRICING AND PAYMENT. 3.1 COMPANY will pay CONTRACTOR for the Work according to the prices and rates contained the applicable Order; provided, however, that if there are no such prices and rates, then the prices and rates set forth in the pricing proposal submitted by CONTRACTOR for the Work shall apply. The pricing proposals submitted by CONTRACTOR are generally valid sixty (60) days from submission of such proposal, unless otherwise set forth in such pricing proposal. Notwithstanding the foregoing, before commencing the Work and until an agreement is reached between the parties regarding such prices and rates, CONTRACTOR has the right to revise and shall advise COMPANY of any changes in the pricing proposal, and COMPANY may either accept or reject such changes, and proceed with the Work or not. 3.2 COMPANY shall pay CONTRACTOR's invoices within thirty (30) days of receipt of invoice. In the event COMPANY disputes any amount, it shall do so in good faith and shall notify CONTRACTOR of such dispute within thirty (30) days of receipt of invoice, provided, however, that COMPANY shall pay any undisputed portion of the invoice within the time for payment noted above and shall endeavor to expeditiously resolve such disputes. Any undisputed invoices, remaining unpaid for sixty (60) days after receipt by COMPANY, shall accrue interest at the rate of 1.5% per month or the maximum interest rate allowed by applicable law, whichever is less, through the time of collection. 3.3 Prices quoted by CONTRACTOR do not include sales, VAT, use or similar taxes, and such taxes, where applicable, shall be added to the quoted prices and invoiced accordingly. Each party shall pay all taxes levied or assessed by any governmental authority in connection with or incident to its performance under an Order; provided, however, that CONTRACTOR shall pay any assessments or taxes upon wages of CONTRACTOR, social security, unemployment insurance, old age benefits, or any other employment taxes, contributions or withholdings.
- 4. ORDERS; STANDARD OF PERFORMANCE; WARRANTIES. 4.1 COMPANY may from time to time place an Order for Work, and CONTRACTOR may provide such Work to COMPANY, subject to these T&Cs. Orders shall become binding only after signed or acknowledged by an authorized representative of each party. 4.2 CONTRACTOR shall provide all labor, equipment, machinery, tools, supplies, materials, vehicles, facilities, consumables, goods, and any other items required for the execution and completion of the Work, as more fully described in the applicable Order, 4.3 CONTRACTOR shall perform the Work with due diligence and care, in a good and workmanlike manner, using skilled, competent, experienced, and, where applicable, licensed personnel in accordance with the specifications represented by CONTRACTOR and with generally accepted oilfield practices. 4.4 CONTRACTOR shall conduct its Work, in all material respects, in accordance with all applicable laws, rules, regulations, decrees, and/or official government orders of any governing body having jurisdiction over the Work. 4.5 CONTRACTOR's Work is designed to operate under conditions normally encountered in a wellbore. COMPANY shall notify CONTRACTOR in advance and make special arrangements for Work in which hazardous or unusual conditions exist. COMPANY has complete care, custody, and control of the well, the premises around the well, and the drilling and production equipment of the well (other than such equipment provided by CONTRACTOR hereunder), and Company shall furnish directions and requirements for Work performed hereunder. CONTRACTOR is relying on COMPANY to provide such directions and requirements without further investigation by CONTRACTOR. CONTRACTOR agrees to observe and abide by COMPANY's safety policies and procedures communicated to and acknowledged by CONTRACTOR. CONTRACTOR shall as promptly as possible under the circumstances report to COMPANY's representative all accidents or occurrences resulting in injuries, illness or death to person(s) or damage to property, arising out of or occurring during the Work. 4.6 CONTRACTOR's sole liability, and COMPANY's exclusive remedy, for any Claims for breach of warranty under this Section 4 are limited to, at CONTRACTOR's sole option, (i) if practical, the re-performance of the defective Work or portion thereof, at no additional cost to COMPANY; or (ii) a refund or credit to COMPANY of any amount paid to CONTRACTOR for such defective Work or portion thereof. In the event that CONTRACTOR materially fails to perform the Work or if CONTRACTOR provides defective Work for reasons solely within CONTRACTOR's control. COMPANY shall give notice to CONTRACTOR of such non-performance or defective performance immediately upon discovery and prior to CONTRACTOR's departure from the worksite, otherwise such warranty Claim is waived. 4.7 Due to the nature of the Work to be performed in unpredictable wellbore conditions, CONTRACTOR does not warrant the accuracy, correctness, or completeness of any interpretations, analysis, recommendations, or advice, nor that COMPANY's or any third party's reliance on such interpretations, analysis, recommendations, or advice will accomplish any particular results, and which in any event are opinions only. Accordingly, it is COMPANY's responsibility, and sole risk, to determine the completion, well treatment, production, or financial decision involving any risk. Any outcomes that are less than expected will not relieve COMPANY of its responsibility to pay for the Work in accordance with these T&Cs. 4.8 THE WARRANTIES PROVIDED IN THIS SECTION 4 ARE THE SOLE AND EXCLUSIVE WARRANTIES RELATING TO THE WORK AND ARE IN LIEU OF ANY AND ALL OTHER WARRANTIES WHETHER ORAL, WRITTEN, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WARRANTY OF MERCHANTABILITY AND WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. 5. ORDER CHANGES; PROJECT ADMINISTRATION. 5.1 COMPANY may ask for and CONTRACTOR may agree to variations in the Work, whether by way of addition, modification or omission, which variations shall be in writing and signed by authorized representatives of both parties. The value of any such variations shall be ascertained by reference to the prices and rates specified in the applicable Order for like or analogous Work; provided, however, that if there are no such prices and rates or if they are otherwise inapplicable, then the prices and rates set forth in the pricing proposal submitted by CONTRACTOR for such additional Work shall apply. 5.2 To acknowledge or document various events during the provision of the Work, a party may from time to time sign the other party's forms, such as Orders, delivery tickets, job tickets, invoices, or similar instruments used by the parties in the normal course of business. In the event of a conflict between these T&Cs and any such documents, these T&Cs shall control, unless specific reference is made that these T&Cs are modified and the intention to modify is explicitly stated in such documents. 5.3 It is understood and agreed between the parties that COMPANY's representative (appointed in accordance with Section 5.4 below) shall have the authority to approve any job tickets, delivery tickets, or similar forms attesting to the completion of the Work by CONTRACTOR ("Job Tickets"). A COMPANY representative's signature on such Tickets shall indicate acceptance of the Work. If the Job Tickets are not acknowledged within forty-eight (48) hours of receipt through no fault of CONTRACTOR, CONTRACTOR may submit invoices for payment as if such Tickets had been acknowledged. 5.4 COMPANY will appoint a representative who will be responsible for the supervision of the Work, and who shall have full authority to represent and make decisions on behalf of COMPANY with respect to the Work, or otherwise to resolve the day-to-day issues which may arise related to the Work. Likewise, CONTRACTOR shall designate a representative with similar responsibilities and authority to liaise with COMPANY's representative.
- 6. CONTRACTOR's EQUIPMENT. 6.1 Title to CONTRACTOR's equipment, including any lost, damaged, or confiscated equipment, shall remain in CONTRACTOR, and COMPANY shall have no right to assign, transfer, hypothecate, or remove such equipment from the place of its intended use without CONTRACTOR's prior written consent. 6.2 COMPANY shall be responsible for and agrees to compensate CONTRACTOR for all damages, losses, or any abnormal wear to CONTRACTOR GROUP's equipment: (i) while in COMPANY GROUP's care, custody or control, including while being transported by any member of COMPANY GROUP; (ii) as a result of operations conducted out of specifications at COMPANY GROUP's request, or in corrosive, abnormal temperatures or other



Intermediate Proposal

unusual conditions; (iii) due to fishing operations (if any); or (iv) if lost in the hole or damaged beyond repair while in the hole or used in the hole. COMPANY will replace such equipment or reimburse CONTRACTOR with the current replacement price of such equipment.

7. INDEMNITY.

7.1 Application of Indemnities. 7.1.1 In those matters in which a party is required by these T&Cs to RELEASE, DEFEND, PROTECT, INDEMNIFY, AND HOLD HARMLESS the other party and/or members of its respective Group, SUCH OBLIGATIONS SHALL, EXCEPT TO THE EXTENT EXPRESSLY PROVIDED OTHERWISE IN THESE T&CS, APPLY TO INDEMNITOR REGARDLESS OF THE CAUSE OR REASON, OR WHO MAY BE AT FAULT OR OTHERWISE RESPONSIBLE UNDER ANY CONTRACT, STATUTE, RULE, OR THEORY OF LAW, INCLUDING WITHOUT LIMITATION STRICT LIABILITY, TORT, BREACH OF DUTY (STATUTORY OR OTHERWISE), BREACH OF CONTRACT, BREACH OF REPRESENTATION OR WARRANTY, BREACH OF ANY SAFETY REQUIREMENT OR REGULATION, DUE TO ANY LATENT, PATENT, OR PRE-EXISTING DEFECTS OR CONDITIONS, IMPERFECTION OF MATERIAL, FAILURE OF EQUIPMENT, OR ANY LEGAL FAULT OR RESPONSIBILITY OF EITHER PARTY INCLUDING THE SOLE, JOINT, AND/OR CONCURRENT NEGLIGENCE OR FAULT, WHETHER ACTIVE OR PASSIVE, OF THE INDEMNIFIED PARTY, OR OTHER PERSONS OR ENTITIES. 7.1.2 In the event these T&Cs are subject to the indemnity limitations in Chapter 127 of the Texas Civil Practice and Remedies Code (or any successor statute), and so long as such limitations are in force, each party covenants and agrees to support the mutual indemnity and release obligations contained herein by carrying insurance in an amount and of a type sufficient to cover their indemnity obligations. 7.1.3 Notwithstanding any provisions in these T&Cs to the contrary, the following provision applies where Work is to be performed in New Mexico or Wyoming, as applicable: to the extent this Section 7 is governed by New Mexico or Wyoming law, then the provisions herein shall be read not to include indemnification for the indemnified party's own negligence. 7.1.4 if any defense, indemnity, or insurance provision contained in these T&Cs conflicts with, is prohibited by or violates public policy under any federal, state or other law determined to be applicable to a particular situation arising or involving these T&Cs, it is understood and agreed that the confl

- 7.2 CONTRACTOR's Indemnification. CONTRACTOR shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD COMPANY GROUP HARMLESS from and against any and all Claims for personal or bodily injury to, sickness, disease or death of any member of CONTRACTOR GROUP, and any and all Claims for damage to or loss of any property of CONTRACTOR GROUP.
- 7.3 COMPANY's Indemnification. COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims for personal or bodily injury to, sickness, disease or death of any member of COMPANY GROUP, and any and all Claims for damage to or loss of any property of COMPANY GROUP.
 7.4 Pollution and Contamination; Catastrophic Damages or Losses. Notwithstanding each party's obligations pursuant to Sections 7.2 and 7.3 hereof, it is understood and agreed between the parties that the following additional terms shall apply: 7.4.1 (a) CONTRACTOR shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD COMPANY GROUP HARMLESS from and against any and all Claims arising from pollution or contamination, which originates above the surface of the land or water, and which shall directly result from or be caused by CONTRACTOR GROUP's equipment, vehicles, or other tools and instruments while in CONTRACTOR GROUP's sole care, custody or control, and shall assume all responsibility for control and removal of same; and (b) COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims arising from any and all pollution or contamination other than that described under Section 7.4.1 (a) above, and removal of same. 7.4.2 COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims arising from any and all catastrophic damages or losses, including but not limited to those on account of injury, destruction of, loss or impairment (i) of any formation, strata, or reservoir beneath the surface of the earth; (ii) of any property rights in or to oil, gas, or other mineral substance or water, or the quiet enjoyment thereof, including subsurface trespass; (iii) to the well or the hole, including its casing; (iv) from radioactive sources; and (v) fr
- 7.5 Incidental or Consequential Damages. Notwithstanding any provisions to the contrary in these T&Cs, neither party shall be liable to the other party for, and parties shall RELEASE, PROTECT, DEFEND, INDEMNIFY AND HOLD EACH OTHER HARMLESS from and against any special, punitive, indirect, incidental or consequential damages or losses suffered by the other party and its Group resulting from or arising, directly or indirectly, out of or in connection with the Work, including, without limitation, loss and/or deferral of production, loss of product, loss of use, loss of bargain, contract expectations, or opportunity to contract with others, loss of revenue, profit, or anticipated profit, loss of business, business interruption, or downtime, whether direct or indirect, and whether or not such loss was foreseeable at the time of placing of an Order.
- 8. INSURANCE. 8.1 CONTRACTOR and COMPANY agree, at their sole cost and expense, to procure and continuously maintain in full force and effect throughout the term of this Agreement the following insurance coverage which may be met by a combination of primary and excess/umbrella insurance: A. Statutory Workers' Compensation Insurance and Employer's Liability in the amount of \$1,000,000 per occurrence and in the aggregate; B. Commercial General Liability insurance providing for third party property damage and personal injury, including broad form contractual liability for any agreement and broad form property damage in the amount of \$1,000,000 per occurrence and \$2,000,000 in the aggregate; C. Owned and Non-Owned Automobile Liability Insurance for bodily injury and property damage combined single limit in the amount of \$1,000,000 per occurrence and in the aggregate; D. Excess/Umbrella Liability Insurance providing coverage in excess of the foregoing insurances in the amount of \$5,000,000 per occurrence and in the aggregate, excluding statutory insurance coverage. 8.2 Each party agrees that, to the extent it assumes liability herein, it shall endorse the above coverages to name the indemnified parties as additional insureds (except for Workers' Compensation), shall waive its right of subrogation against the indemnified parties and their insurers, and agrees that its insurance shall be primary to that carried by the indemnified parties and non-contributory as per negligence for third party Claims, and shall not contribute in case of any Claim of exhaustion of horizontal limits. 8.3 Each party shall furnish an insurance certificate to the other to evidence the insurance required herein, and such certificates shall contain an endorsement stating that the insurer will endeavor to provide a thirty (30) days prior written notice of alteration or material change to such coverage. All deductible amounts, premiums, franchise amounts, or other charges due with respect to each party's required insurance should be the sole obligation of the insured party. 9. CONFIDENTIALITY. Each party contemplates that the other party may be provided and exposed to confidential and proprietary information ("Confidential Information"), which includes information relating to specifications of its tools, designs, inventions, component parts, parts list, software, firmware, hardware, processes, computer interfaces, operational parameters, and terms and pricing of Work. All Confidential Information shall remain the property of the party disclosing the same and no license is granted to the receiving party by virtue of the provision of such information. Confidential Information shall (i) be used by the recipient solely for the purpose of the provision of the Work and (ii) kept confidential and not disclosed to any person, except authorized representatives of the receiving Party, without written permission of the disclosing party. The receiving party shall take all reasonable steps to require its authorized representatives to keep such information confidential during and after the Work. Confidential Information shall not include information which: (i) at the time of placement of the Order is in the public domain or subsequently comes into the public domain through no fault of the receiving party and not in breach of these T&Cs; (ii) was already known to the receiving party on the date of disclosure, provided that such prior knowledge can be substantiated and proved by documentation; or (iii) properly and lawfully available to the receiving party from sources independent of the disclosing party.
- 10. INTELLECTUAL PROPERTY. While performing the Work, CONTRACTOR may utilize CONTRACTOR's intellectual property (including, without limitation, copyrights, registered marks, trademarks, service marks, patents, know-how, trade secrets, inventions, discoveries, techniques. techniques. technical information, technologies, designs, software, computer programs, formulae, calculations, computations, expertise, ideas, concepts, improvements, sketches, drawings, models, methods, practices, and/or processes, whether patentable or not) and/or develop, conceive, create, acquire, obtain, collect, generate, or make such additional intellectual property, which is and shall be CONTRACTOR's exclusive property. Except if expressly and specifically agreed in writing in a separate development agreement executed by the parties, and in exchange for appropriate payment, CONTRACTOR shall not develop any intellectual property for ownership by COMPANY in association with Work performed under a specific Order. Notwithstanding the foregoing, COMPANY GROUP shall own any intellectual property solely developed by COMPANY or COMPANY GROUP, respectively.
- 11. FORCE MAJEURE. 11.1 "Force Majeure" means (to the extent and only to the extent that any of the following are not reasonably within the control of the party claiming a Force Majeure and by the exercise of due diligence such party could not have mitigated, avoided, or overcome such condition) acts of God, fire, floods, lightning, blizzards, tornadoes, earthquakes, ice storms, named tropical storms and hurricanes, pandemics, terrorism, insurrection, revolution, war, strikes, lockouts, federal or state laws, rules and regulations of any governmental or public authorities having or asserting jurisdiction over the premises of either or both parties, inability to procure material due to industry wide shortages or soaring commodity costs, equipment, or necessary labor despite reasonable efforts, or similar causes. 11.2 If a party is rendered unable, wholly or in part, by a Force Majeure event to perform, that party will give written notice detailing such Force Majeure event to the other party as soon as reasonably possible. If a Force Majeure event continues without interruption for ten (10) days, either Party may cancel the applicable Order by giving prompt, written cancellation notice to the other party. Nothing in this Section 14.2 shall excuse COMPANY from its payment obligations of any invoices due and owing for Work performed under a specific Order.
- 12. LIMITATION OF LIABILITY. Notwithstanding anything to the contrary in these T&Cs, CONTRACTOR's liability arising from or in connection with its performance of the Work shall be limited to the value of the consideration paid to CONTRACTOR under the applicable Order.
- 13. GOVERNING LAW; VENUE. 13.1 For Work performed on a worksite within the United States, these T&Cs shall be exclusively governed by the laws of the State of Texas, excluding any conflict of laws principle that would refer to the laws of another jurisdiction. Venue shall lie exclusively in the state or federal courts of Harris County, Texas, and the parties consent to personal



Intermediate Proposal

jurisdiction therein. 13.2 For Work performed on a worksite within Canada, these T&Cs shall be exclusively governed by the laws of Province of Alberta, excluding any conflict of laws principle that would refer to the laws of another jurisdiction.

14. MISCELLANEOUS. 14.1 Notices. Notices shall be sent by registered post, or delivered in person, to the address for notices communicated by the other party. Said notices shall be deemed received (i) upon delivery if hand delivered, (ii) upon delivery if sent by registered post, and (iii) upon recipient's confirmation of receipt if faxed. 14.2 Waiver. No benefit or right accruing to either party under these T&Cs shall be deemed to be waived unless the waiver is in writing, expressly refers to these T&Cs, and is signed by a duly authorized representative of both parties. A waiver in any one or more instances shall not constitute a continuing waiver, unless specifically so stated in the written waiver. 14.3 Severability. In the event one or more of the provisions contained in these T&Cs shall be held, for any reason, to be invalid, void, illegal, contrary to law and/or unenforceable in any respect, these T&Cs shall be deemed to be amended to partially or completely modify such provision or portion thereof to the extent necessary to make it enforceable. If necessary, these T&Cs shall be deemed to be amended to delete the unenforceable provision or portion thereof, in which event such invalidity, illegality or unenforceability shall not affect the remaining provisions hereof, and these T&Cs shall remain unaffected and shall be construed as if such invalid, void, illegal or unenforceable provision never had been contained herein. 14.4 Independent Representation. COMPANY AND CONTRACTOR ACKNOWLEDGE THAT THEY HAVE CONSULTED AN ATTORNEY CONCERNING THESE T&Cs OR HAVE ELECTED NOT TO DO SO, BUT REPRESENT THAT THEY FULLY UNDERSTAND THEIR RIGHTS AND OBLIGATIONS HEREUNDER

| Company: | | |
|------------|------|------|
| Signature: | | |
| Name: | | |
| Title: | | |
| Date: | | |



Coterra Energy Inc. CEMENT PROPOSAL #81479

Long String Proposal

Royal Oak 25 Fed Com #301H 30-025-52842 S:25 T:18S R:33E Lea NM

February 06, 2025





CEMENT PROPOSAL

Attention: Kyle Adamek | (660) 247-2024 | kyle@deepenergyllc.com Coterra Energy Inc. 202 S. Cheyenne Ave Suite 1000 | Tulsa, OK 74103 February 06, 2025

Dear Kyle Adamek,

Thank you for the opportunity to submit pricing for cementing services on the attached wellbore. American Cementing's priority is to provide premium customer service while operating in a safe, efficient manner. If you have any questions regarding the proposal or services offered, please contact American Cementing at any time.

Sincerely,

Will Bautista
Sales | (432) 254-0261 | will.bautista@americancementing.com

Prepared By
Meseret Belayneh
Field Engineer III | (801) 513-8231 | meseret.belayneh@americancementing.com

Field Office 6165 W Murphy St, Odessa, TX 79763

Phone: (432) 208-6452

Disclaimer

- 1. Proposal is valid for 30 days
- 2. Proposal is for pricing purposes only; actual job procedure to be confirmed prior to job
- 3. American Cementing recommends proper hole conditioning prior to initiating cementing; please discuss procedures with your American Cementing representative
- 4. Applicable sales tax will be added to the final invoice
- 5. American Cementing's general terms and conditions are hereby incorporated into this Proposal




Well Information

Well Name: Royal Oak 25 Fed Com #301H

Well API: **30-025-52842** Latitude: **32.725047** Longitude: **-103.620769**

Section: 25 Township: 18S Range: 33E County: Lea, NM







Job: Long String (Long String) - Well Information

Drilling Fluid Density: 9.20 lb/gal

Drilling Fluid: **OBM**

Total Measured Depth: **18823** ft Total Vertical Depth: **8600** ft

BHCT: **164 °F** BHST: **164 °F**

Temperature Gradient: 0.98 °F/100ft

Surface Temp: 80 °F

Geometry

| # | Туре | Function | OD (in) | ID (in) | Weight | Grade | Thread | Тор | Bottom | Excess |
|---|----------|----------|---------|---------|---------|-------|--------|------|--------|--------|
| | | | | | (lb/ft) | | | | | (%) |
| 1 | Casing | Outer | 9.625 | 8.835 | 40.00 | | n/a | 0 | 5568 | 0.0 |
| 2 | OpenHole | Outer | | 8.750 | | | n/a | 5568 | 8140 | 50.0 |
| 3 | OpenHole | Outer | | 8.750 | | | n/a | 8140 | 18823 | 20.0 |
| 1 | Casing | Inner | 5.500 | 4.778 | 20.00 | | n/a | 0 | 18823 | 0.0 |


Capacities

Excess added to Capacity Factor

| Туре | TopDepth (ft) | Length (ft) | OD (in) | ID (in) | Capacity (bbl/ft) | Capacity (ft ^{3/ft)} | Fill (ft/bbl) | Fill (ft/ft ³⁾ |
|--------------------|------------------|----------------|---------|---------|----------------------|----------------------------------|------------------|------------------------------|
| DisplacementFinal | 0 | 18738 | 4.778 | 0.000 | 0.0222 | 0.1245 | 45.09 | 8.03 |
| ShoeJoint | 18738 | 85 | 4.778 | 0.000 | 0.0222 | 0.1245 | 45.09 | 8.03 |
| Casing to OpenHole | 8140 | 10683 | 8.750 | 5.500 | 0.0540 | 0.3031 | 18.52 | 3.30 |
| Casing to OpenHole | 5568 | 2572 | 8.750 | 5.500 | 0.0675 | 0.3789 | 14.82 | 2.64 |
| Casing to Casing | 0 | 5568 | 8.835 | 5.500 | 0.0464 | 0.2607 | 21.53 | 3.84 |



Job: Long String (Long String) - Well & Fluid Diagrams





Job: Long String (Long String) - Material Information

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/bbl) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) | | |
|---------------|--|-----------------|-------------------|---------------------|-------------------------|-------------------------------|--------------------------|--------------------------|--|--|
| 1 | Spacer | Spacer + LCM | 0.00 | 9.70 | 38.5 | n/a | | 40.00 | | |
| WEIGHTING A | WEIGHTING ADDITIVE, BARITE - Heavyweight - 65.072 lb/bbl | | | | | | | | | |

IntegraSeal HOLD, ALOC-1212 - LostCirculation - 10.000 lb/bbl

BIOSUITE GQ2510 - Biocide - 0.010 gal/bbl

DYE, LIQUID, BLUE - Other - 0.050 gal/bbl

CORROSION INHIBITORS, HS-2 - Other - 0.050 gal/bbl

XCem-621 - Viscosifier - 10.000 lb/bbl

| Pump | Туре | Fluid | Fluid Top | Density | Water Req. | Yield | Proposed | Proposed | |
|--|------|-------|-----------|----------|------------|----------------------|--------------|--------------|--|
| Order | | | (ft) | (lb/gal) | (gal/sk) | (ft ^{3/sk)} | Volume (sks) | Volume (bbl) | |
| 2 | Lead | Lead | 0.00 | 11.00 | 21.2 | 3.48 | 698 | 432.21 | |
| CEMENT, CLASS C. HSR - Cement - 75,000 % | | | | | | | | | |

CEMENT, FLY ASH (OTX1) - Extender - 25.000 %

CEMENT EXTENDER, GYPSUM, A-10 - Accelerator - 5.000 %BWOB

Cement Additive, Sodium Metasilicate A-2 - Accelerator - 2.000 %BWOB

FLUID LOSS, AFL-533 - FluidLoss - 0.500 %BWOB

Viscosifier, AVIS-617 - Viscosifier - 0.300 %BWOB

BONDING AGENT, BA-95 - BondEnhancer - 15.000 lb/sk

FOAM PREVENTER, FP-28L - Defoamer - 0.005 gal/sk

RETARDER, R-21 - Retarder - 0.100 %BWOB

RETARDER, R-7C - Retarder - 0.500 %BWOB

DISPERSANT, XCem-403 - Dispersant - 0.100 %BWOB

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/sk) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|------|-------|-------------------|---------------------|------------------------|-------------------------------|--------------------------|--------------------------|
| 3 | Tail | Tail | 8140.00 | 14.80 | 4.9 | 1.16 | 2808 | 578.64 |

IntegraCem XTL, AEXT-1012 - Extender - 5.000 %

CEMENT, CLASS H, HSR - Cement - 70.000 %

CEMENT, FLY ASH (OTX1) - Extender - 25.000 %

SALT, SODIUM CHLORIDE, A-5 - Accelerator - 3.000 %BWOW

ANTI SETTLING, ASA-301 - Viscosifier - 0.150 %BWOB

FLUID LOSS, FL-66 - FluidLoss - 0.700 %BWOB

FOAM PREVENTER, FP-28L - Defoamer - 0.005 gal/sk

RETARDER, R-3 - Retarder - 0.080 %BWOB

DISPERSANT, XCem-403 - Dispersant - 0.700 %BWOB

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/bbl) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|--------------|------------|-------------------|---------------------|-------------------------|-------------------------------|--------------------------|--------------------------|
| 4 | Displacement | FW + Sugar | 17836.00 | 8.36 | 41.8 | n/a | | 20.00 |

RETARDER, SUGAR, GRANULAR - Retarder - 2.500 lb/bbl

| Pump Order | Туре | Fluid | Fluid Top (ft) | Density (lb/gal) | Water Req. (gal/bbl) | Yield (ft ^{3/sk)} | Proposed Volume (sks) | Proposed Volume (bbl) |
|---------------|-------------------|--------------|-------------------|---------------------|-------------------------|-------------------------------|--------------------------|--------------------------|
| 5 | DisplacementFinal | Displacement | 0.00 | | 41.9 | n/a | , , | 396.00 |

BIOSUITE GQ2510 - Biocide - 0.010 gal/bbl

CORROSION INHIBITORS, HS-2 - Other - 0.050 gal/bbl





Job: Long String (Long String) - Pump Schedule

| Sequence | Туре | Fluid | Density | Pump | Volume | Volume | Cum. Vol. | Stage | Cum. |
|----------|-------------------|--------------|----------|-------|--------|--------|-----------|--------|--------|
| | | | (lb/gal) | Rate | (bbls) | (sks) | (bbls) | Time | Time |
| | | | | (bpm) | | | | (min) | (min) |
| 1 | Spacer | Spacer + LCM | 9.70 | 5.00 | 40.00 | | 40.00 | 8.00 | 8.00 |
| 2 | Lead | Lead | 11.00 | 5.00 | 432.21 | 698 | 472.21 | 86.44 | 94.44 |
| 3 | Tail | Tail | 14.80 | 5.00 | 578.64 | 2808 | 1050.85 | 115.73 | 210.17 |
| 4 | Displacement | FW + Sugar | 8.36 | 5.00 | 20.00 | | 1070.85 | 4.00 | 214.17 |
| 5 | DisplacementFinal | Displacement | 8.34 | 5.00 | 396.00 | | 1466.85 | 79.20 | 293.37 |



General Terms and Conditions

AMERICAN CEMENTING, LLC TERMS AND CONDITIONS

These Terms and Conditions (these "T&Cs") contain INDEMNIFICATION, LIMITATION OF LIABILITY AND RISK SHIFTING PROVISIONS. The provision of Work by American Cementing, LLC or its affiliated companies ("Contractor" or "American") to any person or entity placing an Order for such Work ("Company" or "Customer") is subject to these T&Cs. By requesting the Work, Company voluntarily elects to enter into and be bound by these T&Cs, and any Order for Work shall constitute acceptance of these T&Cs, unless Contractor and Company have entered into a Master Service Agreement or other agreement expressly accepted in writing by Contractor's authorized representative, in which case the terms and conditions of such agreements shall govern the provision of the Work and completely supersede these T&Cs in all respects.

- 1. <u>DEFINITIONS</u>. "Claims" means all claims, lawsuits, demands, causes of action, liabilities, damages (including punitive damages), judgments, awards, fines, penalties, losses, costs, expenses (including, without limitation, reasonable attorneys' fees, expert fees, and costs of litigation) of any kind or character, without limit, which arise out of or are related to the Work. "COMPANY GROUP" means (i) COMPANY, and any of its parent, subsidiary and affiliated or related entities; (ii) the working interest owners, co-owners, co-lesses, co-lessors, partners and joint venturers of (i); (iii) any person or entity with an economic interest or property rights in the well, premises or the property in relation to or upon which Work is performed; and (iv) the officers, directors, employees, shareholders, agents, representatives, contractors (except CONTRACTOR), subcontractors, consultants, and invitees of (i), (ii) and (iii) above. "CONTRACTOR GROUP" means (i) CONTRACTOR and any of its subsidiary and affiliated or related entities; and (ii) the officers, directors, employees, shareholders, agents, representatives, contractors, subcontractors, consultants, and invitees of all of the foregoing. "Order" means a written or verbal request for specific Work, including by way of a purchase order, work order, service order, work authorization, or similar instrument issued by COMPANY to CONTRACTOR, and which shall incorporate the pricing proposal submitted by CONTRACTOR for such Work. A request will be considered written if exchanges, whether by correspondence, letter, fax, or email include all material terms and conditions and they have been accepted or ratified by both COMPANY and CONTRACTOR; provided, however, if verbal, such request shall control. "Work" means any cementing services and other related services provided by CONTRACTOR, along with all related personnel, equipment, machinery, tools, supplies, materials, vehicles, facilities, consumables, goods, and any other items used in connection with such services.
- 2. INDEPENDENT CONTRACTOR. This Agreement does not create any agency, partnership, joint venture, or similar business relationship between parties. COMPANY will have the right generally to oversee and inspect the performance of the Work to ensure the reasonable satisfactory completion thereof; it being understood and agreed that CONTRACTOR shall have exclusive control over the operational details of the Work.
- 3. PRICING AND PAYMENT. 3.1 COMPANY will pay CONTRACTOR for the Work according to the prices and rates contained the applicable Order; provided, however, that if there are no such prices and rates, then the prices and rates set forth in the pricing proposal submitted by CONTRACTOR for the Work shall apply. The pricing proposals submitted by CONTRACTOR are generally valid sixty (60) days from submission of such proposal, unless otherwise set forth in such pricing proposal. Notwithstanding the foregoing, before commencing the Work and until an agreement is reached between the parties regarding such prices and rates, CONTRACTOR has the right to revise and shall advise COMPANY of any changes in the pricing proposal, and COMPANY may either accept or reject such changes, and proceed with the Work or not. 3.2 COMPANY shall pay CONTRACTOR's invoices within thirty (30) days of receipt of invoice. In the event COMPANY disputes any amount, it shall do so in good faith and shall notify CONTRACTOR of such dispute within thirty (30) days of receipt of invoice; provided, however, that COMPANY shall pay any undisputed portion of the invoice within the time for payment noted above and shall endeavor to expeditiously resolve such disputes. Any undisputed invoices, remaining unpaid for sixty (60) days after receipt by COMPANY, shall accrue interest at the rate of 1.5% per month or the maximum interest rate allowed by applicable law, whichever is less, through the time of collection. 3.3 Prices quoted by CONTRACTOR do not include sales, VAT, use or similar taxes, and such taxes, where applicable, shall be added to the quoted prices and invoiced accordingly. Each party shall pay all taxes levied or assessed by any governmental authority in connection with or incident to its performance under an Order; provided, however, that CONTRACTOR shall pay any assessments or taxes upon wages of CONTRACTOR, social security, unemployment insurance, old age benefits, or any other employment taxes, contributions or withholdings.
- 4. ORDERS; STANDARD OF PERFORMANCE; WARRANTIES. 4.1 COMPANY may from time to time place an Order for Work, and CONTRACTOR may provide such Work to COMPANY, subject to these T&Cs. Orders shall become binding only after signed or acknowledged by an authorized representative of each party. 4.2 CONTRACTOR shall provide all labor, equipment, machinery, tools, supplies, materials, vehicles, facilities, consumables, goods, and any other items required for the execution and completion of the Work, as more fully described in the applicable Order. 4.3 CONTRACTOR shall perform the Work with due diligence and care, in a good and workmanlike manner, using skilled, competent, experienced, and, where applicable, licensed personnel in accordance with the specifications represented by CONTRACTOR and with generally accepted oilfield practices. 4.4 CONTRACTOR shall conduct its Work, in all material respects, in accordance with all applicable laws, rules, regulations, decrees, and/or official government orders of any governing body having jurisdiction over the Work. 4.5 CONTRACTOR's Work is designed to operate under conditions normally encountered in a wellbore. COMPANY shall notify CONTRACTOR in advance and make special arrangements for Work in which hazardous or unusual conditions exist. COMPANY has complete care, custody, and control of the well, the premises around the well, and the drilling and production equipment of the well (other than such equipment provided by CONTRACTOR hereunder), and Company shall furnish directions and requirements for Work performed hereunder. CONTRACTOR is relying on COMPANY to provide such directions and requirements without further investigation by CONTRACTOR. CONTRACTOR agrees to observe and abide by COMPANY's safety policies and procedures communicated to and acknowledged by CONTRACTOR. CONTRACTOR shall as promptly as possible under the circumstances report to COMPANY's representative all accidents or occurrences resulting in injuries, illness or death to person(s) or damage to property, arising out of or occurring during the Work. 4.6 CONTRACTOR's sole liability, and COMPANY's exclusive remedy, for any Claims for breach of warranty under this Section 4 are limited to, at CONTRACTOR's sole option, (i) if practical, the re-performance of the defective Work or portion thereof, at no additional cost to COMPANY; or (ii) a refund or credit to COMPANY of any amount paid to CONTRACTOR for such defective Work or portion thereof. In the event that CONTRACTOR materially fails to perform the Work or if CONTRACTOR provides defective Work for reasons solely within CONTRACTOR's control. COMPANY shall give notice to CONTRACTOR of such non-performance or defective performance immediately upon discovery and prior to CONTRACTOR's departure from the worksite, otherwise such warranty Claim is waived. 4.7 Due to the nature of the Work to be performed in unpredictable wellbore conditions, CONTRACTOR does not warrant the accuracy, correctness, or completeness of any interpretations, analysis, recommendations, or advice, nor that COMPANY's or any third party's reliance on such interpretations, analysis, recommendations, or advice will accomplish any particular results, and which in any event are opinions only. Accordingly, it is COMPANY's responsibility, and sole risk, to determine the completion, well treatment, production, or financial decision involving any risk. Any outcomes that are less than expected will not relieve COMPANY of its responsibility to pay for the Work in accordance with these T&Cs. 4.8 THE WARRANTIES PROVIDED IN THIS SECTION 4 ARE THE SOLE AND EXCLUSIVE WARRANTIES RELATING TO THE WORK AND ARE IN LIEU OF ANY AND ALL OTHER WARRANTIES WHETHER ORAL, WRITTEN, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WARRANTY OF MERCHANTABILITY AND WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. 5. ORDER CHANGES; PROJECT ADMINISTRATION. 5.1 COMPANY may ask for and CONTRACTOR may agree to variations in the Work, whether by way of addition, modification or omission, which variations shall be in writing and signed by authorized representatives of both parties. The value of any such variations shall be ascertained by reference to the prices and rates specified in the applicable Order for like or analogous Work; provided, however, that if there are no such prices and rates or if they are otherwise inapplicable, then the prices and rates set forth in the pricing proposal submitted by CONTRACTOR for such additional Work shall apply. 5.2 To acknowledge or document various events during the provision of the Work, a party may from time to time sign the other party's forms, such as Orders, delivery tickets, job tickets, invoices, or similar instruments used by the parties in the normal course of business. In the event of a conflict between these T&Cs and any such documents, these T&Cs shall control, unless specific reference is made that these T&Cs are modified and the intention to modify is explicitly stated in such documents. 5.3 It is understood and agreed between the parties that COMPANY's representative (appointed in accordance with Section 5.4 below) shall have the authority to approve any job tickets, delivery tickets. or similar forms attesting to the completion of the Work by CONTRACTOR ("Job Tickets"). A COMPANY representative's signature on such Tickets shall indicate acceptance of the Work. If the Job Tickets are not acknowledged within forty-eight (48) hours of receipt through no fault of CONTRACTOR, CONTRACTOR may submit invoices for payment as if such Tickets had been acknowledged. 5.4 COMPANY will appoint a representative who will be responsible for the supervision of the Work, and who shall have full authority to represent and make decisions on behalf of COMPANY with respect to the Work, or otherwise to resolve the day-to-day issues which may arise related to the Work. Likewise, CONTRACTOR shall designate a representative with similar responsibilities and authority to liaise with COMPANY's representative.
- 6. CONTRACTOR's EQUIPMENT. 6.1 Title to CONTRACTOR's equipment, including any lost, damaged, or confiscated equipment, shall remain in CONTRACTOR, and COMPANY shall have no right to assign, transfer, hypothecate, or remove such equipment from the place of its intended use without CONTRACTOR's prior written consent. 6.2 COMPANY shall be responsible for and agrees to compensate CONTRACTOR for all damages, losses, or any abnormal wear to CONTRACTOR GROUP's equipment: (i) while in COMPANY GROUP's care, custody or control, including while being transported by any member of COMPANY GROUP; (ii) as a result of operations conducted out of specifications at COMPANY GROUP's request, or in corrosive, abnormal temperatures or other



unusual conditions; (iii) due to fishing operations (if any); or (iv) if lost in the hole or damaged beyond repair while in the hole or used in the hole. COMPANY will replace such equipment or reimburse CONTRACTOR with the current replacement price of such equipment.

7. INDEMNITY.

7.1 Application of Indemnities. 7.1.1 In those matters in which a party is required by these T&Cs to RELEASE, DEFEND, PROTECT, INDEMNIFY, AND HOLD HARMLESS the other party and/or members of its respective Group, SUCH OBLIGATIONS SHALL, EXCEPT TO THE EXTENT EXPRESSLY PROVIDED OTHERWISE IN THESE T&CS, APPLY TO INDEMNITOR REGARDLESS OF THE CAUSE OR REASON, OR WHO MAY BE AT FAULT OR OTHERWISE RESPONSIBLE UNDER ANY CONTRACT, STATUTE, RULE, OR THEORY OF LAW, INCLUDING WITHOUT LIMITATION STRICT LIABILITY, TORT, BREACH OF DUTY (STATUTORY OR OTHERWISE), BREACH OF CONTRACT, BREACH OF REPRESENTATION OR WARRANTY, BREACH OF ANY SAFETY REQUIREMENT OR REGULATION, DUE TO ANY LATENT, PATENT, OR PRE-EXISTING DEFECTS OR CONDITIONS, IMPERFECTION OF MATERIAL, FAILURE OF EQUIPMENT, OR ANY LEGAL FAULT OR RESPONSIBILITY OF EITHER PARTY. INCLUDING THE SOLE, JOINT, AND/OR CONCURRENT NEGLIGENCE OR FAULT, WHETHER ACTIVE OR PASSIVE, OF THE INDEMNIFIED PARTY, OR OTHER PERSONS OR ENTITIES. 7.1.2 In the event these T&Cs are subject to the indemnity limitations in Chapter 127 of the Texas Civil Practice and Remedies Code (or any successor statute), and so long as such limitations are in force, each party covenants and agrees to support the mutual indemnity and release obligations contained herein by carrying insurance in an amount and of a type sufficient to cover their indemnity obligations. 7.1.3 Notwithstanding any provisions in these T&Cs to the contrary, the following provision applies where Work is to be performed in New Mexico or Wyoming, as applicable: to the extent this Section 7 is governed by New Mexico or Wyoming law, then the provisions herein shall be read not to include indemnification for the indemnified party's own negligence. 7.1.4 If any defense, indemnity, or insurance provision contained in these T&Cs conflicts with, is prohibited by or violates public policy under any federal, state or other law determined to be applicable to a particular situation arising or involving these T&Cs, it is understood and agreed that the conf

7.2 CONTRACTOR's Indemnification. CONTRACTOR shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD COMPANY GROUP HARMLESS from and against any and all Claims for personal or bodily injury to, sickness, disease or death of any member of CONTRACTOR GROUP, and any and all Claims for damage to or loss of any property of CONTRACTOR GROUP

7.3 COMPANY's Indemnification. COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims for personal or bodily injury to, sickness, disease or death of any member of COMPANY GROUP, and any and all Claims for damage to or loss of any property of COMPANY GROUP.
7.4 Pollution and Contamination; Catastrophic Damages or Losses. Notwithstanding each party's obligations pursuant to Sections 7.2 and 7.3 hereof, it is understood and agreed between the parties that the following additional terms shall apply: 7.4.1 (a) CONTRACTOR shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD COMPANY GROUP HARMLESS from and against any and all Claims arising from pollution or contamination, which originates above the surface of the land or water, and which shall directly result from or be caused by CONTRACTOR GROUP's equipment, vehicles, or other tools and instruments while in CONTRACTOR GROUP's sole care, custody or control, and shall assume all responsibility for control and removal of same; and (b) COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims arising from any and all pollution or contamination other than that described under Section 7.4.1 (a) above, and removal of same. 7.4.2 COMPANY shall be liable for, and hereby agrees to RELEASE, DEFEND, PROTECT, INDEMNIFY AND HOLD CONTRACTOR GROUP HARMLESS from and against any and all Claims arising from any and all catastrophic damages or losses, including but not limited to those on account of injury, destruction of, loss or impairment (i) of any formation, strata, or reservoir beneath the surface of the earth; (ii) of any property rights in or to oil, gas, or other mineral substance or water, or the quiet enjoyment thereof, including subsurface trespass; (iii) to the well or the hole, including its casing; (iv) from radioactive sources; and (v) fr

7.5 Incidental or Consequential Damages. Notwithstanding any provisions to the contrary in these T&Cs, neither party shall be liable to the other party for, and parties shall RELEASE, PROTECT, DEFEND, INDEMNIFY AND HOLD EACH OTHER HARMLESS from and against any special, punitive, indirect, incidental or consequential damages or losses suffered by the other party and its Group resulting from or arising, directly or indirectly, out of or in connection with the Work, including, without limitation, loss and/or deferral of production, loss of product, loss of use, loss of bargain, contract expectations, or opportunity to contract with others, loss of revenue, profit, or anticipated profit, loss of business, business interruption, or downtime, whether direct or indirect, and whether or not such loss was foreseeable at the time of placing of an Order.

8. INSURANCE. 8.1 CONTRACTOR and COMPANY agree, at their sole cost and expense, to procure and continuously maintain in full force and effect throughout the term of this Agreement the following insurance coverage which may be met by a combination of primary and excess/umbrella insurance: A. Statutory Workers' Compensation Insurance and Employer's Liability in the amount of \$1,000,000 per occurrence and in the aggregate; B. Commercial General Liability insurance providing for third party property damage and personal injury, including broad form contractual liability for any agreement and broad form property damage in the amount of \$1,000,000 per occurrence and \$2,000,000 in the aggregate; C. Owned and Non-Owned Automobile Liability Insurance for bodily injury and property damage combined single limit in the amount of \$1,000,000 per occurrence and in the aggregate; D. Excess/Umbrella Liability Insurance providing coverage in excess of the foregoing insurances in the amount of \$5,000,000 per occurrence and in the aggregate, excluding statutory insurance coverage. 8.2 Each party agrees that, to the extent it assumes liability herein, it shall endorse the above coverages to name the indemnified parties as additional insureds (except for Workers' Compensation), shall waive its right of subrogation against the indemnified parties and their insurers, and agrees that its insurance shall be primary to that carried by the indemnified parties and non-contributory as per negligence for third party Claims, and shall not contribute in case of any Claim of exhaustion of horizontal limits. 8.3 Each party shall furnish an insurance certificate to the other to evidence the insurance required herein, and such certificates shall contain an endorsement stating that the insurer will endeavor to provide a thirty (30) days prior written notice of alteration or material change to such coverage. All deductible amounts, premiums, franchise amounts, or other charges due with respect to each party's required insurance should be the sole obligation of the insured party. 9. CONFIDENTIALITY. Each party contemplates that the other party may be provided and exposed to confidential and proprietary information ("Confidential Information"), which includes information relating to specifications of its tools, designs, inventions, component parts, parts list, software, firmware, hardware, processes, computer interfaces, operational parameters, and terms and pricing of Work. All Confidential Information shall remain the property of the party disclosing the same and no license is granted to the receiving party by virtue of the provision of such information. Confidential Information shall (i) be used by the recipient solely for the purpose of the provision of the Work and (ii) kept confidential and not disclosed to any person, except authorized representatives of the receiving Party, without written permission of the disclosing party. The receiving party shall take all reasonable steps to require its authorized representatives to keep such information confidential during and after the Work. Confidential Information shall not include information which: (i) at the time of placement of the Order is in the public domain or subsequently comes into the public domain through no fault of the receiving party and not in breach of these T&Cs; (ii) was already known to the receiving party on the date of disclosure, provided that such prior knowledge can be substantiated and proved by documentation; or (iii) properly and lawfully available to the receiving party from sources independent of the disclosing party.

10. INTELLECTUAL PROPERTY. While performing the Work, CONTRACTOR may utilize CONTRACTOR's intellectual property (including, without limitation, copyrights, registered marks, trademarks, service marks, patents, know-how, trade secrets, inventions, discoveries, techniques. techniques. technical information, technologies, designs, software, computer programs, formulae, calculations, computations, expertise, ideas, concepts, improvements, sketches, drawings, models, methods, practices, and/or processes, whether patentable or not) and/or develop, conceive, create, acquire, obtain, collect, generate, or make such additional intellectual property, which is and shall be CONTRACTOR's exclusive property. Except if expressly and specifically agreed in writing in a separate development agreement executed by the parties, and in exchange for appropriate payment, CONTRACTOR shall not develop any intellectual property for ownership by COMPANY in association with Work performed under a specific Order. Notwithstanding the foregoing, COMPANY GROUP shall own any intellectual property solely developed by COMPANY or COMPANY GROUP, respectively.

11. FORCE MAJEURE. 11.1 "Force Majeure" means (to the extent and only to the extent that any of the following are not reasonably within the control of the party claiming a Force Majeure and by the exercise of due diligence such party could not have mitigated, avoided, or overcome such condition) acts of God, fire, floods, lightning, blizzards, tornadoes, earthquakes, ice storms, named tropical storms and hurricanes, pandemics, terrorism, insurrection, revolution, war, strikes, lockouts, federal or state laws, rules and regulations of any governmental or public authorities having or asserting jurisdiction over the premises of either or both parties, inability to procure material due to industry wide shortages or soaring commodity costs, equipment, or necessary labor despite reasonable efforts, or similar causes. 11.2 If a party is rendered unable, wholly or in part, by a Force Majeure event to perform, that party will give written notice detailing such Force Majeure event to the other party as soon as reasonably possible. If a Force Majeure event continues without interruption for ten (10) days, either Party may cancel the applicable Order by giving prompt, written cancellation notice to the other party. Nothing in this Section 14.2 shall excuse COMPANY from its payment obligations of any invoices due and owing for Work performed under a specific Order.

12. LIMITATION OF LIABILITY. Notwithstanding anything to the contrary in these T&Cs, CONTRACTOR's liability arising from or in connection with its performance of the Work shall be limited to the value of the consideration paid to CONTRACTOR under the applicable Order.

13. GOVERNING LAW; VENUE. 13.1 For Work performed on a worksite within the United States, these T&Cs shall be exclusively governed by the laws of the State of Texas, excluding any conflict of laws principle that would refer to the laws of another jurisdiction. Venue shall lie exclusively in the state or federal courts of Harris County, Texas, and the parties consent to personal



jurisdiction therein. 13.2 For Work performed on a worksite within Canada, these T&Cs shall be exclusively governed by the laws of Province of Alberta, excluding any conflict of laws principle that would refer to the laws of another jurisdiction.

14. MISCELLANEOUS. 14.1 Notices. Notices shall be sent by registered post, or delivered in person, to the address for notices communicated by the other party. Said notices shall be deemed received (i) upon delivery if hand delivered, (ii) upon delivery if sent by registered post, and (iii) upon recipient's confirmation of receipt if faxed. 14.2 Waiver. No benefit or right accruing to either party under these T&Cs shall be deemed to be waived unless the waiver is in writing, expressly refers to these T&Cs, and is signed by a duly authorized representative of both parties. A waiver in any one or more instances shall not constitute a continuing waiver, unless specifically so stated in the written waiver. 14.3 Severability. In the event one or more of the provisions contained in these T&Cs shall be held, for any reason, to be invalid, void, illegal, contrary to law and/or unenforceable in any respect, these T&Cs shall be deemed to be amended to partially or completely modify such provision or portion thereof to the extent necessary to make it enforceable. If necessary, these T&Cs shall be deemed to be amended to delete the unenforceable provision or portion thereof, in which event such invalidity, illegality or unenforceability shall not affect the remaining provisions hereof, and these T&Cs shall remain unaffected and shall be construed as if such invalid, void, illegal or unenforceable provision never had been contained herein. 14.4 Independent Representation. COMPANY AND CONTRACTOR ACKNOWLEDGE THAT THEY HAVE CONSULTED AN ATTORNEY CONCERNING THESE T&Cs OR HAVE ELECTED NOT TO DO SO, BUT REPRESENT THAT THEY FULLY UNDERSTAND THEIR RIGHTS AND OBLIGATIONS HEREUNDER

| Company: _ | | | |
|--------------|--|------|--|
| Signature: _ | | | |
| Name: | | | |
| Title: | | | |
| Date: | | | |

AFE:

API:

NATURAL RESOURCES

Royal Oak 25 Fed Com #301H

REGULATORY:

PERMIT #

Bone Springs

Lea County, NM


Sec. 25, T-18S, R-33E; 320 FNL, 1300 FWL

CAMERON WELLHEAD

GL:

RIG: H&P 460

KB: 3892.5 (26.5') 9-5/8" x 7"11" SHL: 3866' Lat: 32.7250465, Long: -103.6208996 (NAD83) 5K SSD-II **FORMATION** MUD **CASING** CEMENT SPECIAL INSTRUCTIONS TVD 16" Conductor 120 13 3/8 " **LEAD: 12.8 PPG** MW 54.5# J-55 LTC Top of Lead: 0



Drilling Engineer: Ryan Harris

| <u>C</u> - | -102 | | | Energ | gy, Minerals | | esources Department | | | Rev | rised July 9, 2024 |
|--|-----------------------|------------------|---------------|------------|---------------|-------------------------|--|---|---|------------------------------|-------------------------------------|
| | mit Elect OCD Pern | | | | OIL CO | NSERVATIO. | N DIVISION | | Submittal Type: | Am. | cial Submittal ended Report Drilled |
| | | | | | WE | LL LOCATION | INFORMATION | | | | |
| API N | lumber 30 | -025-52 | 842 | Pool Cod | 21650 | | Pool Name E-K; Bone S | Spring | | | |
| Prope | erty Code | 335845 | | Property | | ROYAL OA | K 25 FED COM | | | Well N | umber 301H |
| OGRID | No. 33 | 0396 | | Operator | | AVANT OP | ANT OPERATING, LLC Ground Level 3865 | | | | |
| Surfa | ce Owner: | State | Fee 🗌 T | ribal 🛚 Fe | deral | | Mineral Owner: State F | 'ee 🗌 Tri | bal 🛚 Federa | 1 | |
| | _ | | | | | Surface I | ocation | | | | |
| ՄL D | Section 25 | Township | Range 33 E | | Ft. from N/S | Ft. from E/W | Latitude 32.7250465° N | 103.6 | Longitude 5208996 | . o w | County LEA |
| | | 10 3 | 33 L | LL_' | JEO I NE | | | 105.0 | 3200990 | , , | LEA |
| UL | Section | Township | Range | Lot | Ft. from N/S | Bottom Hole | E Location Latitude | Γ | Longitude | | County |
| М | 36 | 18 S | 33 E | | 100 FSL | 990 FWL | 32.6971761° N | 103. | 6218977 | ° W | LEA |
| Dedica | ated Acres | In | fill or Dei | ining Well | Defining Well | I API | API Overlapping Spacing Unit (Y/N) Consolidation Code | | | | |
| Order | Numbers. | R-23 | 452 | | | | Well setbacks are under Common Ownership: ☐ Yes ☐ No | | | | |
| | | | | | | Kick Off Po | oint (KOP) | | | | |
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | | Longitude | | County |
| D | 25 | 18 S | 33 E | | 50 FNL | 990 FWL | 32.7257858° N | 103. | 6219080 | ° W | LEA |
| | | | | | | First Take F | Point (FTP) | | | | |
| ரு D | Section 25 | Township 18 S | Range 33 E | | Ft. from N/S | Ft. from E/W 990 FWL | Latitude 32.7256484° N | 103 / | Longitude 6219079 | ∘ w | County LEA |
| | | 10 0 | 00 L | | IOO I IVE | | 300 Sentral 30 Sentengers 300 Senten | 100. | 0219079 | ••• | LLA |
| UL | Section | Township | Range | Lot | Ft. from N/S | Last Take P | | I | Longitude | T | County |
| М | 36 | 18 S | 33 E | | 100 FSL | 990 FWL | 32.6971761° N | 103.6 | 6218977 | ° w | LEA |
| Unitize | ed Area or | Area of U | Uniform In | iterest | Spacing Un | nit Type 🛭 Horiz | ontal 🗌 Vertical | | Ground F | loor Ele 49.7 | vation: |
| I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division Sarah Forreyros Printed Name | | | | | | | (14831) | location made by rrect to i .c., locate rroviding | shown on the me or under the best of me at 21 Road this information | my su y belief. 3520 i | pervision, and I further certify |
| | ah@avant | nr.com | | | | | (1483/ | | 9/25 | 21 | 4/2025 |
| E-ma | il Address | | | | | | Certificate Number I | | ield Survey | Dat | e of Certification |

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

United Field Services, Inc., located at 21 Road 3520, Flora Vista, New Mexico, is the company providing this plat. Plat Revised: 1/31/25 NOTE: BEARINGS AND DISTANCES SHOWN ARE REFERENCED TO THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE, NAD 83, UNLESS OTHERWISE NOTED AVANT OPERATING, LLC ROYAL OAK 25 FED COM 301H UFSI PROJECT NO. 11722 FOOTAGES SEC LEGEND: SHL 320' FNL 1300' FWL 25 = SURFACE LOCATION (SHL) KOP 50' FNL 990' FWL □ = KICK OFF POINT (KOP) 25 100' FNL FTP/PPP-1 990' $\Delta = FTP/PPP-1$ FWL 25 USGLO 1913 2 1/2" BC ♦ = LANDING POINT (LP) NORTHING (Y): 628573.87 EASTING (X): 761762.76 LAT: NORTH 32.7259398' LONG: WEST 103.6165596' NAD 83 525' FNL LP 990' FWL 25 O = LTP/BHLPPP-2 O' FNL 987' FWL 36 = FOUND 1913 USGLO BRASS CAP LTP/BHL 100' FSL 990' FWL 36 = FOUND 1/2" REBAR N 89'24'13" E N 89'22'28" E 2636.19 2634.89 -N 49'26'56" W 410.52 USGLO 1913 2 1/2" BC SURFACE LOCATION 1/2" REBAR NORTHING (Y): 628546.44 EASTING (X): 759128.02 NORTHING (Y): 628239.86 EASTING (X): 760430.27 LAT: NORTH 32.7250465' LONG: WEST 103.6208996' NORTHING (Y): 628602.65 EASTING (X): 764398.80 LAT: NORTH 32.7259696' LONG: WEST 103.6079878' NAD 83 LAT: NORTH 32.7259132 LONG: WEST 103.6251273° NAD 83 NAD 83 NORTHING (Y): 628506.75
EASTING (X): 760118.35
LAT: NORTH 32.7257858'
LONG: WEST 103.6219080' -S 00'26'12" 50.00 527 S 00'26'12" 425.00 NAD 83 051842 116166 FTP/PPP-NORTHING (Y): 628456.75 EASTING (X): 760118.73 LAT: NORTH 32.7256484* LP LONG: WEST 103.6219079 NORTHING (Y): 628031.76 EASTING (X): 760121.97 LAT: NORTH 32.7244803 NAD 83 LONG: WEST 103.6219066* NAD 83 S 00'26'12" E 5282.89 SECTION 25 NM 019448 N 89'16'49" E 2632.67 USGLO 1913 1/2" BC NORTHING (Y): 623325.01 EASTING (X): 764441.19 LAT: NORTH 32.7114634' LONG: WEST 103.6079674' NAD 83 USGLO 1913 2 1/2" BC NORTHING (Y): 623263.71 EASTING (X): 759168.27 LAT: NORTH 32.7113929 LONG: WEST 103.6251112 N 89'23'15" E 2640.61 USGLO 1913 2 1/2" BC NAD 83 NORTHING (Y): 623296.78 EASTING (X): 761800.73 LAT: NORTH 32.7114352 PPP-2 NORTHING (Y): 623276.11 92 LONG: WEST 103.6165522° EASTING (X): 760155.19 LAT: NORTH 32.7114088* NAD 83 S 00°25'35" E 2641.03' LONG: WEST 103.6219024* NAD 83 L 00.24,01" S 00'20'44" E 2634.36 USGLO 1913 2 1/2" BC SECTION 36 NORTHING (Y): 620684.05 EASTING (X): 764460.83 LAT: NORTH 32.7042045' LONG: WEST 103.6079623' NAD 83 USGLO 1913 2 1/2" BC 2641.1 NORTHING (Y): 620629.40
EASTING (X): 759184.16
LAT: NORTH 32.7041523'
LONG: WEST 103.6251167' 2641 NAD 83 ш 55" LTP/BHL NORTHING (Y): 618097.96 EASTING (X): 760191.37 LAT: NORTH 32.6971761 LONG: WEST 103.6218977 00.23, USGLO 1913 1/2" BC USGLO 1912 3 1/2" BC-NORTHING (Y): 618042.94 EASTING (X): 764480.74 LAT: NORTH 32.6969450 NORTHING (Y): 617987.58 EASTING (X): 759202.09 LAT: NORTH 32.6968909 NAD 83

S 89'23'57" W

5278.94

T-19-S

LONG: WEST 103.6079563°

NAD 83

NAD 83

LONG: WEST 103.6251158



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Reports
02/12/2025

Well Name: ROYAL OAK 25 FED COM Well Location: T18S / R33E / SEC 25 / County or Parish/State: LEA /

NENW / 32.7250472 / -103.6207694 NM

Well Number: 301H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0245247 Unit or CA Name: Unit or CA Number:

US Well Number: 3002552842 **Operator:** AVANT OPERATING LLC

Notice of Intent

Sundry ID: 2789512

Type of Submission: Notice of Intent

Type of Action: APD Change

Date proposed operation will begin: 05/10/2024

Procedure Description: Avant Operating, LLC would like to update the dedicated acreage of this well. New dedicated acreage will be 1280 total acres, please see attached updated plat to reflect this change.

NOI Attachments

Procedure Description

 $Royal_Oak_25_Fed_Com_301H_C_102_20241126171942.pdf$

Page 1 of 2

well Name: ROYAL OAK 25 FED COM Well Location: T18S / R33E / SEC 25 / Coun

NENW / 32.7250472 / -103.6207694

County or Parish/State: Page 51 of

NM

Well Number: 301H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0245247 Unit or CA Name: Unit or CA Number:

US Well Number: 3002552842 **Operator:** AVANT OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: MEGHAN TWELE Signed on: NOV 26, 2024 05:19 PM

Name: AVANT OPERATING LLC

Title: Contract Regulatory Analyst

Street Address: 1515 WYNKOOP ST SUITE 700

City: DENVER State: CO

Phone: (720) 339-6880

Email address: MTWELE@OUTLOOK.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752342234 BLM POC Email Address: cwalls@blm.gov

Disposition: Accepted **Disposition Date:** 02/12/2025

Signature: Chris Walls

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

| FORM APPROVED |
|---------------------------|
| OMB No. 1004-0137 |
| Expires: October 31, 2021 |

| BUR | EAU OF LAND MANAGEMENT | 5. Lease Serial No. | | | | |
|--|---|-----------------------------------|---------------------------------------|---|--|--|
| Do not use this t | IOTICES AND REPORTS ON Vitorm for proposals to drill or t Use Form 3160-3 (APD) for su | 6. If Indian, Allottee or Tribe N | Vame | | | |
| SUBMIT IN | TRIPLICATE - Other instructions on pag | ge 2 | 7. If Unit of CA/Agreement, N | Iame and/or No. | | |
| 1. Type of Well Oil Well Gas W | Vell Other | | 8. Well Name and No. | | | |
| 2. Name of Operator | | | 9. API Well No. | | | |
| 3a. Address | 3b. Phone No | . (include area code) | 10. Field and Pool or Explorate | ory Area | | |
| 4. Location of Well (Footage, Sec., T., K | R.,M., or Survey Description) | | 11. Country or Parish, State | | | |
| 12. CHE | CK THE APPROPRIATE BOX(ES) TO IN | DICATE NATURE | OF NOTICE, REPORT OR OTH | HER DATA | | |
| TYPE OF SUBMISSION | | TYP | E OF ACTION | | | |
| Notice of Intent | Acidize Dee | pen raulic Fracturing | Production (Start/Resume) Reclamation | Water Shut-Off Well Integrity | | |
| Subsequent Report | | Construction | Recomplete | Other | | |
| Final Abandonment Notice | | g and Abandon g Back | Temporarily Abandon Water Disposal | | | |
| completion of the involved operation completed. Final Abandonment No is ready for final inspection.) | I be perfonned or provide the Bond No. on one. If the operation results in a multiple contices must be filed only after all requirement times must be filed only after all requirement true and correct. Name (Printed/Timed) | mpletion or recomple | etion in a new interval, a Form 3 | 160-4 must be filed once testing has been | | |
| 14. I hereby certify that the foregoing is | true and correct. Name (Printed/Typed) | Title | | | | |
| | | Title | | | | |
| Signature | | Date | | | | |
| | THE SPACE FOR FED | ERAL OR STA | ATE OFICE USE | | | |
| Approved by | | Title | ı | Date | | |
| | hed. Approval of this notice does not warranguitable title to those rights in the subject laduct operations thereon. | nt or | 1 | | | |
| Title 18 U.S.C Section 1001 and Title 4 | 3 U.S.C Section 1212, make it a crime for a | ny person knowingl | y and willfully to make to any de | epartment or agency of the United States | | |

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ NENW \ / \ 320 \ FNL \ / \ 1340 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 33E \ / \ SECTION: \ 25 \ / \ LAT: \ 32.7250472 \ / \ LONG: \ -103.6207694 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $PPP: \ NWNW \ / \ 100 \ FNL \ / \ 990 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 33E \ / \ SECTION: \ 25 \ / \ LAT: \ 32.7256484 \ / \ LONG: \ -103.6219079 \ (\ TVD: \ 8600 \ feet, \ MD: \ 8889 \ feet \)$ $BHL: \ SWSW \ / \ 100 \ FSL \ / \ 990 \ FWL \ / \ TWSP: \ 18S \ / \ RANGE: \ 33E \ / \ SECTION: \ 36 \ / \ LAT: \ 32.6971761 \ / \ LONG: \ -103.6218977 \ (\ TVD: \ 8600 \ feet, \ MD: \ 18822 \ feet \)$

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>DISTRICT III</u> 1000 Rio Brazos Rd., Aztec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, N.M. 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505 Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

| ¹ API Number | Pool Code 21650 | Pool Name E-K; Bone Spring | | |
|----------------------------|---------------------|----------------------------|-------------|--|
| ⁴ Property Code | ⁵ Proper | Well Number | | |
| 100 | ROYAL OAK | 30IH | | |
| OGRID No. | ⁸ Operat | or Name | • Elevation | |
| 330396 | AVANT OPER | RATING, LLC | 3869 | |


¹⁰ Surface Location

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| С | 25 | 18 S | 33 E | | 320 | NORTH | 1340 | WEST | LEA |

¹¹ Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|--------------------|---------|----------|-------|-------------------------------|----------------------------------|------------------|---------------|----------------|--------|
| M | 36 | 18 S | 33 E | | 100 | SOUTH | 990 | WEST | LEA |
| 18 Dedicated Acres | | | | ¹³ Joint or Infill | ¹⁴ Consolidation Code | 15 Order No. | | | |
| 1280 Acres Total. | | | | | | R-23452 | | | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SCALE: 1"=3000'

SURFACE LOCATION
NAD 83 NME, NMSPC ZONE 3001
Y= 628240.38 N
X= 760470.31 E
LAT: 32.7250472' N
LONG: 103.6207694' W

FIRST TAKE POINT
NAD 83 NME, NMSPC ZONE 3001
100' FNL, 990' FWL
SEC. 25, T18S, R33E
Y= 628456.75 N
X= 760118.73 E
LAT: 32.7256484' N
LONG: 103.6219079' W

LAST TAKE POINT/
BOTTOM HOLE LOCATION
NAD 83 NME, NMSPC ZONE 3001
Y= 618097.96 N
X= 760191.37 E
LAT: 32.6971761' N
LONG: 103.6218977' W

CORNER COORDINATES TABLE
NAD 83 NME, NMSPC ZONE 3001

CORNER COORDINATES TABLE NAD 83 NME, NMSPC ZONE 3001

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a woluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

4/23/2024
Signature Date

Sarah Ferreyros

Printed Name

sarah@avantnr.com

E-mail Address

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey
Signature and Seal of Protestinal Surveyor:

17078

Certificate Number

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 433618

CONDITIONS

| Operator: | OGRID: |
|----------------------|--------------------------------------|
| Avant Operating, LLC | 330396 |
| 1515 Wynkoop Street | Action Number: |
| Denver, CO 80202 | 433618 |
| | Action Type: |
| | [C-103] NOI Change of Plans (C-103A) |

CONDITIONS

| Created By | | Condition Date |
|---------------|--|-------------------|
| pkautz | If cement is not circulated to surface during cementing operations, a Cement Bond Log (CBL) is required. | 2/19/2025 |
| pkautz | Cement is required to circulate on both surface and intermediate1 strings of casing. | 2/19/2025 |