

Well Name: PHILLIPS COM	Well Location: T24N / R9W / SEC 5 / SENE / 36.34522 / -107.80566	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM30854	Unit or CA Name: PHILLIPS	Unit or CA Number: NMNM76431
US Well Number: 300452680300C1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2833432

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 01/23/2025	Time Sundry Submitted: 08:08
Date Operation Actually Began: 12/02/2024	

Actual Procedure: Dugan Production Corp. P&A'd the well on 12/02/2024 - 12/03/2024 per the attached procedure.

SR Attachments

Actual Procedure

- Phillips_Com_1_SR_PA_completed_wellbore_schematic_20250123080712.pdf
- Phillips_Com_1_BLM_OCD_apvd_plug_changes_20250123080612.pdf
- Phillips_Com_1_SR_PA_formation_tops_20250123080542.pdf
- Phillips_Com_1_SR_PA_work_completed_20250123080532.pdf

Well Name: PHILLIPS COM	Well Location: T24N / R9W / SEC 5 / SENE / 36.34522 / -107.80566	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM30854	Unit or CA Name: PHILLIPS	Unit or CA Number: NMNM76431
US Well Number: 300452680300C1	Operator: DUGAN PRODUCTION CORPORATION	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL	Signed on: JAN 23, 2025 08:06 AM
Name: DUGAN PRODUCTION CORPORATION	
Title: Authorized Representative	
Street Address: PO Box 420	
City: Farmington	State: NM
Phone: (505) 325-1821	
Email address: tyrafeil@duganproduction.com	

Field

Representative Name: Aliph Reena		
Street Address: PO Box 420		
City: Farmington	State: NM	Zip: 87499-0420
Phone: (505)360-9192		
Email address: Aliph.Reena@duganproduction.com		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 01/23/2025
Signature: Matthew Kade	

Dugan Production Corp. P&A'd the well on 12/02/2024-12/03/2024 per the following procedure:

- Mi & RU Aztec Rig 481 and cement equipment. Spot in. ND WH. NU BOP.
- Check pressures, Tubing 0 psi, Casing 100 psi, BH 0 psi.
- TOOH w/1½" tubing out of the hole.
- RU WL & Run 2.25" GR to 1670'. RIH w/wireline set 2-7/8" CIBP and set 2-7/8" CIBP at 1654'. Load and circulate casing w/6.5 bbls water. Run CBL from 1654' to surface. Copy of CBL & revised procedure sent to BLM/NMOCD. TOC behind casing around 50' from CBL. Copy of communications attached.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Attempt to pressure test casing to 650 psi, casing won't test. Small leak, lost 20 psi in 2 minutes.
- Spot Plug I inside 2-7/8" casing from 1654' to surface w/52 sks (59.8 cu ft) Class G cement (1.15 cu ft/sk, 15.8 #/gal) to cover the Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo & Surface. LD all tubing. NO displacement. WOC 4 hrs. Cut wellhead off. Tag TOC @ surface inside 2-7/8" casing and 47' inside the annulus. **Plug I, Inside 2-7/8" casing, 52 sks, 59.8 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface, 0-1654'.**
- Fill up cellar & install dry hole marker w/20 sks, 23 cu ft Class G neat cement.
- Clean location & RD Aztec Rig 481. Ashley Schneider w/BLM witnessed job.
- **Well P&A'd 12/03/2024.**

Completed Wellbore P & A Schematic

Phillips Com #1

API: 30-045-26803


Dugan Production Corp.

1890' FNL & 790' FEL

Sec 5, T24N R09W

San Juan County, NM

Lat: 36.345245, Long: -107.806135



7", 23#, Surface Casing Set @ 94'.

Cemented w/ 41 Cu.ft Class B cement. Hole size 8-3/4"

Set 2-7/8" BP @ 1654'.

Plug I, Inside 2-7/8" casing, 52 sks, 59.8 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo-Surface, 0-1654'.

2-7/8" 6.4# Casing Set @ 1836'

Cemented w/ 294 cu.ft. Hole size: 5-1/8"

Pictured Cliffs + Fruitland Coal Perforated from 1704'-1717'

TD @ 1850', PBTD @ 1815'

Phillips Com #1

API: 30-045-26803

Dugan Production Corp.

1890' FNL & 790' FEL

Sec 5, T24N R09W

San Juan County, NM

Lat: 36.345245, Long: -107.806135

Formation Tops

- Surface Casing – 94'
- Ojo Alamo – 198'
- Kirtland – 370'
- Fruitland – 1468'
- Pictured Cliffs – 1714'

Tyra Feil

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Sent: Tuesday, December 3, 2024 7:36 AM
To: Alex Prieto-Robles; Kade, Matthew H; Aliph Reena; Tyra Feil
Cc: Lucero, Virgil S; Porch, Dustin T; Rennick, Kenneth G; Schneider, Ashley N; Nathaniel Lambson
Subject: RE: *External* RE: [EXTERNAL] RE: dugan_phillips_com_1_cbl.pdf

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Thank you

From: Alex Prieto-Robles <arobles@aztecwell.com>
Sent: Tuesday, December 3, 2024 7:34 AM
To: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Kade, Matthew H <mkade@blm.gov>; Aliph Reena <Aliph.Reena@duganproduction.com>; Tyra Feil <Tyra.Feil@duganproduction.com>
Cc: Lucero, Virgil S <vlucero@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Schneider, Ashley N <anschneider@blm.gov>; Nathaniel Lambson <nlambson@aztecwell.com>
Subject: Re: *External* RE: [EXTERNAL] RE: dugan_phillips_com_1_cbl.pdf

Using 1-1/2 tubing EOT @ 1654' and have a leak of 20 psi in 2 minutes. We will fill it up and WOC.

Alex Prieto

Rig Manager – San Juan Basin

Aztec Well Servicing Co.

P.O. Box 100

Aztec, New Mexico 87410

Cell: 505-419-9882

Office: 505-334-6191

Arobles@aztecwell.com



From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>
Sent: Tuesday, December 3, 2024 7:17:22 AM
To: Kade, Matthew H <mkade@blm.gov>; Aliph Reena <Aliph.Reena@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>; Tyra Feil <Tyra.Feil@duganproduction.com>
Cc: Lucero, Virgil S <vlucero@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Schneider, Ashley N <anschneider@blm.gov>; Nathaniel Lambson <nlambson@aztecwell.com>
Subject: *External* RE: [EXTERNAL] RE: dugan_phillips_com_1_cbl.pdf

Dugan is not approved to bullhead from surface to 1650 feet – is there a casing test.

Tubing must be used.

Thank you

Monica Kuehling
Compliance Officer Supervisor
Deputy Oil and Gas Inspector
New Mexico Oil Conservation Division
North District
Cell Phone: 505-320-0243
Email - monica.kuehling@emnrd.nm.gov

From: Kade, Matthew H <mkade@blm.gov>
Sent: Tuesday, December 3, 2024 7:07 AM
To: Aliph Reena <Aliph.Reena@duganproduction.com>; Alex Prieto-Robles <arobles@aztecwell.com>; Tyra Feil <Tyra.Feil@duganproduction.com>
Cc: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Schneider, Ashley N <anschneider@blm.gov>; Nathaniel Lambson <nlambson@aztecwell.com>
Subject: Re: [EXTERNAL] RE: dugan_phillips_com_1_cbl.pdf

The BLM agrees and approves of moving forward

Matthew Kade
Petroleum Engineer
BLM - Farmington Field Office
6251 College Blvd
Farmington, NM 87402
Office: (505) 564-7736

From: Aliph Reena <Aliph.Reena@duganproduction.com>
Sent: Monday, December 2, 2024 5:42 PM
To: Alex Prieto-Robles <arobles@aztecwell.com>; Tyra Feil <Tyra.Feil@duganproduction.com>
Cc: Kade, Matthew H <mkade@blm.gov>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Schneider, Ashley N

<anschneider@blm.gov>; Nathaniel Lambson <nlambson@aztecwell.com>

Subject: [EXTERNAL] RE: dugan_phillips_com_1_cbl.pdf

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

RE: Dugan Production Corp.

API: 30-045-26803

Phillips Com # 1

TOC from the CBL appear to be at 50' from surface. No changes to the original approved P & A plan & NOI is requested. Will fill up casing from surface.

Please let us know if there are any changes that need to be made, and we will proceed accordingly.

Aliph Reena

Aliph Reena

Engineering Supervisor

Dugan Production Corp.

Cell: 505-360-9192

From: Alex Prieto-Robles <arobles@aztecwell.com>

Sent: Monday, December 2, 2024 4:35 PM

To: Aliph Reena <Aliph.Reena@duganproduction.com>; Tyra Feil <Tyra.Feil@duganproduction.com>

Cc: Kade, Matthew H <mkade@blm.gov>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Vlucero@blm.gov;

Dustin Poch <dporch@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; anschneider@blm.gov; Nathaniel Lambson

<nlambson@aztecwell.com>

Subject: dugan_phillips_com_1_cbl.pdf

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

Alex Prieto

Rig Manager – San Juan Basin

Aztec Well Servicing Co.

P.O. Box 100

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 424219

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 424219
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	CBL submitted well plugged 12/3/2024	3/4/2025