

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division Hobbs District Office

BRADENHEAD TEST REPORT

Operator Name <u>Solaris Water Midstream</u>		API Number <u>30-025-41208</u>
Property Name <u>Pintail 3 Federal SWD</u>		Well No. <u>1</u>

7. Surface Location									
UL - Lot <u>9</u>	Section <u>3</u>	Township <u>26S</u>	Range <u>32E</u>	Feet from <u>2500</u>	N/S Line <u>S</u>	Feet From <u>1400</u>	E/W Line <u>E</u>	County <u>Doña</u>	

Well Status		TA'D Well		SHUT-IN		INJECTOR		PRODUCER		DATE	
YES	<u>NO</u>	YES	<u>NO</u>	INJ	<u>SWD</u>	OIL	GAS	<u>3/5/2025</u>			

OBSERVED DATA

	(A)Surf-Interm	(B)Interm(1)	(C)Interm(2)	(D)Prod Csng	(E)Tubing
Pressure	<u>0</u>	<u>0</u>		<u>0</u>	<u>474</u>
Flow Characteristics					
Puff	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	CO2 <u> </u>
Steady Flow	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	WTR <u> </u>
Surges	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	GAS <u> </u>
Down to nothing	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	If applicable type
Gas or Oil	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	fluid injected for
Water	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	<u>Y</u> / <u>N</u>	Waterflood

Remarks: Please state for each string (A,B,C,D,E) pertinent information regarding bleed down or continuous build up if applies.

BHT-OK

Signature:		OIL CONSERVATION DIVISION	
Printed name:		Entered into RBDMS	
Title:		Re-test	
E-mail Address:			
Date:	Phone:		
Witness: <u>Barbara Y. Chute</u>			



Customer: MAN WELDING
Model: RECORDER 8"
serial: 8584

This is to certify that this instrument has been inspected and tested against ADDITEL Digital Gauge ADT680-GP30K, SN: 218183B00028 Calibrated (03/30/2023) Due Date (03/30/2025) Reference Standard used in this calibration are traceable to the SI Units through NIST. This calibration is compliant to ISO/IEC 17025:2017 and ANSI/NCSL Z540-

This instrument is certified to be accurate within +/- 1% of Full Scale

Input Type/ Range: 1,000#		Color: RED	
Pen Number: 2			
<u>Descending</u>			
Applied:	Reading:	Applied:	Reading:
0	0	1006	1000
200	200	797	800
500	500	497	500
802	800	199	200
1006	1000	0	0

CALIBRATION CERTIFICATE

Cert Date: 1/3/2025
Due Date: 1/3/2026

5405 W INDUSTRIAL AVE.
MIDLAND, TX 79706
(432) 697-7801 (432) 520-3564

Technician:

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 439413

CONDITIONS

Operator: SOLARIS WATER MIDSTREAM, LLC 9651 Katy Fwy Houston, TX 77024	OGRID: 371643
	Action Number: 439413
	Action Type: [UF-BHT] Bradenhead Test (BRADENHEAD TEST)

CONDITIONS

Created By	Condition	Condition Date
blydick	None	3/10/2025