

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: NE SQ LAKE PREM Well Location: T16S / R31E / SEC 10 / County or Parish/State: EDDY /

SWNE / 32.9380186 / -103.8553858 NI

Well Number: 21 Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

RECOVERY

Lease Number: NMNM04421 Unit or CA Name: Unit or CA Number:

Notice of Intent

Sundry ID: 2836182

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 02/10/2025 Time Sundry Submitted: 02:31

Date proposed operation will begin: 12/31/2026

Procedure Description: See attached NOI Sundry Notice approved by BLM (11/16/2019 by James Amos with BLM) and NMOCD. Requesting previous NOI Sundry Notice be re-activated as previously submitted/approved. Crisha Morgan with BLM – Carlsbad Field Office, will extend beyond 90 days per plugging program agreement. Extension Granted to: December 31, 2026 This Well is also subject to Lawsuit against Exxon Mobil Corporation. Awaiting in court proceeding for final date extension.

Surface Disturbance

Is any additional surface disturbance proposed?: No

Oral Submission

Oral Notification Date: Jan 14, 2025 Oral Notification Time: 12:00 AM

Contacted By: MARC LILLEY Contact's Email: marc@energexllc.com

Comments: See attached paper copy of sundry submitted by Marc Lilley for Trigg Oil & Gas

NOI Attachments

Procedure Description

Sundry_Notice___NE_Square_Lake__021__BLM_and_State_Approved___previously__20250210143033.pdf

Page 1 of 2

Well Name: NE SQ LAKE PREM

Well Location: T16S / R31E / SEC 10 / County or Parish/State: EDDY / 200

SWNE / 32.9380186 / -103.8553858

Well Number: 21 Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

RECOVERY

Lease Number: NMNM04421 Unit or CA Name: Unit or CA Number:

US Well Number: 3001504837 **Operator:** TRIGG OIL AND GAS

Comments

Sundry_Notice___NE_Square_Lake__021_M._Lilley_Submitted_Copy_20250210143110.pdf

BLM Point of Contact

BLM POC Name: DINAH C NEGRETE BLM POC Title: Sr. Production Accountability Technician

BLM POC Phone: 5752345952 BLM POC Email Address: dnegrete@blm.gov

Disposition: Accepted Disposition Date: 02/24/2025

Signature: DINAH NEGRETE

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVEL)
OMB No. 1004-013	7
Expires: January 31, 20)1

5.	Lease	Serial	No

BUREAU OF LAND MANAGEMENT				
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.		6. If Indian, Allottee or Tribe Name		
	TRIPLICATE - Other instructions on pa		7. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well	THIPLICATE - Other instructions on pa	ge 2		
Oil Well Gas W	Vell Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	2h Dhona No	. (include area code)	10. Field and Pool or E	Evnloratory Area
Ja. Address	50. Filone No	. (include area code)	10. I leid and I ool of I	Exploratory Area
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish,	State
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	NDICATE NATURE OF NO	OTICE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF A	ACTION	
Notice of Intent	Acidize Dee	epen Pı	roduction (Start/Resume)	Water Shut-Off
	Alter Casing Hyd	draulic Fracturing R	eclamation	Well Integrity
Subsequent Report			ecomplete	Other
Final Abandonment Notice			emporarily Abandon	
	Convert to Injection Plusteration: Clearly state all pertinent details,		Vater Disposal	
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)			
		Title		
Signature A		Date		
	THE SPACE FOR FED	DERAL OR STATE (OFICE USE	
Approved by				
		Title		Date
	hed. Approval of this notice does not warra equitable title to those rights in the subject duct operations thereon.	nt or	ļ.	
	3 U.S.C Section 1212, make it a crime for a ents or representations as to any matter with		willfully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Form 3160-5 (Juste 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021

BUREAU OF LAND MANAGEM	ENT DEC 0 3 2019	5. Lease Serial No. NMNM04421
SUNDRY NOTICES AND REPORTS Do not use this form for proposals to drill abandoned well. Use Form 3160-3 (APD) for	resuch proposals.	Ps
SUBMIT IN TRIPLICATE - Other instructions	on page 2	7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well		NE Square Lake Unit
Oil Well Gas Well Other		8. Well Name and No. NE SQ LAKE Prem 21
2. Name of Operator Trigg Oil and Gas		9. API Well No. 30-015-04837
FO BOX 320 Roswell NW 00202	ne No. <i>(include area code)</i> 83-3272	10. Field and Pool or Exploratory Area NE Square Lake
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 1980' FNL 1980' FEL Section 10 T16S-R31E		11. Country or Parish. State Eddy, NM
12. CHECK THE APPROPRIATE BOX(ES)	TO INDICATE NATURE OF NOTI	CE, REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	TION
Notice of Intent Acidize Alter Casing	Deepen Prod	uction (Start/Resume) Water Shut-Off amation Well Integrity
Subsequent Report Casing Repair Change Plans	New Construction Reco	omplete Other
Final Abandonment Notice Convert to Injection		er Disposal
is ready for final inspection.) Trigg Oil & Gas proposed to plug and abandon this well as follow Current Perforations: 3672-3778, PBTD-3781 Remove tubing from hole Set CIBP @ 3760\ 3 (22 (70 p f - f 30) Circulate P&A mud from 9760\ to surface 3 (22 25 sx cement plug 3000\ 3760\ (17AG) 3 (22 34) 25 sx cement plug \(\frac{1950\cdot -2760\cdot}{1950\cdot -2760\cdot}\) (TAG) 25 sx cement plug \(\frac{1950\cdot -2760\cdot}{1950\cdot -2760\cdot}\) (TAG) 25 sx cement plug \(\frac{1950\cdot -2760\cdot}{1950\cdot -2760\cdot}\) (TAG) 25 sx cement plug \(\frac{100\cdot -3960\cdot}{1950\cdot -2760\cdot}\) (TAG) 25 sx cement plug \(\frac{100\cdot -3960\cdot -1760\cdot}{1950\cdot -1760\cdot}\) (TAG) 15 sv cement plug \(\frac{100\cdot -3960\cdot -1760\cdot}{1950\cdot -1760\cdot}\) (TAG) 25 sx cement plug \(\frac{100\cdot -3960\cdot -1760\cdot}{1950\cdot -1760\cdot}\) (TAG) 15 sv cement plug \(100\cdot -3960\cdot -1760\cdot -1760	SEE. CON 82. Add plug o	ATTACHED FOR DITIONS OF APPROVAL var DVT from 1846-946 Tag.
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Ty</i>)	ned)	
JJ McGlasson	Agent Title	
Signature	Date	. 10/22/2019
THE SPACE FOR	FEDERAL OR STATE OF	FICE USE
Approved by		
Conditions of approval, if any, are attached. Approval of this notice does not certify that the applicant holds legal or equitable title to those rights in the st which would entitle the applicant to conduct operations thereon. Title [18 U.S. Section 1001 and Title 43 U.S.C Section 1212, make it a crin	object lease Office	Date //-/6-/9 Ifully to make to any department or agency of the United States
any false, fictitious or fraudulent statements or representations as to any mat		, , , , , , , , , , , , , , , , , , , ,

(Instructions on page 2)



North East Square Lake Premier Unit 21 Field: North East Square Lake Lease: NMNM04421 API #30-015-04837 10-16S-31E, Eddy County, NM 1980' FNL & 1980' FEL Tripp Oil & Gas

Yates

Queen

Wellbore Status as of:

10/21/19


Spud:

2/2/1961

TD: PBTD: 3/8/1961 3815' 3/8/1961 3781'

AFTER

DRAWING NOT TO SCALE.



Surface Casing:

212'


8-5/8 24# J-55 Cmtd w/ 135 sx TOC-Unknown

Production Casing:

4-1/2", 11.6#, J-55, DVT @ 996' Cmtd w/ STG 1-200sx

Cmtd w/ STG 2-225sx TOC-SURF-Circ 5 sx

Prepared by J McGlasson 10/21/19



Perf 3672'-3778' End of Casing @ 3815'

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

6. Below Ground Level Cap (Lesser Prairie-Chicken Habitat): All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off. Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¼ inch thick and welded in place. A weep hole shall be left in the plate and/or casing.

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

<u>Tinting Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:</u>
From March 1st through June 15th annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 442664

CONDITIONS

Operator:	OGRID:
CANYON E & P COMPANY	269864
251 O'Connor Ridge Blvd.	Action Number:
Irving, TX 75038	442664
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	Notify the OCD inspection supervisor via email 24 hours prior to beginning Plug & Abandon (P&A) operations.	3/20/2025
loren.diede	A CBL is to be run after setting the CIBP at 3622'. Submit the CBL tif file to NMOCD for upload into the Well Log File.	3/20/2025
loren.diede	Please note: Plug depth revisions as noted by NMOCD conditional mapproval dated 11-16-2019.	3/20/2025
loren.diede	In addition to the NMOCD revised plug depths dated 11-16-2019; Add cement plugs as follows: Greyberg formation top, perf at 3396', squeeze cement to 3296', Queen formation top, perf at 3011', squeeze cement to 2911', Yates formation top, p[erf at 2177', squeeze cement to 2077'.	3/20/2025
loren.diede	This well is within the LPCH restricted area and a below ground marker is to be installed. Submit photo and GPS coordinates of the P&A marker with the subsequent P&A submission.	3/20/2025
loren.diede	Follow the BLM LPCH area restricted operating hours from March 1st to June 15th. On-site operations not allowed from 03:00 to 09:00 daily.	3/20/2025