

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: SAN JUAN 28-7 UNIT Well Location: T28N / R7W / SEC 20 /

NWNW / 36.651703 / -107.60112

ARRIBA / NM

Well Number: 219E

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

County or Parish/State: RIO

Lease Number: NMSF078497A

Unit or CA Name: SAN JUAN 28-7

UNIT--DK

Unit or CA Number: NMNM78413C

US Well Number: 3003922624

Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2810881

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 09/09/2024

Time Sundry Submitted: 09:24

Date proposed operation will begin: 10/01/2024

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal, Pictured Cliffs and Mesaverde formations, and downhole commingle with the existing Dakota formation. Please see the attached procedure, current and proposed wellbore diagram, plats and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_28_7_Unit_219E_RC_NOI_20240909092322.pdf

County or Parish/State: RIO Well Name: SAN JUAN 28-7 UNIT Well Location: T28N / R7W / SEC 20 /

NWNW / 36.651703 / -107.60112

ARRIBA / NM

Well Number: 219E Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Lease Number: NMSF078497A

Unit or CA Name: SAN JUAN 28-7

UNIT--DK

Unit or CA Number: NMNM78413C

US Well Number: 3003922624

Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: SEP 09, 2024 09:24 AM Operator Electronic Signature: CHERYLENE WESTON

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Tech - Sr Street Address: 1111 TRAVIS STREET

City: HOUSTON State: TX

Phone: (713) 289-2615

Email address: CWESTON@HILCORP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition Date: 09/12/2024 **Disposition:** Approved

Signature: Kenneth Rennick



HILCORP ENERGY COMPANY SAN JUAN 28-7 UNIT 219E RECOMPLETION SUNDRY

Prepared by:	Matthew Esz
Preparation Date:	September 3, 2024

	WELL INFORMATION										
Well Name:	SAN JUAN 28-7 UNIT 219E	State:	NM								
API#:	3003922624	County:	Rio Arriba								
Area:	10	Location:									
Route:	1006	Latitude:									
Spud Date:	June 24, 1981	Longitude:									

PROJECT DESCRIPTION

Perforate, fracture, and commingle the Fruitland Coal, pictured Cliffs, and Mesa verde with the existing Dakota zone.

	CONTACTS									
Title	Name	Office Phone #	Cell Phone #							
Engineer	Matthew Esz		770-843-9226							
Area Foreman										
Lead										
Artificial Lift Tech										
Operator										




HILCORP ENERGY COMPANY SAN JUAN 28-7 UNIT 219E RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 7,256'.
- 3. Set a 4-1/2" plug at +/- 7,142' to isolate the Dakota.
- 4. RU wireline. Run CBL. Record top of cement.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Fruitland Coal from 2604'-2856' Pictured Cliffs from 2856'-3025' and Mesa Verde from 3837'-6195'.
- 8. Nipple down frac stack, nipple up BOP and test.
- 9. TIH with a mill and drill out top isolation plug and Fruitland Coal/Pictured Cliffs/Mesa Verde frac plugs.
- 10. Clean out to Dakota isolation plug.
- 11. Drill out **Dakota** isolation plug and cleanout to PBTD of **7,405**'. TOOH.
- 12. TIH and land production tubing. Get a commingled Fruitland Coal/Pictured Cliffs/Mesa Verde/Dakota flow rate.




HILCORP ENERGY COMPANY SAN JUAN 28-7 UNIT 219E RECOMPLETION SUNDRY





HILCORP ENERGY COMPANY SAN JUAN 28-7 UNIT 219E RECOMPLETION SUNDRY



District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-102 August 1, 2011

Permit 372623

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-22624	2. Pool Code 71629	3. Pool Name BASIN FRUITLAND COAL (GAS)
4. Property Code 318432	5. Property Name SAN JUAN 28 7 UNIT	6. Well No. 219E
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6270

10. Surface Location

ſ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	D	2	2 (10	BN 07	w	790	N	1190	W	RIO
										ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 320			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

□	

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston
Title: Operations/Regulatory Tech-Sr.

Date: 9/3/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B. Kerr, Jr. 8/12/1980 Date of Survey: 3950 Certificate Number:

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-102 August 1, 2011

Permit 372623

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-22624	72439	BLANCO P. C. SOUTH (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
318432	SAN JUAN 28 7 UNIT	219E
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6270

10. Surface Location

																_
UL - Lot	П	Section	П	Township		Range		Lot Idn	Feet From	N/S Line	Т	Feet From	E/W Line	П	County	٦
	미		20		28N	07	'W		790	N	٧l	1190	١	Νl	RIO	-
	-													-	ARR I BA	1

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated /	Acres 0.00		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

			knowledge and belief, mineral interest in the this well at this locatio interest, or to a volunt by the division.	OPERATOR e information contained and that this organizati land including the prop n pursuant to a contract ary pooling agreement of lene Weston s/Regulatory Te
				SURVEYOR e well location shown o or under my supervisior Fred B. Kerr, Jr.
			Date of Survey:	8/12/1980 3950

CERTIFICATION

ed herein is true and complete to the best of my tion either owns a working interest or unleased posed bottom hole location(s) or has a right to drill ct with an owner of such a mineral or working t or a compulsory pooling order heretofore entered

ech-Sr.

CERTIFICATION

on this plat was plotted from field notes of actual on, and that the same is true and correct to the best District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Form C-102 August 1, 2011

Permit 372623

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-22624	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
318432	SAN JUAN 28 7 UNIT	219E
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6270

10. Surface Location

ſ	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	D	20	28N	07W		790	N	1190	W	RIO
										ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	12. Dedicated Acres 13. 320.00		13. Joint or Infill	13. Joint or Infill		14. Consolidation Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston
Title: Operations/Regulatory Tech-Sr.

Date: 9/3/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B. Kerr, Jr. 8/12/1980 Date of Survey: 3950 Certificate Number:

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

nergy Compan	У	OGRID:	372171	Date: _	9 / 9 /2024
] Amendment	due to □ 19.15.27	7.9.D(6)(a) NMAC	□ 19.15.27.9.D(6)(b) NMAC □ C	Other.
:					
				wells proposed to	be drilled or proposed to
API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
3003922624	D-20-28N-07W	790' FNL, 1190' FW	'L 2.1 bbl/d	450 mcf/d	5 bbl/d
			l delivery point. Completion	Initial F	low First Production
3003922624					<u>2024</u>
tices: Attacling files.	h a complete desc NMAC.	cription of the acti	ons Operator will	I take to comply	with the requirements of
	API 3003922624 Pint Name: e: Provide the ted from a sing API 3003922624 API API 3003922624 API 3003922624 API 4 Practices: ARI Attach	e following information for each ingle well pad or connected to a API ULSTR 3003922624 D-20-28N-07W Dint Name: Chaco-Blanted from a single well pad or contend from a single	API Spud Date TD Reached Date Spud Date TD Reached Date API Spud Date TD Reached Date API Spud Date TD Reached Date API Spud Date TD Reached Date Spud Date TD Reached Date API Spud Date TD Reached Date	API Chaco-Blanco Processing Plant Completed Wested from a single well pad or connected to a central delivery point. API Spud Date TD Reached Completion Date Commencement Commencement Completion Commencement Completion Date Complete description of how Operator will size sep Sices: Attach a complete description of the actions Operator will of 19.15.27.8 NMAC. Chaco-Blanco Processing Plant	API Chaco-Blanco Processing Plant [See 19] Chaco-Blanco Processing Plant [See 19] Charached from a single well pad or connected to a central delivery point. API Spud Date TD Reached Commencement Date Back D (Commencement Date Stack) API Spud Date TD Reached Commencement Date (Completion Commencement Date Stack) API Spud Date TD Reached Completion Elices: Attach a complete description of the actions Operator will take to comply of 19.15.27.8 NMAC. Attach a complete description of Operator's best management practices: Attach a complete description of Operator's best management practices: Attach a complete description of Operator's best management practices: Attach a complete description of Operator's best management practices: Attach a complete description of Operator's best management practices: Attach a complete description of Operator's best management practices: Attach a complete description of Operator's best management practices:

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
				-

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 w	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of the same segment is a segment of the same segment.	he
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well(s	i).

_									
1 1	Attach (Onaratar	'a nlan	to monogo	nroduction	in recnance	to the inc	creased line p	raccure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information pro-	ovided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific inf	formation
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid;

- compression on lease; (c)
- (d) liquids removal on lease;
- reinjection for underground storage; (e)
- **(f)** reinjection for temporary storage;
- **(g)** reinjection for enhanced oil recovery;
- fuel cell production; and (h)
- other alternative beneficial uses approved by the division. (i)

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become (a) unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston					
Printed Name:	Cherylene Weston					
Title:	Operations/Regulatory Tech-Sr.					
E-mail Address	cweston@hilcorp.com					
Date:	9/9/2024					
Phone:	713-289-2615					
	OIL CONSERVATION DIVISION					
	(Only applicable when submitted as a standalone form)					
Approved By:						
Title:						
Approval Date:						
Conditions of A	Conditions of Approval:					

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 382988

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
	Action Number:
Houston, TX 77002	382988
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Notify the OCD inspection supervisor via email 24 Hours Prior to beginning operations.	3/31/2025
ward.rikala	Down Hole Commingle order is required prior to commingling of production.	3/31/2025
ward.rikala	All conducted logs shall be submitted to the OCD as a [UF-WL] EP Well Log Submission (WellLog).	3/31/2025
ward.rikala	A C-104 packet is required if, a pool is added, or perforations are added above or below existing perfs.	3/31/2025