

End of Well Report
Hogback Unit #55
API: 30-045-29271
14-30N-16W
GL 5391'

SURF CSG:

Hole size: 8-3/4"
Csg size: 7"
Wt: 20#
Grade J-55
ID: 6.366
Depth: 325'
Cap cf/ft: 0.221
TOC: surface


FORM TOPS:

Nacimiento Top:
Ojo Alamo Top:
Kirtland Top:
Fruitland Top:
Picture Cliffs Top:
Chacra Top:
Mesa Verde Top:
Mancos Top: 604'
Gallup Top: 1,905'
Dakota Top:

PROD CSG:

Hole size: 6-1/4"
Csg size: 4-1/2"
Wt: 9.5#
Grade J-55
ID: 4.09
Depth: 2333'
Cap cf/ft: 0.0912
Csg/OH Ann:
Csg/OH Ann, cf/ft: 0.1026
TOC: surface

PERFS: 2079 - 2202
PBTD:
TD: 2,380'



02-12-25: Perforate csg at 328', **Plug 3:** Pumped 76sx and circ. good cmt thru BH, WOC, Cutoff WH, Instal P&A marker, Pumped 20sx to top off casings and fill cellar.

02-12-25: TIH tag TOC at 1889', **Plug 2:** Pumped 18sx balanced plug F: 659' T:431'

02-11-25: Set CICR at 2029', P/T csg - Test ok, Run CBL - F: 2029' T: Surf., **Plug 1:** Pumped 46sxttl ((28sx bl; 18sx on top)),

02-10-25: TIH w/ scraper to 2036'

Plugging Information

Class G cmt used mixed @ 15.8 ppg, yield 1.15 cuft/sx
Regulatory rep. - NMOCD: THOMAS VERMERSCH
Regulatory rep. - BLM: GALE CLAYTON
Marker GPS Coordinates: 36.820612; -108.49966

02-10-25: Perforate csg at 328', Pumped 76sx and circ. good cmt thru BH,











Thurs, 13/02/2025 11:36 AM MST

36.820636°N, 108.499674°W

Altitude 5394.2ft

Compass 357° N



Well Name: NE HOGBACK UNIT	Well Location: T30N / R16W / SEC 14 / NWNW / 36.82044 / -108.49912	County or Parish/State: SAN JUAN / NM
Well Number: 55	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM04407	Unit or CA Name: NE HOGBACK UNIT	Unit or CA Number: NMNM78403A
US Well Number: 3004529271	Operator: CHUZA OIL CO INCORPORATED	

Subsequent Report

Sundry ID: 2844889

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 04/01/2025	Time Sundry Submitted: 01:54
Date Operation Actually Began: 02/10/2025	

Actual Procedure: Work completed on February 12, 2025. See attached after work wellbore schematic with daily notes, and pictures of the marker. Aztec Well Servicing Co. completed the work as the contractor for New Mexico Oil Conservation Division. The Bureau of Land Management Farmington Field Office requested work to be completed.

SR Attachments

Actual Procedure

NE_Hogback_55_EOW_Report_20250401135218.pdf

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 04/02/2025
Signature: Matthew Kade	

End of Well Report
Hogback Unit #55
API: 30-045-29271
14-30N-16W
GL 5391'

SURF CSG:

Hole size: 8-3/4"
Csg size: 7"
Wt: 20#
Grade J-55
ID: 6.366
Depth: 325'
Cap cf/ft: 0.221
TOC: surface


FORM TOPS:

Nacimiento Top:
Ojo Alamo Top:
Kirtland Top:
Fruitland Top:
Picture Cliffs Top:
Chacra Top:
Mesa Verde Top:
Mancos Top: 604'
Gallup Top: 1,905'
Dakota Top:

PROD CSG:

Hole size: 6-1/4"
Csg size: 4-1/2"
Wt: 9.5#
Grade J-55
ID: 4.09
Depth: 2333'
Cap cf/ft: 0.0912
Csg/OH Ann:
Csg/OH Ann, cf/ft: 0.1026
TOC: surface

PERFS: 2079 - 2202
PBTD:
TD: 2,380'



02-12-25: Perforate csg at 328', **Plug 3:** Pumped 76sx and circ. good cmt thru BH, WOC, Cutoff WH, Instal P&A marker, Pumped 20sx to top off casings and fill cellar.

02-12-25: TIH tag TOC at 1889', **Plug 2:** Pumped 18sx balanced plug F: 659' T:431'

02-11-25: Set CICR at 2029', P/T csg - Test ok, Run CBL - F: 2029' T: Surf., **Plug 1:** Pumped 46sxttl ((28sx bl; 18sx on top)),

02-10-25: TIH w/ scraper to 2036'

Plugging Information

Class G cmt used mixed @ 15.8 ppg, yield 1.15 cuft/sx
Regulatory rep. - NMOCD: THOMAS VERMERSCH
Regulatory rep. - BLM: GALE CLAYTON
Marker GPS Coordinates: 36.820612; -108.49966

02-10-25: Perforate csg at 328', Pumped 76sx and circ. good cmt thru BH,











Thurs, 13/02/2025 11:36 AM MST

36.820636°N, 108.499674°W

Altitude 5394.2ft

Compass 357° N



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 447712

CONDITIONS

Operator: AZTEC WELL SERVICING CO 300 Legion Road Aztec, NM 87410	OGRID: 191362
	Action Number: 447712
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/2/2025