









Sat, 01/03/2025 09:59 AM MST

36.825708°N, 108.496110°W

Altitude 5425.1ft

Compass 3° N

Timemark
Camera



Well Name: NE HOGBACK UNIT	Well Location: T30N / R16W / SEC 11 / NESW / 36.82555 / -108.49553	County or Parish/State: SAN JUAN / NM
Well Number: 56	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM077282	Unit or CA Name: NE HOGBACK UNIT	Unit or CA Number: NMNM78403A
US Well Number: 3004529350	Operator: CHUZA OIL CO INCORPORATED	

Subsequent Report

Sundry ID: 2844885

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 04/01/2025	Time Sundry Submitted: 01:50
Date Operation Actually Began: 02/25/2025	

Actual Procedure: Work completed on February 27, 2025. See attached after work wellbore schematic with daily notes, and pictures of the marker. Aztec Well Servicing Co. completed the work as the contractor for New Mexico Oil Conservation Division. The Bureau of Land Management Farmington Field Office requested work to be completed.

SR Attachments

Actual Procedure

NE_Hogback_56_EOW_Report_20250401134859.pdf

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 04/02/2025
Signature: Matthew Kade	

End of Well Report
Hogback Unit #56
API: 30-045-29350
11-30N16W
GL 5414'

SURF CSG:

Hole size: 8-3/4"
Csg size: 7"
Wt: 20#
Grade J-55
ID: 6.456
Depth: 125
Cap cf/ft: 0.2273
TOC: surface


FORM TOPS:

Nacimiento Top:
Ojo Alamo Top:
Kirtland Top:
Fruitland Top:
Picture Cliffs Top:
Chacra Top:
Mesa Verde Top:
Mancos Top: 460'
Gallup Top: 1,560'
Dakota Top:

PROD CSG:

Hole size: 6-1/4"
Csg size: 4-1/2"
Wt: 10.5#
Grade J-55
ID: 4.052
Depth: 2152
Cap cf/ft: 0.0896
Csg/OH Ann:
Csg/OH Ann, cf/ft: 0.1026
TOC: surface

PERFS: 1923 - 2035
PBTD: 2,100'
TD: 2,160'



02-27-25: TIH and tag TOC at 1394', TOO H, Perforate casing at 160', Inj rate est. from surf. **Plug 3:** Pumped 45sx and circ. Good cmt to pit, WOC, Cutoff WH, Install P&A marker, Pumped 18sx to top off and fill cellar.

02-27-25: TIH tag TOC at 1423', TOO H to 510', **Plug 2:** Pumped 12sx ttl,

02-26-25: Set CICR at 1872', Circ. csg clean, P/T csg - Test good, Run CBL - F: 1872' T: Surf., TIH w/ stinger and est inj rate, **Plug 1:** Pumped 59sx ttl ((26sx blw; 33sx on top)), TOO H, WOC

02-25-25: TIH w/ scraper to 1887',

Plugging Information

Class G cmt used mixed @ 15.8 ppg, yield 1.15 cuft/sx
Regulatory rep. - NMOCD: JOHN DURHAM
Regulatory rep. - BLM: BILL DEIRS
Marker GPS Coordinates: 36.825735; -108.496127









Sat, 01/03/2025 09:59 AM MST

36.825708°N, 108.496110°W

Altitude 5425.1ft

Compass 3° N

Timemark
Camera



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 447714

CONDITIONS

Operator: AZTEC WELL SERVICING CO 300 Legion Road Aztec, NM 87410	OGRID: 191362
	Action Number: 447714
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	4/2/2025