U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 03/29/2025
Well Name: COTTON DRAW UNIT	Well Location: T25S / R31E / SEC 1 / SESW / 32.1520974 / -103.734763	County or Parish/State: EDDY / NM
Well Number: 254H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0503	<b>Unit or CA Name:</b> COTTON DRAW UNIT DELAWARE B	<b>Unit or CA Number:</b> NMNM70928G
<b>US Well Number:</b> 3001543848	<b>Operator:</b> DEVON ENERGY PRODUCTION COMPANY LP	

# **Notice of Intent**

Sundry ID: 2833934 Type of Submission: Notice of Intent Date Sundry Submitted: 01/27/2025 Date proposed operation will begin: 04/01/2025

Type of Action: Plug and Abandonment Time Sundry Submitted: 09:36

Procedure Description:

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

# **NOI Attachments**

**Procedure Description** 

COTTON\_DRAW\_UNIT\_254\_BLM\_NOI\_P\_A\_SIGNED\_WBD\_20250127093543.pdf

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED

Received by OCD: 3/31/2025 7:17:56 AM Well Name: COTTON DRAW UNIT	Well Location: T25S / R31E / SEC 1 / SESW / 32.1520974 / -103.734763	County or Parish/State: EDBY 7 of 16
Well Number: 254H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM0503	Unit or CA Name: COTTON DRAW UNIT DELAWARE B	Unit or CA Number: NMNM70928G
US Well Number: 3001543848	<b>Operator:</b> DEVON ENERGY PRODUCTION COMPANY LP	

# Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFF YOUNG

Signed on: JAN 27, 2025 09:36 AM

Name: DEVON ENERGY PRODUCTION COMPANY LP

State: OK

State:

Title: Production Data Analyst

Street Address: 333 W SHERIDAN AVE

City: OKLAHOMA CITY

Phone: (405) 228-2480

Email address: JEFF.YOUNG@DVN.COM

# **Field**

Representative Name: Street Address: City: Phone: Email address:

Zip:

APPROVED by Long Vo Petroleum Engineer Carlsbad Field Office 575-988-50402 LVO@BLM.GOV

#### Received by OCD: 3/31/2025 7:17:56 AM

Form 3160-5 UNITED STATES (June 2019) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT				FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.		
Do not u	se this f		ORTS ON WELLS to drill or to re-enter an PD) for such proposals.	6. If Indian, Allottee or Tribe N	ame	
	UBMIT IN T	RIPLICATE - Other instru	uctions on page 2	7. If Unit of CA/Agreement, Na	ame and/or No.	
1. Type of Well Oil Well	🗌 Gas W	Vell Other		8. Well Name and No.		
2. Name of Operator				9. API Well No.		
3a. Address			3b. Phone No. <i>(include area code)</i>	10. Field and Pool or Explorato	ory Area	
4. Location of Well (Footag	ge, Sec., T.,R	.,M., or Survey Description)		11. Country or Parish, State		
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE (	OF NOTICE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISS	SION		TYPI	E OF ACTION		
Notice of Intent		Acidize	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report		Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	Other	
Final Abandonment	Notice	Convert to Injection	Plug Back	Water Disposal		
the proposal is to deepe	en directiona	lly or recomplete horizontal		easured and true vertical depths of	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following	

the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

# See Attached for Revised Procedure

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )		
·	Title	
Signature	Date	
THE SPACE FOR FEDE	RAL OR STATE OFICE USE	
Approved by Long Vo	Petroleum Engineer	3-29-2025 Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		department or agency of the United States

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

# **Additional Information**

# Location of Well

0. SHL: SESW / 10 FSL / 1650 FWL / TWSP: 25S / RANGE: 31E / SECTION: 1 / LAT: 32.1520974 / LONG: -103.734763 (TVD: 0 feet, MD: 0 feet) PPP: SESW / 220 FSL / 1640 FWL / TWSP: 25S / RANGE: 31E / SECTION: 13 / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet) BHL: SESW / 220 FSL / 1640 FWL / TWSP: 25S / RANGE: 31E / SECTION: 13 / LAT: 0.0 / LONG: 0.0 (TVD: 8190 feet, MD: 12913 feet)

#### ceived by OCD: 3/31/2025 7.17.56 AM Re

<i>Received by</i>	OCD: 3/31/2025 7:	17:56 AM					Page 6 of
Form 3160-5 (June 2015)		UNITED STATES ARTMENT OF THE IN EAU OF LAND MANA	TERIOR			Of Expi	DRM APPROVED MB No. 1004-0137 res: January 31, 2018
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name				
		TRIPLICATE - Other instruc	,			7. If Unit of CA/Agree	ment, Name and/or No.
1. Type of We	ell ] Oil Well 🛛 Gas W	Vell Other				8. Well Name and No.	COTTON DRAW UNIT 254H
2. Name of O		GY PRODUCTION COMPAN				9. API Well No. 30-01	5-43848
	333 West Sheridan Ave 73102-5015	e, Oklahoma City, OK		(include area 30	code)	10. Field and Pool or E COTTON DRAW-B	xploratory Area
4. Location of		R.,M., or Survey Description)	,			11. Country or Parish, S EDDY COUNTY, N	
	12. CHE	CK THE APPROPRIATE BO	X(ES) TO INI	DICATE NAT	URE OF NOT	ICE, REPORT OR OTH	ER DATA
TYPE	OF SUBMISSION				TYPE OF AC	TION	
✓ Notice		Acidize Alter Casing Casing Repair		en aulic Fracturii Construction	ng 🔲 Rec	duction (Start/Resume) lamation omplete	Water Shut-Off Well Integrity Other
	quent Report Abandonment Notice	Change Plans	✓ Plug	and Abandon Back		porarily Abandon er Disposal	_
the Bond completion completed is ready for 1. MIRL 2. Set C 3. Spot 4. Spot 5. Spot 6. Spot Salt 100 7. Perf 8. Porf-	under which the work wil on of the involved operatic d. Final Abandonment No or final inspection.) J P&A unit. TOOH with CIBP at 7468'. Pressure 25 sx CI C @ 7468'-744 25 sx CI C @ 6730'-65; 25 sx CI C @ 5428'-52 350 sx CI C @ 4477'-9 (5) 332 sxs Class C @ 797', Sq2 65 sx CI C	I be perfonned or provide the I ons. If the operation results in a tices must be filed only after al 2 7/8 tbg and ESP @ 7834', test 500psi/30min. 00'. WOC & tag. (KOP @ 75 20'. (Brushy Canyon @ 668 10'. (Cherry Canyon @ 5376 40'. WOC & Tag. (Delaware (4436' to 1081') @ 797' 620'. WOC & tag. (1 @ 100' to surface. Perf ar	3ond No. on f a multiple con l requirement 518') 0') 8') @ 4412', Be Shoe @ 747	Ile with BLM/ upletion or rec s, including re Il Canyon Pe , Rustler @ 6	BIA. Required ompletion in a clamation, hav rfs @ 4427', 580')	d subsequent reports mus new interval, a Form 31 ve been completed and th Shoe @ 4381', POTAS	f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been te operator has detennined that the site SH AREA - Base Salt 4160' to T.
							<b>REVISED</b> 2:56 pm, Mar 29, 2025
14. I hereby ce		true and correct. Name (Print	ed/Typed)	PROD Title	UCTION		
Signature	e Jeff	( Goung		Date		01/27/20	25
	J U	THE SPACE	FOR FED	ERAL OR	STATE OI	FICE USE	
Approved by	Long Vo	2-	2	Title	Petroleun	n Engineer	3-29-2025 Vate
certify that the		hed. Approval of this notice do equitable title to those rights in duct operations thereon.			Carlsbad	Field Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

.

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:


The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240





TD @ 18,200' (MD) PBTD @ 18,200' (MD) (8,304' TVD)

# Received by OCD: 3/31/2025 7:17:56 AM

# devon

# WELLBORE DIAGRAM (PROPOSED)

•

Î	Proposed: 1. Cut WH off 3' BGL, Set dry hole marker.	WELL: COUNTY: STATE: API: LOCATION: AREA-FIELD FORMATION:				: DEVON EN	ERGY	SURFA	SPUD DATE: TD: TVD: PBTD: KB ELEVATIC GL ELEVATIC CE LAT/LONG:	18,200' 8,304' 18,200' 0 3,476.0' 0 3,452.0'	MD (KB) TVD (KB) MD (KB) (24' KB)
						CASING RE	CORD				
	13-3/8" @ 747' (MD)	SURFACE CA									
ALL PLAN	Proposed:	O.D.	WT./FT.	GRADE	THD	TOP	BTM	NO. JTS.	BIT SZ.	SX CMT.	TOP CI
	1. Perf @ 1081'. 2. Sqz 321 sx Cl Cl from 1081' to surface.(In	13-3/8"	54.50#	J-55	BTC	0'	747'	18	17-1/2"	1015 *cir 110	Surfac 0 bbls cmt te
	107 sxs/Out 214 sxs) WOC & tag. (Shoe @ 747', Rustler @ 680')	INTERMEDIA O.D.	TE CASING WT./FT.	GRADE	THD	ТОР	BTM	NO. JTS.	BIT SZ.	SX CMT.	TOP C
	,	9-5/8"	40.00#	J-55	BTC	0'	4,381'	106	12-1/4"	1,385	0'
		PRODUCTION				<u> </u>				*cir 129	9 bbls cmt t
	5-1/2" TOC ~ 3,010'	0.D. 5-1/2"	WT./FT. 17.00#	GRADE P-110RY	THD CDC-HTQ	<b>TOP</b> 0'	BTM 18,200'	NO. JTS. 407	BIT SZ. 8-3/4"	SX CMT. 2,430	3,010
	Proposed:				0001114		,			* TOC from 0	
	1. Spot 332 sx Cl C from 4477'-1081'. WOC & tag. (Shoe @ 4381', Delaware @ 4412',Bell Canyon @	For	mation	Der	th (TVD					TOC HOM C	JBL @ 1/3/2
	4427', POTASH AREA - Base Salt 4160' to T. Salt	Rus		×q.är ⇒⊂ fi	om KB 680				PERF	ORATION R	ECORD
<b>花</b> 頭花	1005')	Sala	ido		1,005	1			ZONE - Stage	TOP	BOTTO
	9-5/8" @ 4,381' (MD)		e of Salt aware		4,160 4,412				20112 Oldge	8,457	18,051
1423年143	5-010 @ 4,001 (mD)		Canyon		4,427 5,378	_					
			rry Canyon shy Canyon		6,680						
		Low D sa	ver Brushy		8,027 8,120	4					
Ш		<b>-</b>				+					
	Proposed: 1. Spot 25 sx Cl C from 5428'-5210'. (Cherry Canyon @ 5378')		REV	ISED	0. 2025						
	1. Spot 25 sx Cl C from 5428'-5210'.		REV	<b>ISED</b> m, Mar 29	9, 2025						
Ш	1. Spot 25 sx Cl C from 5428'-5210'. (Cherry Canyon @ 5378') Proposed: 1. Spot 25 sx Cl C from 6730'-6520'.		REV		9, 2025						
	1. Spot 25 sx Cl C from 5428'-5210'. (Cherry Canyon @ 5378') Proposed: 1. Spot 25 sx Cl C from 6730'-6520'. (Brushy Canyon @ 6680') Proposed: 1. Set ClBP @ 7468', Pressure Test 500 psi/30 min. 2 Spot 25 sx Cl H from 7468'-7400'. WOC & Tag		REV		9, 2025						
	1. Spot 25 sx Cl C from 5428'-5210'. <i>(Cherry Canyon @ 5378')</i> Proposed:  1. Spot 25 sx Cl C from 6730'-6520'. <i>(Brushy Canyon @ 6680')</i> Proposed:  1. Set ClBP @ 7468', Pressure Test 500 psi/30 min.  2 Spot 25 sx Cl H from 7468'-7400'. WOC & Tag <i>(KOP @ 7650')</i> <u>KOP - 7.518'</u> Top Perf (Stage ): 8,457' MD		<b>REV</b> 2:56 pr	m, Mar 29						n Perf (Stage	
	1. Spot 25 sx Cl C from 5428'-5210'. (Cherry Canyon @ 5378') Proposed: 1. Spot 25 sx Cl C from 6730'-6520'. (Brushy Canyon @ 6680') Proposed: 1. Set CIBP @ 7468', Pressure Test 500 psi/30 min. 2 Spot 25 sx Cl H from 7468'-7400'. WOC & Tag (KOP @ 7650') KOP - 7.518'		REV		9, 2025 		8 8 8		Bottor III III III	n Perf (Stage шшш	
	1. Spot 25 sx Cl C from 5428'-5210'. <i>(Cherry Canyon @ 5378')</i> Proposed:  1. Spot 25 sx Cl C from 6730'-6520'. <i>(Brushy Canyon @ 6680')</i> Proposed:  1. Set ClBP @ 7468', Pressure Test 500 psi/30 min.  2 Spot 25 sx Cl H from 7468'-7400'. WOC & Tag <i>(KOP @ 7650')</i> <u>KOP - 7.518'</u> Top Perf (Stage ): 8,457' MD		<b>REV</b> 2:56 pr	m, Mar 29			N N N	11 II II			шш

Released to Imaging: 4/4/2025 8:33:37 AM

# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval (LPC Habitat)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a

bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

6. <u>Below Ground Level Cap (Lesser Prairie-Chicken Habitat)</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified** *BY PHONE* (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

Upon the plugging and subsequent abandonment of wells that are located in lesser prairie-chicken habitat, the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least <sup>1</sup>/<sub>4</sub> inch thick and welded in place. A weep hole shall be left in the plate and/or casing. The following information shall be permanently inscribed on the plate: well name and number, name of operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

# **Timing Limitation Stipulation/ Condition of Approval for Lesser Prairie-Chicken:**

From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted



# **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

#### **Reclamation Objectives and Procedures**

**Reclamation Objective:** Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (**Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure**). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry

Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez Environmental Protection Specialist 575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

•

Sundry ID	2833934	1					
Plug Type	Тор	Bottom	Length	Tag	Sacks	Cement Class	Notes
		100.00	400.00	<b>T A</b> ( ) (			
Surface Plug Fresh Water @ 695	0.00 638.05			Tag/Verify If solid			
	000.00	743.00	100.95				
	000 50	707.00	407.47	<b>T A</b> ( ) (			
13.375 inch- Shoe Plug	689.53	797.00	107.47	Tag/Verify			Perf and squeeze
		1001.00	105.10				from 1081' to surface. (In 107
Top of Salt @ 1016	955.84		125.16	Tag/Verify	321.00	С	sxs/Out 214 sxs)
Base of Salt @ 4173 9.625 inch- Shoe Plug	4081.27 4287.19			Tag/Verify Tag/Verify			
5.025 men- 5106 Flug	4207.19	4431.00	143.01	rag/verily			
Delaware @ 4386	4292.14	4436.00	143.86	If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio ns	332.00	с	Spot cement from 4436' to 1081'. WOC and Tag.
				If solid base no need to Tag (CIBP present and/or Mechanic al Integrity Test), If Perf & Sqz then Tag, Leak Test all CIBP if no Open Perforatio			Set CIBP at 7468'. Leak test CIBP.
CIBP Plug	7433.00		35.00	ns	25.00	Н	Spot 25 sxs on top.
5.5 inch- Shoe Plug	17968.00	18250.00	282.00	Tag/Verify			

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C<7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft<sup>3</sup>/sx Class H: 1.06 ft<sup>3</sup>/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

	Top of	Salt to surface	
Cave Karst/Potash Cement Requirement:	Secretary		
13.375 inch- Shoe Plug @	747.00		
9.625 inch- Shoe Plug @	4381.00		
5.5 inch- Shoe Plug @	18200.00	TOC @	3010.00

CIBP @ 7468.00

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	446968
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Run CBL 2900' - Surface	4/4/2025
gcordero	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	4/4/2025
gcordero	Submit Cement Bond Logs (CBL) prior to submittal of C-103P.	4/4/2025

CONDITIONS

Page 16 of 16

Action 446968