eceived by UCD:S/3/2025 8:22:43 AM U.S. Department of the Interior		Sundry Print Report
BUREAU OF LAND MANAGEMENT		And the All and the second
Well Name: SD 24 13 FEDERAL COM	Well Location: T26S / R32E / SEC 24 / SESE / 32.021488 / -103.623649	County or Parish/State: LEA / NM
Well Number: 7H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMLC065876A	Unit or CA Name: SD WE 24 FED P24 6H & 7H	Unit or CA Number: NMNM138439
US Well Number: 3002543675	Operator: CHEVRON USA INCORPORATED	

Notice of Intent

Sundry ID: 2837878

Type of Submission: Notice of Intent

Date Sundry Submitted: 02/20/2025

Date proposed operation will begin: 02/20/2025

Type of Action: Temporary Abandonment Time Sundry Submitted: 12:27

Procedure Description: CHEVRON USA, INC. REQUESTS THE FOLLOWING: The SD 24 13 FEDERAL COM 7H (30-025-43675) is being proposed for temporary abandonment due to attempted MIT testing in which we suspect tubing integrity issues. The well has had water influx that has caused unexpected loss of hydrocarbon production, and thus is classified as inactive as a result. We have attempted one well water shut off and are aiming to test another. If this is successful, then this well would be a candidate for water shut off. This wellbore is in our proposed permitting for gas re-injection but with tubing integrity concerns. A TA of this wellbore allows us to progress water shut off and gas re-injection on other wells while preserving this wellbore. Please see following TA procedure. Planned TA Procedure: Rig up pulling unit and prepare to pull out of hole with tbg. Rig up slickline and RIH with GR to ~8757'. RIH w/CIBP set @ 8757' w/slickline & top with 35' of class H cement with dump bailer Release slickline unit. Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body Rig down and release slickline and pulling unit.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

SD_24_13_FEDERAL_COM_7H_NOI_TA_PKT_20250220122714.pdf

K	eceived by OCD: 3/3/2025 8:22:43 AM Well Name: SD 24 13 FEDERAL COM	Well Location: T26S / R32E / SEC 24 / SESE / 32.021488 / -103.623649	County or Parish/State: LEA
	Well Number: 7H	Type of Well: OIL WELL	Allottee or Tribe Name:
	Lease Number: NMLC065876A	Unit or CA Name: SD WE 24 FED P24 6H & 7H	Unit or CA Number: NMNM138439
	US Well Number: 3002543675	Operator: CHEVRON USA INCORPORATED	

Conditions of Approval

Specialist Review

TA_COA_20250228182027.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICOLE TAYLOR

Name: CHEVRON USA INCORPORATED

Title: Regulatory Coordinator

Street Address: 6301 DEAUVILLE BLVD

City: MIDLAND

Phone: (432) 687-7328

Email address: NICOLE.TAYLOR@CHEVRON.COM

Field

Representative Name: Street Address: City:

Phone:

Email address:

State:

State: TX

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Phone: 5752345972 Disposition: Approved Signature: Jonathon Shepard Signed on: FEB 20, 2025 12:27 PM

BLM POC Title: Petroleum Engineer

Zip:

BLM POC Email Address: jshepard@blm.gov

Disposition Date: 02/28/2025

(eccived by OCD: 5)	/3/2023 0:2	22:43 AM				Fuge 5 of	
Form 3160-5 UNITED STATES (June 2019) DEPARTMENT OF THE INTERIOR				FORM APPROVED OMB No. 1004-0137 xpires: October 31, 2021			
		REAU OF LAND MAN			5. Lease Serial No. NMLC065876A		
Do no	t use this	NOTICES AND REPO form for proposals Use Form 3160-3 (A	to drill or to	o re-enter an	6. If Indian, Allottee or Tribe		
		TRIPLICATE - Other instr			7. If Unit of CA/Agreement,		
1. Type of Well					SD WE 24 FED P24 6H & 7H/NM	INM138439	
✔ Oil Well	Gas				8. Well Name and No. SD 24 13 FEDERAL COM/7H		
2. Name of Operator CH	HEVRON US	A INCORPORATED			9. API Well No. 300254367	75	
3a. Address PO BOX			3b. Phone No. (661) 633-40	(include area code) 00	-	10. Field and Pool or Exploratory Area JENNINGS/UPPER BN SPR SHALE	
4. Location of Well (Foo SEC 24/T26S/R32E/	-	R.,M., or Survey Description,)		11. Country or Parish, State LEA/NM		
	12. CHI	ECK THE APPROPRIATE B	OX(ES) TO IN	DICATE NATURE	OF NOTICE, REPORT OR OT	ГНЕR DATA	
TYPE OF SUBM	ISSION			TYP	PE OF ACTION		
Votice of Intent		Acidize	Deep	oen raulic Fracturing	Production (Start/Resume Reclamation	e) Water Shut-Off Well Integrity	
Subsequent Repo	rt	Casing Repair		Construction	Recomplete	Other	
		Change Plans		and Abandon	Temporarily Abandon		
Final Abandonme		Convert to Injection		Back	Water Disposal	vork and approximate duration thereof. If	
the proposal is to de the Bond under whic completion of the in	epen direction ch the work wi volved operation andonment No	ally or recomplete horizontal ill be perfonned or provide th ions. If the operation results i	lly, give subsurfa le Bond No. on f n a multiple con	ace locations and m file with BLM/BIA. npletion or recompl	easured and true vertical depths Required subsequent reports m letion in a new interval, a Form	s of all pertinent markers and zones. Attach nust be filed within 30 days following 3160-4 must be filed once testing has been d the operator has detennined that the site	
CHEVRON USA	, INC. REQU	ESTS THE FOLLOWING:					
The SD 24 13 FE	EDERAL CO	M 7H (30-025-43675) is be	ing proposed	for temporary aba	andonment due to attempted	MIT testing in which we	
suspect tubing ir	tegrity issue	s. The well has had water	influx that has	caused unexpected	ed loss of hydrocarbon produ	uction, and thus is classified	
as inactive as a	result. We ha	ive attempted one well wat	er shut off and	I are aiming to tes	st another. If this is successfu	I, then this well would be a	
candidate for wa	ter shut off. T	This wellbore is in our prop	osed permittin	g for gas re-inject	tion but with tubing integrity o	concerns. A TA of this	
	us to progres	s water shut off and gas re	-injection on o	ther wells while p	reserving this wellbore. Plea	se see following TA	
procedure.							
Planned TA Proc		and a second second of the day of the day					
		re to pull out of hole with th	ig.				
Rig up slickline a			an II comont y	with dump bailor			
Release slickline		ickline & top with 35' of cla		nin dump baller			
Continued on page		al information					
	-	s true and correct. Name (Pr	inted/Typed)	1			
NICOLE TAYLOR / P			inica iypea)	Regulatory	/ Coordinator		
(Electro Signature	nic Submissi	on)		Date	02/20/	/2025	
·		THE SPACE			ATE OFICE USE		
Approved by							
	PARD / Ph: (575) 234-5972 / Approved		Title Petro	leum Engineer	03/01/2025 Date	
				1			

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office CARLSBAD

(Instructions on page 2)

Released to Imaging: 4/4/2025 9:45:46 AM

which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body Rig down and release slickline and pulling unit.

Location of Well

0. SHL: SESE / 200 FSL / 1185 FEL / TWSP: 26S / RANGE: 32E / SECTION: 24 / LAT: 32.021488 / LONG: -103.623649 (TVD: 0 feet, MD: 0 feet) PPP: NENE / 180 FNL / 440 FEL / TWSP: 26S / RANGE: 32E / SECTION: 13 / LAT: 32.049896 / LONG: -103.621231 (TVD: 9042 feet, MD: 9186 feet) BHL: NENE / 180 FNL / 440 FEL / TWSP: 26S / RANGE: 32E / SECTION: 13 / LAT: 32.049896 / LONG: -103.621231 (TVD: 9120 feet, MD: 19399 feet)

CHEVRON USA, INC. REQUESTS THE FOLLOWING:

The SD 24 13 FEDERAL COM 7H (30-025-43675) is being proposed for temporary abandonment due to attempted MIT testing in which we suspect tubing integrity issues. The well has had water influx that has caused unexpected loss of hydrocarbon production, and thus is classified as inactive as a result. We have attempted one well water shut off and are aiming to test another. If this is successful, then this well would be a candidate for water shut off. This wellbore is in our proposed permitting for gas re-injection but with tubing integrity concerns. A TA of this wellbore allows us to progress water shut off and gas re-injection on other wells while preserving this wellbore. Please see following TA procedure.

Planned TA Procedure:

Rig up pulling unit and prepare to pull out of hole with tbg.

Rig up slickline and RIH with GR to ~8757'.


RIH w/CIBP set @ 8757' w/slickline & top with 35' of class H cement with dump bailer

Release slickline unit.

Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body Rig down and release slickline and pulling unit.

SD 24 13 FEDERAL COM 7H CURRENT WELLBORE

API#:	30-025-43675	Spud	8/10/2017
Chevno:	PL0369	Complete	12/8/2017
Field:	Jennings	Elevation	3136
County	Lea County, Nm	КВ	33




<u>Surface Casing</u> 13-3/8" 54.5#/ft J-55 Set @ 662' w/844 sks cmt

Intermediate Casing:

9-5/8" L80 40#/ft Set @ 4536' w/1487 sks cmt


Set @ 19,363' w/2612 sks cmt

	MD	TVD	Inclination
Top of Curve	8,669	8,601.20	6.12
Bottom of Curve	9,645	9,096.00	89.17
Top Perf	9,227	9,043.27	65
PKR Depth	8,811	8,736.48	22



SD 24 13 FEDERAL COM 7H PROPOSED WELLBORE

API#:	30-025-43675	Spud	8/10/2017
Chevno:	PL0369	Complete	12/8/2017
Field:	Jennings	Elevation	3136
County	Lea County, Nm	KB	33




<u>Surface Casing</u> 13-3/8" 54.5#/ft J-55 Set @ 662' w/844 sks cmt

Intermediate Casing:

9-5/8" L80 40#/ft Set @ 4536' w/1487 sks cmt

	MD	TVD	Inclination
Top of Curve	8,669	8,601.20	6.12
Bottom of Curve	9,645	9,096.00	89.17
Top Perf	9,227	9,043.27	65
PKR Depth	8,811	8,736.48	22
Plug Depth	8,757	8,686.46	21.23



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	438112
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Must submit casing integrity log prior to subsequent approval.	4/4/2025
gcordero	Passing MIT test in accordance with 19.15.26.11 or 19.15.25.12-14 NMAC will be required at time of work.	4/4/2025

Page 10 of 10

Action 438112