

Submit Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-025-38171</b>
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator <b>EOG RESOURCES, INC</b>		6. State Oil & Gas Lease No.
3. Address of Operator <b>P.O. Box 2267, Midland, TX 79706</b>		7. Lease Name or Unit Agreement Name <b>SHELL 26 STATE</b>
4. Well Location Unit Letter <b>G</b> : <b>2130</b> feet from the <b>NORTH</b> line and <b>1980</b> feet from the <b>EAST</b> line Section <b>26</b> Township <b>10S</b> Range <b>32E</b> NMPM <b>LEA</b> County		8. Well Number <b>003</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>4314'</b>		9. OGRID Number <b>7377</b>
		10. Pool name or Wildcat <b>CUERNO LARGO, UPPER PENNSYLVANIAN</b>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

EOG PLUGGED THIS WELL 3/18/2025 USING THE ATTACHED PROCEDURE. THIS WELL IS NOW PLUGGED AND ABANDONED

Spud Date:

2/12/2005

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE \_\_\_\_\_ TITLE **REGULATORY SPECIALIST** DATE **3/20/2025**

Type or print name **AL GARCIA** E-mail address: **alvino\_garcia@eogresources.com** PHONE: **432-236-2924**

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

## WELLWORK REPORT

## SHELL 26 STATE #3

3/8/2025 MIRU

3/11/2025 WL set CIBP and RIH and set @ 9150'.  
MU 2 7/8 x 4' perf sub and PU 2 7/8 6.5# L-80 tbg off pipe rack and RIH 99 jts. EOT @ 3227.44'  
SI csg and test plug and csg 550 psi. With no leak off. Let Bobby Trujillo w/State NMOCD know we had good test with no leak off. Sent him picture of psi gauge.  
Plug #1 To cover CIBP & Bough C. ( 9127'- 8944' ) Spot 25 sxs Class H cmt 15.6#, 1.18 yield. Plug Length 226' Woc/Tag.

3/12/2025 TIH tag TOC @ 8944'. Text Bobby Trujillo w/State NMOCD and let him know where we tagged TOC. He was good with tag.  
Plug #2 To cover Wolfcamp. ( 8597'- 8371' ) Spot 25 sxs Class H cmt 15.6#, 1.18 yield. Plug Length 226' No tag required.  
Plug #3 To cover Abo. ( 7397'- 7144' ) Spot 25 sxs Class C cmt 14.8#, 1.32 yield. Plug Length 253' No tag required.  
Plug #4 To cover Drinkard & Tubb. ( 6935'- 6429' ) Spot 50 sxs Class C cmt 14.8#, 1.32 yield. Plug Length 506' No tag required.  
Plug #5 To cover Glorieta. ( 5046'- 4793' ) Spot 25 sxs Class C cmt 14.8#. Plug Length 253' No tag required.  
Plug #6 To cover Salt. ( 3744'- 3491' ) Spot 25 sxs Class C cmt 14.8#, 1.32 yield. Plug Length 253' No tag required.  
Plug #7 To cover Grayburg, Queen and Inte Shoe . ( 3493'- 3139' ) Spot 35 sxs Class C cmt 14.8#, 1.32 yield. Plug Length 354' No tag required.  
Plug #8 To cover Yates. ( 2409'- 2156' ) Spot 25 sxs Class C cmt 14.8#, 1.32 yield. Plug Length 253' No tag required.

3/14/2025 PLUG #9 To cover Rustler. ( 1800'- 1700' ) Spot 10 sxs in 5.5" 101' cmt. Squeeze 15 sxs sxs in 8 5/8 152' cmt SQUEEZE 25 SX CLASS C CMT @ 14.8# 1.32 YIELD

WELLWORK REPORT

RIH tag TOC @ 1635'. POOH LD lub. Text Bobby Trujillo w/ State NMOCD let him know where we tagged. He was good with tag.

RU WL Lubricator and 1" perf gun RIH perf @ 455'. POOH all shots had fired. RU pmp load hole 5 bbls and got circ up 8 5/8. RU WL lubricator and MU 3 1/8 perf gun and RIH and perf @ 50'. POOH all shots fired. SI 8 5/8 and load hole 3 bbls and got circ up 13 3/8 csg. RD WL.

Plug #10 ( Squeeze 186 sxs had cmt to surface in all casings.' )  
Squeeze 186 sxs Class C cmt 14.8#, 1.32 yield. Plug length 1881'. Got cmt to surface in 8 5/8. SI 8 5/8 and circ cmt to surface in 13 3/8.

3/18/2025

Dig up WH. Cut and install DHM Sent pictures to Bobby Trujillo w/ State NMOCD. He was good with everything.

NMOCD REPRESENTATIVE – BOBBY TRUJILLO

WELL IS PLUGGED AND ABANDONED



Well Name:	Shell 26 State #3
Location:	2130 FNL, 1980 FEL
County:	Lea, NM
Lat/Long:	33.4187355, -103.6408768
API #:	3002538171
Spud Date:	12/23/06
Compl. Date:	4/18/07

**Final Wellbore Diagram:**

KB:  
GL: 4314

17.500"  
13.375" 48.00# @ 405  
365 sx = surface

5.500" TOC @ 3250

11.000"  
8.625" 24.00# @ 3750  
1000 sx = surface

7.875"  
5.500" 17.00# @ 10449  
400 sx = 3250

PBTD @ 10418  
TD @ 10450

**Cut off wellhead and installed DHM (03/17/2025)**

Perf &amp; Squeeze w/ 186sx Class C (455-0), Rustler, WOC &amp; TAG (03/13/2025)

Perf &amp; Squeeze w/ 25sx Class C (1800-1635), Rustler, WOC &amp; TAG (03/13/2025)

**Balanced Plug w/ 25sx Class C (2409-2156), Yates (03/12/2025)**

**Balanced Plug w/ 35sx Class C (3491-3139), Grayburg, Queen, Int. Shoe (03/12/2025)**

**Balanced Plug w/ 25sx Class C (3744-3491), Salt (03/12/2025)**

**Balanced Plug w/ 25sx Class C (5046-4793), Glorietta (03/12/2025)**

**Balanced Plug w/ 50sx Class C (6935-6429), Drinkard & Tubb (03/11/2025)**

**Balanced Plug w/ 25sx Class C (7397-7144), Abo (03/11/2025)**

**Balanced Plug w/ 25sx Class H (8597-8371), Wolfcamp (03/11/2025)**

CIBP @ 9150, TAG, Spot 25 sx Class H (9127-8944), WOC, TAG, CIBP rule (03/10/2025)

Open Perfs 9209-9226

Open Perfs 9439-9490

Open Perfs 9579-9581

Open Perfs 9722-9726

Open Perfs 10074-10350

### Formation Tops

Rustler	1,747
Yates	2,350
7 Rivers	-
Queen	3,243
Grayburg	3,440
San Andres	3,690
Glorieta	5,082
Tubb	6,530
Drinkard	6,866
Abo	7,346
Wolfcamp	8,547
Bough C	9,208
	-
	-

**Not to Scale**

By: AEC 3/19/25

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 446823

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 446823
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	4/4/2025
gcordero	Submit C-103Q within one year of plugging.	4/4/2025