

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

<b>Well Name:</b> GREEN LIGHT FED COM	<b>Well Location:</b> T24S / R35E / SEC 36 / TR O / 32.167665 / -103.317501	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 804H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM138897	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 3002550630	<b>Well Status:</b> Drilling Well	<b>Operator:</b> FRANKLIN MOUNTAIN ENERGY LLC

## Subsequent Report

**Sundry ID:** 2725908

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 04/17/2023

**Time Sundry Submitted:** 08:03

**Date Operation Actually Began:** 11/24/2022

**Actual Procedure:** Franklin Mountain Energy, LLC (FME), Operator of the captioned well, respectfully submits the below drilling operations notice for record. The Green Light Fed Com 804H was spud utilizing surface rig, Pinnergy #1 on 11/24/22 02:00. "Drilled 17-1/2"" hole to 1,335' KB. PJSM W/CREWS AND RUN 13.375"" 54.5# BHC J55, RAN 13-3/8"" CASING AS FOLLOWS. FLOAT SHOE 2.0', 1 JOINT OF CASING 43.27', FLOAT COLLAR 1.5', FOLLOWED BY 30 JOINTS OF 13-3/8"" 54.5 LB/FT, J-55 CASING, BTC TO 1,339.80' (KB) 1,332.80' (GL). CENTRALIZED JOINT 1,2, 3 & EVERY 3RD JOINT TO SURFACE. RIG DOWN CASING CREW.CIRC AND CND HOLE TO CEMENT SURFACE CASING.TEST CASING @ 10,000 PSI FOR 40 MINS" Cemented 13-3/8" casing as follows: CEMENT SURFACE CASING, 13.375" 54# BTC J55 W/AMERICAN CEMENTERS PJSM WITH ALL PERSONEL CEMENTED 13-3/8" CASING AS FOLLOWS. PRE FLUSHED LINES WITH WATER, TESTED LINES TO 2,500 PSI, MIXED & PUMPED 20 BBLS FRESH H2O WATER SPACER WITH DYE FOLLOWED BY 241 BBLS LEAD @ 13.5 PPG (802 SKS) FOLLOWED BY 80 BBLS TAIL @ 14.8 PPG (340 SKS). STOPPED. DROPPED PLUG. DISPLACED PLUG WITH 199BBLS WATER. BUMPED PLUG WITH 460 PSI OVER FCP OF 490 PSI. HELD 950 PSI PRESSURE FOR 5 MINS, BLED BACK 1 BBL. FLOATS HELD. 86 BBLS CLEAN CEMENT RETURNED TO SURFACE. NO DROP IN ANNULUS. PT SURFACE CASING TO 1500PSI FOR 30 MIN HELD OK. CEMENT USED CLASS C HSR RIG RELEASED 11/24/22 @ 02:00

**Well Name:** GREEN LIGHT FED COM**Well Location:** T24S / R35E / SEC 36 /  
TR O / 32.167665 / -103.317501**County or Parish/State:** LEA /  
NM**Well Number:** 804H**Type of Well:** OIL WELL**Allottee or Tribe Name:****Lease Number:** NMNM138897**Unit or CA Name:****Unit or CA Number:****US Well Number:** 3002550630**Well Status:** Drilling Well**Operator:** FRANKLIN  
MOUNTAIN ENERGY LLC

### Operator

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

**Operator Electronic Signature:** TRAVIS BIGGART**Signed on:** APR 17, 2023 08:03 AM**Name:** FRANKLIN MOUNTAIN ENERGY LLC**Title:** Sr. Operations Analyst**Street Address:** 44 COOK STREET, SUITE 100**City:** DENVER**State:** CO**Phone:** (830) 525-8868**Email address:** TBIGGART@FMELLC.COM

### Field

**Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Email address:**

### BLM Point of Contact

**BLM POC Name:** JONATHON W SHEPARD**BLM POC Title:** Petroleum Engineer**BLM POC Phone:** 5752345972**BLM POC Email Address:** jshepard@blm.gov**Disposition:** Accepted**Disposition Date:** 04/19/2023**Signature:** Jonathon Shepard

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 214415

CONDITIONS

Operator: Franklin Mountain Energy LLC 6001 Deauville Blvd. Midland, TX 79706	OGRID: 373910
	Action Number: 214415
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	4/23/2025