Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

DEFARTMENT OF THE INTERIOR							
BUREAU OF LAND MANAGEMENT				5. Lease Serial No.	5. Lease Serial No. NMNM136233		
Do not use this t	NOTICES AND REPO form for proposals t Use Form 3160-3 (A)	o drill or to re	e-enter an	6. If Indian, Allottee	or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit of CA/Ag	7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well				9. Wall Name and N			
✓ Oil Well Gas Well Other				8. Well Name and N	o. TEA OLIVE FED COM 25 36 33/104		
2. Name of Operator AMEREDEV OF	PERATING LLC	9. API Well No. 300	2550739				
3a. Address 3b. Phone No. (include area code)			10. Field and Pool o	r Exploratory Area			
2901 VIA FORTUNA, STE.600 AL		737-300-4700	1	JAL/WOLFCAMF			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 4/T26S/R36E/NMP				11. Country or Paris	h, State		
12. CHE	CK THE APPROPRIATE BO	OX(ES) TO INDIC	ATE NATURE	OF NOTICE, REPORT OR O	ΓHER DATA		
TYPE OF SUBMISSION			TY	PE OF ACTION			
Notice of Intent	Acidize Alter Casing	Deepen Hydrauli	c Fracturing	Production (Start/Resume Reclamation) Water Shut-Off Well Integrity		
Subsequent Report	Casing Repair Change Plans	=	nstruction Abandon	Recomplete Temporarily Abandon	✓ Other		
Final Abandonment Notice	Convert to Injection	Plug Bac	ek	Water Disposal			
SPUD DATE: 4/27/2023 Casing Ran: 13.375" 68# J-55 PUMP SURFACE JOB: 18:32 PPG (100% CLASS C CEMEI FIBER-X). PUMP TAIL CEME FLAKE, 0.125 LBS/SK DURA NO CEMENT RETURNS TO SCONTACTED ON-CALL BLM 385 SACKS, 1.33 YLD, 6.32 H20, 0.25 LB/SK CELLO	05/04/23 PUMP 30 BBLS NT, 4% BENTONITE GEL, NT 91 BBLS, 385 SX, 1.33 FIBER-X). SHUT DOWN. SURFACE. CHECK FLOA ENGINEER (STEVENS).	OF F/W SPACEI 0.4% CPT503P, 3 YLD, 14.8 PPG DROP PLUG, PL TS/FLOATS HEL RIH WITH 1" PIP	R. PUMP LEA 0.25 LBS/SK , (100% CLAS JMP DISPLAC D. JOB COM E TO @ 220'	CELLOPHANE FLAKE, 0.12 SS C CEMENT, 0.125 LBS/S CEMENT WITH 212 BBLS O PLETE 20:13 05/04/2023 PUMPED TOP OFF 05/05/2	25 LBS/SK DURA K CELLOPHANE F F/W. LAND PLUG. 2023 00:50 60 BBLS,		
Continued on page 3 additiona		LS (21 SKS) OF	CEMENT TO	SURFACE, JOB COMPLETI	E 05/05/2023 1:18.		
14. I hereby certify that the foregoing is		nted/Typed)					
CHRISTIE HANNA / Ph: (737) 300	-4723	Ti		gineering Technician			
Signature Christic Hanna	a	Da	ate	05/08/	2023		
	THE SPACE	FOR FEDER	AL OR ST	ATE OFICE USE			
Approved by							
JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted			Petro Title	oleum Engineer	05/11/2023 Date		
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject le which would entitle the applicant to conduct operations thereon.				RLSBAD	1		
			•				

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

TOC: 0' (SURFACE)

RIG RELEASED: 05/05/2023

Location of Well

0. SHL: NENW / 230 FNL / 2350 FWL / TWSP: 26S / RANGE: 36E / SECTION: 4 / LAT: 32.0789476 / LONG: -103.2710328 (TVD: 0 feet, MD: 0 feet)
PPP: SENW / 2640 FSL / 2240 FWL / TWSP: 25S / RANGE: 36E / SECTION: 28 / LAT: 32.1013508 / LONG: -103.2711294 (TVD: 11572 feet, MD: 19884 feet)
PPP: SESW / 100 FSL / 2318 FWL / TWSP: 25S / RANGE: 36E / SECTION: 33 / LAT: 32.0798547 / LONG: -103.2711367 (TVD: 11566 feet, MD: 12069 feet)
BHL: NENW / 50 FNL / 2318 FWL / TWSP: 25S / RANGE: 36E / SECTION: 28 / LAT: 32.1084636 / LONG: -103.2711284 (TVD: 11572 feet, MD: 22472 feet)



Sundry Print Report U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: TEA OLIVE FED COM 25 Well Location: T26S / R36E / SEC 4 / County or Parish/State: LEA /

NENW / 32.0789476 / -103.2710328 36.33

Well Number: 104H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM136233 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300255073900X1 Well Status: Drilling Well **Operator:** AMEREDEV

OPERATING LLC

Subsequent Report

Sundry ID: 2729508

Type of Action: Drilling Operations Type of Submission: Subsequent Report

Date Sundry Submitted: 05/08/2023 Time Sundry Submitted: 08:10

Date Operation Actually Began: 05/04/2023

Actual Procedure: SPUD DATE: 4/27/2023 Casing Ran: 13.375" 68# J-55 BTC set @ 1,420' Hole Size: 17.5" Hole Depth:1,450' PUMP SURFACE JOB: 18:32 05/04/23 PUMP 30 BBLS OF F/W SPACER. PUMP LEAD CEMENT 257 BBLS, 835 SX, 1.72 YLD, 13.5 PPG (100% CLASS C CEMENT, 4% BENTONITE GEL, 0.4% CPT503P, 0.25 LBS/SK CELLOPHANE FLAKE, 0.125 LBS/SK DURA FIBER-X). PUMP TAIL CEMENT 91 BBLS, 385 SX, 1.33 YLD, 14.8 PPG, (100% CLASS C CEMENT, 0.125 LBS/SK CELLOPHANE FLAKE, 0.125 LBS/SK DURA FIBER-X). SHUT DOWN. DROP PLUG, PUMP DISPLACEMENT WITH 212 BBLS OF F/W. LAND PLUG. NO CEMENT RETURNS TO SURFACE. CHECK FLOATS/FLOATS HELD. JOB COMPLETE 20:13 05/04/2023 CONTACTED ON-CALL BLM ENGINEER (STEVENS). RIH WITH 1" PIPE TO @ 220'. PUMPED TOP OFF 05/05/2023 00:50 60 BBLS, 385 SACKS, 1.33 YLD, 6.32 H20, 0.25 LB/SK CELLOPHANE, RECEIVED 5 BBLS (21 SKS) OF CEMENT TO SURFACE. JOB COMPLETE 05/05/2023 1:18. TOC: 0' (SURFACE) RIG RELEASED: 05/05/2023

County or Parish/State: LEA eived by OCD: 5/15/2023 1:12:39 PM Well Name: TEA OLIVE FED COM 25 Well Location: T26S / R36E / SEC 4 /

36 33 NENW / 32.0789476 / -103.2710328

NM

Well Number: 104H Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM136233 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300255073900X1 Well Status: Drilling Well **Operator:** AMEREDEV

OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 08, 2023 08:10 AM **Operator Electronic Signature: CHRISTIE HANNA**

Name: AMEREDEV OPERATING LLC Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

Field

Representative Name: Diego Barreda

Street Address: 2901 Via Fortuna, Ste. 600

City: Austin State: TX **Zip:** 78746

Phone: (737)300-4700

Email address: dbarreda@ameredev.com

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 05/11/2023

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 216945

CONDITIONS

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	216945
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	4/24/2025