Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT	
RY NOTICES AND REPORTS ON WELLS	

BURI	EAU OF LAND MANAGEMENT	NMNM136235		
SUNDRY N Do not use this f		6. If Indian, Allottee of	or Tribe Name	
	Use Form 3160-3 (APD) for suc			
	TRIPLICATE - Other instructions on pag	e 2	7. If Unit of CA/Agre	ement, Name and/or No.
1. Type of Well  ✓ Oil Well  ✓ Gas W	Vell Other		8. Well Name and No	FIRETHORN FED COM 26 36 04/
<del></del>	<u>—</u>		9. API Well No. 3002	104H
2. Name of Operator AMEREDEV OF				
3a. Address 2901 VIA FORTUNA, STE. 600 AU		(include area code) 00	10. Field and Pool or JAL/WOLFCAMP	·
4. Location of Well <i>(Footage, Sec., T.,R</i> SEC 4/T26S/R36E/NMP		11. Country or Parish, LEA/NM	, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE OF N	OTICE, REPORT OR OTI	HER DATA
TYPE OF SUBMISSION		TYPE OF A	ACTION	
Notice of Intent	Acidize Deep	=	Production (Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair New	Construction R	Recomplete Femporarily Abandon	✓ Other
Final Abandonment Notice		_	Water Disposal	
PUMP SURFACE JOB: 14:04 PPG (100% CLASS C CEMEN FIBER-X). PUMP TAIL CEMEI FLAKE, 0.125 LBS/SK DURA No CEMENT WAS CIRCULAT TOP OF CEMENT AT 85' PUM	BTC set @ 1,461' Hole Size: 17.5" Hole 04/22/23 PUMP 30 BBLS OF F/W SPA NT, 4% BENTONITE GEL, 0.4% CPT50 NT 91 BBLS, 385 SX, 1.33 YLD, 14.8 P FIBER-X). SHUT DOWN. DROP PLUG TED TO SURFACE. CHECK FLOATS/F MP 5 BBLS OF F/W SPACER. PUMP TO GOF CEMENT CIRCULATED TO SURF	CER. PUMP LEAD CEI 3P, 0.25 LBS/SK CELL PG, (100% CLASS C C , PUMP DISPLACEMEI LOATS HELD. PERFO DP OUT CEMENT 80 E	OPHANE FLAKE, 0.125 CEMENT, 0.125 LBS/SK NT WITH 212 BBLS OF RM TOP OUT JOB: 01:3 BBLS, 380 SX, 1.33 YLD	5 LBS/SK DURA CELLOPHANE F/W. LAND PLUG. 33 04/23/23 TAG
4. I hereby certify that the foregoing is CHRISTIE HANNA / Ph: (737) 300-	true and correct. Name ( <i>Printed/Typed</i> ) -4723	Senior Engineer	ing Technician	
Signature Christie Hanna		Date 05/01/2023		
	THE SPACE FOR FED	ERAL OR STATE	OFICE USE	
Approved by				
JONATHON W SHEPARD / Ph: (575) 234-5972 / Accepted		Petroleum I Title		05/10/2023 Date
	ned. Approval of this notice does not warran equitable title to those rights in the subject led duct operations thereon.		AD	
Fitle 18 U.S.C Section 1001 and Title 43	3 U.S.C Section 1212, make it a crime for an	ny person knowingly and	willfully to make to any do	epartment or agency of the United States

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

## **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

### **Additional Remarks**

TOC: 0' (SURFACE)

CASING TEST: 1,500 PSI / 30 MIN. GOOD TEST.

RIG RELEASED: 06:00 04/23/2023

## **Location of Well**

0. SHL: NENW / 230 FNL / 2410 FWL / TWSP: 26S / RANGE: 36E / SECTION: 4 / LAT: 32.0789476 / LONG: -103.2708391 ( TVD: 0 feet, MD: 0 feet )

PPP: NESW / 2640 FSL / 2396 FWL / TWSP: 26S / RANGE: 36E / SECTION: 9 / LAT: 32.0578122 / LONG: -103.2711297 ( TVD: 11572 feet, MD: 19666 feet )

PPP: NENW / 100 FNL / 2318 FWL / TWSP: 26S / RANGE: 36E / SECTION: 4 / LAT: 32.0793048 / LONG: -103.2711363 ( TVD: 11559 feet, MD: 11857 feet )

BHL: SESW / 50 FSL / 2318 FWL / TWSP: 26S / RANGE: 36E / SECTION: 9 / LAT: 32.0506859 / LONG: -103.2711253 ( TVD: 11572 feet, MD: 22259 feet )



Sundry Print Report

County or Parish/State: LEA /

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FIRETHORN FED COM 26 Well Location: T26S / R36E / SEC 4 /

36 04 NENW / 32.0789476 / -103.2708391

Well Number: 104H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM136235 Unit or CA Name: Unit or CA Number:

**US Well Number:** 300255088100X1 **Well Status:** Drilling Well **Operator:** AMEREDEV

OPERATING LLC

# **Subsequent Report**

**Sundry ID: 2728381** 

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/01/2023 Time Sundry Submitted: 08:58

**Date Operation Actually Began:** 04/22/2023

Actual Procedure: SPUD DATE: 4/20/2023 Casing Ran: 13.375" 68# J-55 BTC set @ 1,461' Hole Size: 17.5" Hole Depth:1,471' PUMP SURFACE JOB: 14:04 04/22/23 PUMP 30 BBLS OF F/W SPACER. PUMP LEAD CEMENT 225 BBLS, 735 SX, 1.72 YLD, 13.5 PPG (100% CLASS C CEMENT, 4% BENTONITE GEL, 0.4% CPT503P, 0.25 LBS/SK CELLOPHANE FLAKE, 0.125 LBS/SK DURA FIBER-X). PUMP TAIL CEMENT 91 BBLS, 385 SX, 1.33 YLD, 14.8 PPG, (100% CLASS C CEMENT, 0.125 LBS/SK CELLOPHANE FLAKE, 0.125 LBS/SK DURA FIBER-X). SHUT DOWN. DROP PLUG, PUMP DISPLACEMENT WITH 212 BBLS OF F/W. LAND PLUG. No CEMENT WAS CIRCULATED TO SURFACE. CHECK FLOATS/FLOATS HELD. PERFORM TOP OUT JOB: 01:33 04/23/23 TAG TOP OF CEMENT AT 85' PUMP 5 BBLS OF F/W SPACER. PUMP TOP OUT CEMENT 80 BBLS, 380 SX, 1.33 YLD, 14.8 PPG, (100% CLASS C CEMENT). 10 BBLS OF CEMENT CIRCULATED TO SURFACE. JOB COMPLETE: 03:00 4-23-23 TOC: 0' (SURFACE) CASING TEST: 1,500 PSI / 30 MIN. GOOD TEST. RIG RELEASED: 06:00 04/23/2023

County or Parish/State: LEA well Name: FIRETHORN FED COM 26 Well Location: T26S / R36E / SEC 4 /

36 04

NENW / 32.0789476 / -103.2708391

NM

Well Number: 104H Type of Well: OIL WELL **Allottee or Tribe Name:** 

Lease Number: NMNM136235 **Unit or CA Name: Unit or CA Number:** 

**US Well Number:** 300255088100X1 Well Status: Drilling Well **Operator:** AMEREDEV

OPERATING LLC

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: MAY 01, 2023 08:58 AM **Operator Electronic Signature: CHRISTIE HANNA** 

Name: AMEREDEV OPERATING LLC Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

# **Field**

Representative Name: Joel Kaufman

Street Address: 2901 Via Fortuna, Ste. 600

City: Austin State: TX **Zip:** 78746

Phone: (737)300-4700

Email address: drillingengineering@ameredev.com

## **BLM Point of Contact**

**BLM POC Name: JONATHON W SHEPARD BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Accepted Disposition Date: 05/09/2023

Signature: Jonathon Shepard

Page 2 of 2

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 216760

## **CONDITIONS**

Operator:	OGRID:
AMEREDEV OPERATING, LLC	372224
2901 Via Fortuna	Action Number:
Austin, TX 78746	216760
	Action Type:
	[C-103] Sub. Drilling (C-103N)

### CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	4/24/2025