Received by OCD to Alphophate Bishet 41 F	State of New Me	exico		Form C-103 1 3
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natu	ral Resources	Revised July 18, 2013	
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283			WELL API NO.	JF 00041
811 S. First St., Artesia, NM 88210	OIL CONSERVATION		5. Indicate Type of	15-08941
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fran		STATE	FEE
<u>District IV</u> – (505) 476-3460	Santa Fe, NM 87	7505	6. State Oil & Gas	
1220 S. St. Francis Dr., Santa Fe, NM 87505			STATE	B-10796-4
	CES AND REPORTS ON WELLS		7. Lease Name or U	Jnit Agreement Name
(DO NOT USE THIS FORM FOR PROPOS DIFFERENT RESERVOIR. USE "APPLIC				
PROPOSALS.)	ATION FOR PERMIT (FORM C-101) FO	JK SUCH		C A COM A LS
	Gas Well 🛛 Other		8. Well Number 2	
2. Name of Operator			9. OGRID Number	
Hilcorp Energy Company			10. Pool name or W	72171 Vildaat
3. Address of Operator 382 Road 3100, Aztec, NN	A 87410			/ Blanco S. Pictured Cliffs
4. Well Location	1 0/110		Dugin Transand Cour,	Bianco Si Ticurco Cinio
	from the South line and 1090 fe	at from the West 1	ino	
	Sownship 030N Range 010W	·	County SAN JUAN	
Section 32	11. Elevation (Show whether DR			
	5915 ³			
13. Describe proposed or comple	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL MV Payadd ted operations. (Clearly state all per k). SEE RULE 19.15.7.14 NMAC mpletion. permission to add pay to the ex	REMEDIAL WORL COMMENCE DRI CASING/CEMENT OTHER: ertinent details, and For Multiple Comp	LLING OPNS. Pr JOB give pertinent dates, i pletions: Attach well formation. Please s	AND A ncluding estimated date bore diagram of ee the attached
Spud Date: I hereby certify that the information all	Rig Release Dat		and belief.	
SIGNATURE Cherylene W	eston TITLE Operate	ions/Regulatory Tec	ch-Sr. DATE	4/16/2025
Type or print name Cherylene Wes For State Use Only	ton E-mail address:	cweston@hilcorp.	com PHONE:	713-289-2615
APPROVED BY:	TITLE		DATE	
Conditions of Approval (if any):				




HILCORP ENERGY COMPANY Stewart A Com A LS #2 MESAVERDE PAY ADD SUNDRY API 3004508941

JOB PROCEDURES

- 1 MIRU workover rig and associated equipment; NU and test BOP.
- 2 TOOH with tubing.
- 3 Load hole with fluid. RU WL. Run CBL from PBTD to surface. Review results with operations engineer and regulatory agencies for perforation approval.
- 4 Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 5 If frac'ing down casing: pressure test casing to frac pressure.
- 6 RU WL. Perforate the Mesaverde. Top perforation @ 3,882', bottom perforation @ 4,749'.
- 7 If frac'ing down frac string: RIH $\mbox{w/}$ frac string and packer.
- 8 ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 9 RU stimulation crew. Frac the Mesaverde in one or more stages. Set plugs in between stages, if necessary.
- 10 MIRU workover rig and associated equipment; NU and test BOP.
- 11 If frac was performed down frac string: POOH w/ frac string and packer.
- 12 TIH with mill and clean out to isolation plug. TOOH w/ mill.
- 13 TIH and land production tubing. Flowback the well. Return well to production as a Mesaverde Producer.




HILCORP ENERGY COMPANY Stewart A Com A LS #2 MESAVERDE PAY ADD SUNDRY





HILCORP ENERGY COMPANY Stewart A Com A LS #2 MESAVERDE PAY ADD SUNDRY




eived by	OCD: 4/	16/2025 3:0	1:41 PM							Page 5 o
<u>C-10</u>				State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION						Revised July 9, 2024
	Electronicall D Permitting	y		OIL	CONSERVAT	TION DIVISION			X Initial Su	bmittal
Via OCI) Permitting							Submitta		
								Type:	☐ As Drille	
					WELL LOCAT	TION INFORMATION				
API Nu	ımher		Pool Code			Pool Name				
	045-0894	<u> 11 </u>	72	72319 Blanco-Mesaverde (Prorat					Well Numbe	25*
319°	112				Com A LS				2	21
OGRID) No.		Operator Na	ame	loorn Engrav C	omnony			Ground Lev	el Elevation
372		State □ Fee □	Tribal 🗆 Fac		Icorp Energy C	Mineral Owner: X	Stata D Eag	□ Tribal □		5915'
Surface	Owner. IZI	state 🗆 Fee 🗅	Thoat - red	iciai			State Fee		rederai	
UL	Section	Township	Panga	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
M	32	030N	Range 010W	Lot	990' S 1090' W 36.7640			107.912765	San Juan	
171	52	03011	OTOVV	<u> </u>			30.704	3070	107.712703	Jan Jaan
1.11	C4:	Т1.:	D	T -4	1	Hole Location	T -4:4 1-		T	Country
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
	Dedicated Acres			Overlapping Spacing Unit (Y/N) Consolidation Code						
Order 1	Numbers.	.1		_L		Well setbacks are under Common Ownership: □Yes □No				
			Kick O	off Point (KOP)		1				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
		1							C	•
				1	First Ta	 ake Point (FTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
T.17	G 4:	T 1:	Ъ	Τ.,	1	ake Point (LTP)	T .'' 1		T '/ 1	G 1
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
Unitize	d Area or Ar	rea of Uniform l	Interest	Spacing	g Unit Type Horiz	zontal 🛚 Vertical	Groun	nd Floor Ele	evation: 5915	ı
				<u> </u>						
OPER /	ATOR CERT	TIFICATIONS				SURVEYOR CERTIFIC	CATIONS			
			4							
my know	vledge and beli	ief, and, if the wel	l is a vertical or	directional		I hereby certify that the we surveys made by me or una				
		rns a working inte I bottom hole loca				my belief.				
location	pursuant to a	contract with an o	owner of a work	ing interest	or unleased mineral					
	by the division.		тені от а сотрі	usory pooii	ing order heretofore					
If this w	ell is a horizon	ıtal well, I further	certify that this	organizatio	n has received the					
in each i	tract (in the tar		ation) in which a	any part of th	ased mineral interest he well's completed m the division.					
	_	Weston		1/16/20						
Signature			Date			Signature and Seal of Profess	sional Surveyor			
Cher	ylene We	eston, Oper	ations/Reç	gulatory	/ Tech-Sr.	C. O. Walker	_			
Printed N					_	Certificate Number	Date of Surve	у		
cwes	cweston@hilcorp.com						1/7/19	57		

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company			372171 Dat		e: <u>04/16/2025</u>		
☐ Amendment	due to □ 19.15.27	7.9.D(6)(a) NMAC	C □ 19.15.27.9.D((6)(b) NMAC □ (Other.		
::							
				wells proposed to	be drilled or proposed to		
API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D		
3004508941	M-32-30N-11W	990' FSL, 1090' FWI	1 bbl/d	400 mcf/d	1 bbl/d		
le: Provide the	following informa	ation for each new nnected to a centra	or recompleted wal delivery point. Completion	vell or set of wells Initial F	Flow First Production		
		Date	Commencement	Date Back I	Date Date		
3004508941					<u>2025</u>		
tices: Attac of 19.15.27.8 at Practices:	h a complete desc NMAC.	cription of the act	ions Operator wil	l take to comply	with the requirements of		
	API 3004508941 oint Name: le: Provide the eted from a sing API 3004508941 hent: ☒ Attach tices: ☒ Attach of 19.15.27.8 Interceives: ☒ Attach of the eted from a sing Api Attach tices: ☒ Attach of the eted from a sing Api Attach of the eted from a sing Api Api Attach tices: ☒ Attach of the eted from a sing Api Attach tices: ☒ Attach of the eted from a sing Api Attach tices: ☒ Attach tices: ☐	API Spud Date API Spud Date Spud Date API Spud Date	Amendment due to \$\Begin{array}{c}\$ 19.15.27.9.D(6)(a) NMACE:	Amendment due to 19.15.27.9.D(6)(a) NMAC 19.15.27.9.D(6) 19.15.27.9.D	Amendment due to 19.15.27.9.D(6)(a) NMAC 19.15.27.9.D(6)(b) NMAC 6 following information for each new or recompleted well or set of wells proposed to ingle well pad or connected to a central delivery point. API ULSTR Footages Anticipated Gas MCF/D 3004508941 M-32-30N-11W 990' FSL, 1090' FWL 1 bbl/d 400 mcf/d 6 int Name: Chaco-Blanco Processing Plant [See 1] 6 ie: Provide the following information for each new or recompleted well or set of wells sted from a single well pad or connected to a central delivery point. API Spud Date TD Reached Completion Commencement Date Back Education Specific Specifi		

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 v	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well-	(s).

	A 1 .	O 1	, 1 ,		1 4.	•	4 41 .	ased line pres	
I I	Affach (Inerator	's nian to	manage	nraduction	in rechange	to the incre	aced line nrec	cure

XIV. Confidentiality: \square Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the informat	ion provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the spec	ific information
for which confidentiality is asserted and the basis for such assertion.	

(h)

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery;

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

fuel cell production; and

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston
Printed Name:	Cherylene Weston
Title:	Operations/Regulatory Tech-Sr.
E-mail Address:	cweston@hilcorp.com
Date:	4/16/2025
Phone:	713-289-2615
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of Ap	proval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 452911

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	452911
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created By		Condition Date
ward.rikala	Notify the OCD inspection supervisor 24 hours prior to beginning Plug & Abandon (P&A) operations.	4/24/2025
ward.rikala	A Cement Bond Log (CBL) is required to be submitted to electronic permitting.	4/24/2025
ward.rikala	Submit new C-104 upon completion of work.	4/24/2025