

<b>Well Name:</b> SEINFELD FED UNIT YADA	<b>Well Location:</b> T24S / R35E / SEC 35 / SWSE / 32.1674679 / -103.3342877	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 223H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM138896	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b> NMNM141169X
<b>US Well Number:</b> 3002550987	<b>Well Status:</b> Drilling Well	<b>Operator:</b> TAP ROCK OPERATING LLC

**Subsequent Report**

**Sundry ID:** 2735947

**Type of Submission:** Subsequent Report

**Type of Action:** Drilling Operations

**Date Sundry Submitted:** 06/15/2023

**Time Sundry Submitted:** 09:02

**Date Operation Actually Began:** 05/07/2023

**Actual Procedure:** Well spud on 5/7/2023 at 11:30 5/7/2023: Drill 14.75 inch surface hole to 1169 ft. 5/7/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 1103 ft. Pump 20 bbl water spacer, followed by 500 sks of 13.5 ppg lead cmt and 390 sks of 14.8 ppg tail cmt. Drop plug and displace with 103 bbls freshwater. 126 bbls of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 5/9/2023: Test BOPS. Drill 9.875 intermediate hole to 11937 ft. 5/16/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 11887 ft. Pump 40 bbls spacer, followed by 1495 sks of 11.2 ppg lead cmt 295 sks of 13.2 ppg tail cmt. Drop plug and displace with 543 bbls of fresh water. 243 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2615 for 30 minutes, good test. 5/25/2023: Drill 6.75 inch production hole to 22795 ft. 6/13/2023: Run 5.5 inch 20 lb P-110 production casing to 22776 ft MD. Pump 80 bbls spacer, then 925 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 484 bbls brine. 0 bbls cement returned to surface. Est TOC at 8000 ft. Surface Casing Details: Casing ran: 5/7/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 1103 ft, Cement 890 sacks, Yield 1.74 lead/1.35 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 5/16/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 11937, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 11887 ft, Cement 1790 sks, Yield 2.60 lead/1.42 tail, Class C, Pressure Held 2615 psi, Pres Drop 0. Production Casing details: Casing Date: 6/13/2023, Fluid Type oil based mud, Hole 6.75 inch to 22795 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 22776 ft, EST TOC 8000 ft, Cement 925 sacks, yield 1.37 tail, Class C. 6/12/2023: TD Reached at 22795 MD, 12317 ft TVD. Plug Back Measured depth at 22724 ft MD, 12325 ft TVD. Rig Release on 6/14/2023 at 13:30

Well Name: SEINFELD FED UNIT  
YADA

Well Location: T24S / R35E / SEC 35 /  
SWSE / 32.1674679 / -103.3342877

County or Parish/State: LEA /  
NM

Well Number: 223H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM138896

Unit or CA Name:

Unit or CA Number:  
NMNM141169X

US Well Number: 3002550987

Well Status: Drilling Well

Operator: TAP ROCK  
OPERATING LLC

**Operator**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

Operator Electronic Signature: JEFFREY TRLICA

Signed on: JUN 15, 2023 09:02 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN

State: CO

Phone: (720) 772-5910

Email address: JTRLICA@TAPRK.COM

**Field**

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

**BLM Point of Contact**

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 06/27/2023

Signature: Jonathon Shepard

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 233692

**CONDITIONS**

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 233692
	Action Type: [C-103] Sub. Drilling (C-103N)

**CONDITIONS**

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	5/5/2025